

FASTRAK

QUICK-SHIP PROGRAM



DIVERSIFIED
SPACES™

FASTRAK

QUICK-SHIP PROGRAM



FASTRAK QUANTITY RESTRICTIONS

Restrictions apply per order.

Quantities:

Tables - 30

Stools - 30

Cabinets - 6

Lab Stations - 6

Work Stations - 6

ORDERING

Please send orders to:

Diversified Woodcrafts, Inc.

300 S Krueger Street

Suring, WI 54174

Phone: 877.348.9663

Fax: 920.842.2499

E-Mail: PO@DiversifiedWoodcrafts.com

WARRANTY

Products are guaranteed against material defect and faulty workmanship from our plant for the lifetime of the product. During this period, Diversified Woodcrafts will replace or repair, at its discretion, any product that, upon inspection, exhibits defects in material or workmanship. This warranty shall include the costs of replacement parts or materials but does not include labor or shipping costs. This warranty does not cover damage in transit or damage caused by misuse, abuse, faulty installation, color grain, wood texture, or other covering materials.

SHIPPING DATES


Diversified Woodcrafts sends acknowledgments within 24 hours of order receipt. Please check the date to ensure your customer can accept shipment at that time. Our acknowledgments are extremely accurate, and we cannot guarantee that a new ship-date can be met unless we are informed within a week of our acknowledgment. If production has started and you request us to hold shipment, we reserve the right to charge storage fees.

FREIGHT

All Freight ships FOB from zip code 54174. Merchandise title passes from Diversified Woodcrafts to the consignee upon delivery to the carrier. Before accepting a shipment, please examine all items carefully noting any damage on the freight bill prior to signing for delivery. If the concealed damage is found, keep all packaging as the carrier will need to inspect the packaging. The dealer must notify the carrier of any damage within 5 days. Freight quotes are good for 30 days will be charged as quoted regardless of actual freight charges.

TABLE OF CONTENTS

Tables.....	4-6
Seating.....	7
Workbenches.....	8-9
Lab Stations	10
Mobile Lab Stations	11-13
Mobile Storage	14-15
Tall Storage	16-17
Accessories.....	18-19



Scan or Click to View Full
Line Digital Catalog

TABLES

PERPETULAB TABLES

COMPONENTS	FIXED WOODEN LEGS	2-1/4" square, solid oak hardwood or solid light hardwood legs and 4-1/2" apron with a UV finish; Featuring heavy-duty T3-gauge steel corner braces; Non-skid adjustable leveling glides and rubber leg boots
	TOP	Solid epoxy, phenolic, black ChemGuard or laminate

SCIENCE CTE



For ADA sizes, contact estimating.



P7106K36N

SIZE	HEIGHT	WOOD	EPOXY	PHENOLIC	CHEMGUARD	LAMINATE
48"W x 24"D	30"	Oak	P7106K30N	--	P7102BK30N	P710LBBK30N
54"W x 24"D	30"	Oak	P7206K30N	P7204K30N	P7202BK30N	P720LBBK30N
60"W x 24"D	30"	Oak	P7606K30N	P7604K30N	P7602BK30N	P760LBBK30N
72"W x 24"D	30"	Oak	P7306K30N	--	P7302BK30N	P730LBBK30N
60"W x 30"D	30"	Oak	P7146K30N	P7144K30N	P7142BK30N	P714LBBK30N
72"W x 30"D	30"	Oak	P7156K30N	--	P7152BK30N	--
48"W x 24"D	30"	Light Hardwood	P7106M30N	--	P7102BM30N	P710LBBM30N
54"W x 24"D	30"	Light Hardwood	P7206M30N	--	P7202BM30N	P720LBBM30N
60"W x 24"D	30"	Light Hardwood	P7606M30N	P7604M30N	P7602BM30N	P760LBBM30N
48"W x 24"D	36"	Oak	P7106K36N	--	P7102BK36N	P710LBBK36N
54"W x 24"D	36"	Oak	P7206K36N	P7204K36N	P7202BK36N	P720LBBK36N
60"W x 24"D	36"	Oak	P7606K36N	--	P7602BK36N	P760LBBK36N
60"W x 30"D	36"	Oak	P7146K36N	P7604K36N	P7142BK36N	P714LBBK36N
48"W x 24"D	36"	Light Hardwood	P7106M36N	--	P7102BM36N	P710LBBM36N
54"W x 24"D	36"	Light Hardwood	P7206M36N	--	P7202BM36N	P720LBBM36N
60"W x 24"D	36"	Light Hardwood	P7606M36N	--	P7602BM36N	P760LBBM36N

UPLIFT! TABLES

COMPONENTS	BASE	Adjust from 27-3/4" to 41-3/4" heights in increments which include 2-3/4" spacers, and powder coated steel legs.
	TOP	Laminate top available in black
	FEET	Equipped with non-skid adjustable leveling glides
	OPTIONS	Casters available - add 2-5/16" to OA height

MULTIPURPOSE



For ADA sizes, contact estimating.



ALT-6030BL

ITEM #	SIZE W X D	1-1/4" LAMINATE TOP	OPTIONS
ALT-6030BL	60"W x 30"D	Black	Casters (100709X4)
ALT-6042BL	60"W x 42"D	Black	

FASTRAK quantity restrictions apply per order, see first page for details

DiversifiedSpaces.com | info@DiversifiedSpaces.com | 877.348.9663

TABLES

UPLIFT! TABLES WITH WOOD APRON

COMPONENTS	BASE	Solid oak hardwood; 4-1/2" apron with a UV finish and powder coated steel legs
	TOP	Phenolic, black ChemGuard or laminate
	HEIGHT	Laminate and ChemGuard adjust from 26-1/2" to 41" heights in increments which include 2-3/4" spacers; Phenolic tops adjust from 26" to 40-1/2"
	FEET	Equipped with non-skid adjustable leveling glides
	OPTIONS	Optional casters - add 2-9/16" to OA height



P8604K

MULTIPURPOSE



For ADA sizes, contact estimating.

SIZE	HEIGHT	WOOD	PHENOLIC	CHEMGUARD	LAMINATE	OPTIONS
48"W x 24"D	29-41"	Oak	--	P8102BK	P810LBBK	Casters (100709X4)
54"W x 24"D	29-41"	Oak	--	P8202BK	P820LBBK	
60"W x 24"D	29-41"	Oak	P8604K	P8602BK	P860LBBK	
72"W x 24"D	30"	Oak	--	P8302BK	P830LBBK	
60"W x 30"D	30"	Oak	P8144K	P8142BK	P814LBBK	

PERSPECTIVE TABLES

COMPONENTS	BASE	Solid light hardwood legs with two tapered pedestal style panel legs and two light hardwood truss bars; Finished with a UV finish
	TOP	Maple Butcher Block and Almond or Natural Maple Laminate Top; Premier top attachment prevents table from racking or rocking



PT-62M

ART DRAFTING



PLAIN APRON	TOP TYPE	OVERALL SIZE
PT-62M*	1-3/4" Maple BB	60"W x 42"D x 30-3/4"H
PT-62PNB	1-1/4" Natural Maple HPL	60"W x 42"D x 30-1/4"H
PT-62P	1-1/4" Almond HPL	60"W x 42"D x 30-1/4"H

PERSPECTIVE WORKTOP CLASSIC

COMPONENTS	BASE	2-1/4" solid light hardwood legs and 4-1/2" apron with a UV finish; Attached with 13-gauge steel corner braces
	TOP	Maple Butcher Block or Almond Laminate Top
	FEET	Adjustable floor glides and rubber leg boots
	OVERALL SIZE	48"W x 48"D; 26 or 30"H for Butcher Block, 25 1/2"H or 29 1/2"H for Laminate



WX4-M

ART



24 1/4" LEGS	28 1/4" LEGS	TOP TYPE
WX4-M26	WX4-M	1-3/4" Maple butcher block
WX4-P26	WX4-P	1-1/4" Almond laminate top

FASTRAK quantity restrictions apply per order, see first page for details

DiversifiedSpaces.com | info@DiversifiedSpaces.com | 877.348.9663

TABLES

DRAFTSMAN DRAWING TABLE

COMPONENTS	BASE	Solid light hardwood legs, 4-1/2" apron and veneers with a UV finish and attached with 13-gauge steel corner braces
	TOP	Almond laminate top on 3/4" particle board core with phenolic backer and matching edge band; Top adjusts from 0-30 degrees with soft-close "no pinch" safety feature and includes an attached pencil ledge
	FEET	Adjustable floor glides



DT-9SA30

DRAFTING



ITEM

TOP SIZES

OVERALL SIZE

DT-9A30	1-Piece Top - 36"W x 24"D	36" W x 24"D x 29-3/4"H
DT-9ASA	2-Piece: Adjustable Top - 36" x 24"D, Fixed Top - 12"W x 24"D	36" W x 24"D x 29-3/4"H
DT-9A37	1-Piece Top - 36"W x 24"D	36" W x 24"D x 35-3/4"H
DT-9SA37	2-Piece: Adjustable Top - 36" x 24"D, Fixed Top - 12"W x 24"D	48" W x 24"D x 35-3/4"H



A = 1-PIECE TOP

SA = 2-PIECE TOP

DRAFTSMAN DRAWING TABLE SYSTEM

COMPONENTS	BASE	Solid light hardwood legs, 4-1/2" apron and veneers with a UV finish and attached with 13-gauge steel corner braces
	TOP	Almond laminate top on 3/4" particle board core with phenolic backer and matching 1mm edge band; Top adjusts from 0-30 degrees with soft-close "no pinch" safety feature and includes an attached pencil ledge
	FEET	Adjustable floor glides
	STORAGE	Board storage models feature six (25-1/4"H x 24-3/8"D x 1-1/4"W) spaces for storage; all doors and dovetailed drawers lock
	OPTIONS	Deluxe model includes CPU holder (23"H x 11"W x 29"D), monitor arm, keyboard and mouse tray



CDTC-70

DRAFTING



ITEM

TOP SIZES

OVERALL SIZE

DT-30A*	1-Piece Top - 42"W x 30"D	42"W x 30"D x 39-3/4"H
DT-60SA*	2-Piece: Adjustable Top - 30" x 30"D, Fixed Top - 12"W x 30"D	42"W x 30"D x 39-3/4"H
CDTC-70*	Deluxe 2-Piece: Adjustable Top - 30" x 30"D, Fixed Top - 12"W x 30"D	42"W x 30"D x 39-3/4"H

FORUM FIXED WORKBENCH

COMPONENTS	BASE	Constructed of solid light hardwood with a UV finish
	TOP	2-1/4" Maple Butcher Block
	VICES	Options for 0, 2 or 4 vises (installation on site)

CTE



54" D - FOUR-STATION

VICES

OVERALL DIMENSIONS

WW4-0V	0	54"D x 64"W x 31-1/4"H
WW4-2V	2	54"D x 64"W x 31-1/4"H
WW4-4V	4	54"D x 64"W x 31-1/4"H



WW4-2V

TABLES



Available with Vises!



WBMLD20V

APPRENTICE INDUSTRIAL ARTS WORKBENCHES

COMPONENTS	BASE	Frame powder-coated in grey powder coat; 12-ga adjustable steel legs with flared foot and 14-ga steel leg stretchers
	WBML MODEL	Includes 2-1/4" Maple Butcher Block top in two sizes: Two-station (64"W x 28"D) or four-station (64"W 54"D); Optional matching shelf and vises on four-station units

MULTIPURPOSE ART



ITEM #	STYLE	OVERALL SIZE
WBMLD20V	Two-Station Unit	42"W x 30"D x 31-1/4" - 40-1/4"
WBMLD40V	Four-Station Unit	42"W x 30"D x 31-1/4" - 40-1/4"
WBMLD44V	Four-Station w/4 Vises	42"W x 30"D x 31-1/4" - 40-1/4"



AMS60305G

FAB LAB SERIES

COMPONENTS	BASE	Frame powder-coated in grey with matte finish; Apron constructed of 16-gauge with end gusset geometry and attached to legs with bolts; Legs constructed of 2" x 2" square steel outer tubes welded together with upper and lower cross braces; 1-3/4" x 1-3/4" square steel 14-gauge inner tubes with riv-nuts spaced 1" on-center to provide adjustable heights from 27-1/4"H to 35-1/4"H to underside of the top with glides; 14-gauge stretcher bar provides additional rigidity to table frame (can be installed front, middle or back of leg frame); Top attached with screws in two directions
	TOP	Maple Butcher Block or black Laminate
	FEET	Equipped with adjustable leveling glides
	OPTIONS	Color-coordinated 12" deep shelf made from 14-gauge steel; 3" casters (#253996X4); <i>Casters add 3-1/2" to table height</i>

MULTIPURPOSE



ITEM #	TOP	SIZE	HEIGHT	OPTIONS
AMS60305G	1-3/4" Maple BB	60"W x 30"D	29" - 37"H	3" Casters (253996X4)
AMS72305G	1-3/4" Maple BB	72"W x 30"D	29" - 37"H	60" Shelf (255588-D)
AMS7230LBBG	1-1/4" black laminate	72"W x 30"D	28.5" - 36.5"H	72" Shelf (255589-D)

FASTRAK quantity restrictions apply per order, see first page for details

DiversifiedSpaces.com | info@DiversifiedSpaces.com | 877.348.9663

DESK & LAB STATIONS



1216K-L

KINETIC WORK DESK

COMPONENTS	BASE	Constructed of solid oak hardwood and veneers with an UV finish; Comes standard with pull-out writing board (3/4"H x 16-1/4"W x 25-1/4"D); Knee space: 22"W x 30-1/2"D
	TOP	Solid Epoxy with Epoxy resin sink (14"W x 10"D x 6"H) with polypropylene trap and Greenlaw arm
	ELECTRIC	GFI-protected AC duplex receptacle; assembly and installation required
	TOE KICK	Rubber base molding with metal corners

INSTRUCTOR SCIENCE



ITEM #	SINK	TOP	DESCRIPTION	OVERALL SIZE
1216K-L	Left	1" Epoxy	Door cabinet on left, drawers on right	60"W x 30"D x 36"H
1216K-R	Right	1" Epoxy	Door cabinet on right, drawers on left	60"W x 30"D x 36"H



2946K

FORWARD VISION™ WORKSTATIONS

COMPONENTS	BASE	Solid oak hardwood apron, veneers and legs have a UV finish
	STORAGE	Locking door cabinet with two adjustable shelves or locking door/drawer cabinet with one adjustable shelf and locking drawer
	TOP	Solid epoxy with solid epoxy sink (15"W x 18"L x 5"D), cold water/gas fixtures
	ELECTRIC	Two GFI AC duplex outlets, assembly and installation required
	FEET	Rubber leg boots and rubber base molding

SCIENCE



ITEM #	DESCRIPTION	OVERALL DIMENSIONS
2946K	Door Cabinet	96"W x 50"D x 36"H

LAB STATIONS



3303K

KINETIC CLEAN-UP SINK

COMPONENTS	BASE	Solid oak hardwood apron and veneers have a UV finish; Unfinished back panel with plumbing cut-out
	STORAGE	Locking doors with adjustable shelves
	TOP	Polyolefin top with long-grooved sloping counter leading to large sink (24-1/2"W x 18-1/2"D x 14"H)
	FEATURES	Low temperature strength (eliminates cracking from dry ice), hot and cold-water mixing faucet
	TOE KICK	Rubber base molding with metal corners

SCIENCE



ITEM #	TOP	OVERALL DIMENSIONS
3303K	Polyolefin	55-1/2"W x 28"D x 36-1/2"H

**HAVE A PROJECT? CONTACT US TODAY!
OUR INHOUSE DESIGN TEAM HAS YOU COVERED.**



LAB STATIONS

KINETIC MOBILE DEMO CENTERS

COMPONENTS	CASEBODY	Solid oak hardwood and veneers have a UV finish
	STORAGE	Dovetailed drawers with epoxy coated steel glides and lockable storage sliding doors include aluminum door glides,
	TOP	Black Laminate or ChemGuard surface with matching edge band
	ELECTRICAL	GFI-protected AC duplex electrical outlet
	FEET	4" locking, swivel casters
	SINK & FIXTURES	Stainless sink (15"W x 13"L x 5"D), hand pump, 25' grounded extension cord, two 2-1/2-gallon water bottles, connection hoses
	ROD SOCKETS	Two 3/4" diameter upright rods, one 1/2" diameter crossbar with clamps, two rod sockets
	ADDITIONAL OPTIONS	Mirror or Mirror/markerboard combo (Included standard in the 4342 models)
	MOBILE CAPACITY	500 lbs.

INSTRUCTOR

SCIENCE



Mirror/Markerboard Combo



Greenlaw Arm



Upright Set



Lab Hand



Hand Pump



Rod Socket



Gas Cock



4111K
Double Sliding Doors



4332K
2 Doors & 3 Drawers



4222K
Totes behind Double Sliding Doors



4121K
Double Sliding Doors
With Drop Leaf Extensions

LAB STATIONS



4342K
2 Doors & 4 Drawers with
Mirror/Markerboard

ITEM #	TOP	DESCRIPTION	OVERALL
4332K	1-1/4" ChemGuard	Two doors, pullout board, 2 drawers, 1 file drawer, sink and fixtures	48"W x 28"D x 36"H
4332KF	1-1/4" ChemGuard	Two doors, pullout board, 2 drawers, 1 file drawer	48"W x 28"D x 36"H
4342K	1-1/4" ChemGuard	Two doors, 4 drawers, sink and fixtures, mirror/markerboard	54"W x 30"D x 36"H
4111K	1-1/4" Black laminate	Two adj. shelves behind 2 sliding doors, sink, fixtures, rod sockets	48"W x 24"D x 36"H
4121K	1-1/4" Black laminate	Two sliding doors, 2 tote trays, drop leaf extensions, sink and fixtures, rod sockets, propane burner w/stand	48"W x 24"D x 36"H [72"W w/ext.]
4222K	1-1/4" ChemGuard	4 Totes & waste bin behind 2 sliding doors, sink fixtures, rod sockets	48"W x 28"D x 36"H



Add-on
Demo Mirror!

4352K
Shown with optional sink

KINETIC ADA LAB STATION

COMPONENTS	CASEBODY	Solid oak hardwood and veneers have a UV finish
	STORAGE	Dovetailed, locking drawers and storage compartment
	TOP	1-1/4" ChemGuard top with matching edge band
	OPTIONS INCLUDED	Stainless steel sink (15"W x 13"L x 5"D), toggle switch water pump, two 2-1/2-gallon water bottles with connecting hose, two rod sockets, Greenlaw Arm, upright set w/full crossbar, two connecting clamps and two rod sockets, 25' grounded extension cord, GFI-protected AC duplex electrical outlet and flat top
	FEET	4" locking, swivel casters
	ADDITIONAL OPTIONS	Mirror, mirror/markerboard combo (See Accs.)
	MOBILE CAPACITY	500 lbs.

INSTRUCTOR SCIENCE



ITEM #	PRODUCT	OVERALL SIZE
4352K	ADA Unit w/Sink & Rod Sockets	72"W x 24"D x 33-1/2"H
4352KF	ADA Unit w/Flat Top	72"W x 24"D x 33-1/2"H

FASTRAK quantity restrictions apply per order, see first page for details

DiversifiedSpaces.com | info@DiversifiedSpaces.com | 877.348.9663

WORKSTATIONS



WB12-4V

WB12-0V

FORUM INDUSTRIAL ARTS FOUR-STATION STEEL WORKBENCH

COMPONENTS	LOCKER BASE	Double-faced heavy gauge steel unit available in gray, welded and riveted
	TOP	2 1/4" maple butcher block
	STORAGE	Three GFI duplex outlets, assembly and installation required
	HEIGHT WITH VISES	49"W x 56 1/2"D x 33 1/4"H
	OVERALL DIMENSIONS	64"W x 54"D x 31"H



	GRAY	STORAGE TYPE	NOMINAL OPENING SIZE	VICES
WB12-0V		12 Vertical Locker Openings	9"W x 20"D x 14"H	No Vises
WB12-4V		12 Vertical Locker Openings	9"W x 20"D x 14"H	4 Vises



WW33-0V

FORUM FIXED FOUR-STATION WOOD WORKBENCH

COMPONENTS	BASE	Solid light hardwood and veneers have a UV finish
	TOP	2 1/4" maple butcher block
	MODEL OPTION #4	Double-faced unit featuring 6 locking drawers that roll easily on epoxy-coated glides and locking doors on the other side
	VICES	Options for no vise 2 vises or 4 vises (installation on site)
	OVERALL DIMENSIONS	64"W x 54"D x 31 1/4"H



	ITEM #	CABINET STYLE	VICES
WW33-0V		6 Drawers on 1 side & 2 Doors on other side	No Vise
WW33-4V		6 Drawers on 1 side & 2 Doors on other side	4 Vises



SE-TR2T
W/Optional Casters

TRACTOR STOOLS

COMPONENTS	TRACTOR SEAT	Rugged, ergonomic, fully washable polyurethane seat (17"W x 14"D); Chemical and puncture resistant and available in black
	FRAME	Black, pneumatic base; Footrest on medium and tall height models
	FEET	Comes with black non-marring glides and self-braking casters

MULTIPURPOSE



ITEM #	PRODUCT DESCRIPTION	HEIGHT
SE-TR2M	Medium Height with Footrest	19" - 26 1/2"



S-24B

S-24

APPRENTICE STOOLS

COMPONENTS	FRAME	4 fixed round legs in fully welded grey metal, featuring a footrest and optional backrest
	SEAT	14" diameter metal with recessed tempered Masonite panel overlay

MULTIPURPOSE



ITEM #	W/BACKREST ITEM #	PRODUCT DESCRIPTION	HEIGHT
S-18	S-18B	Desk Height	18"
S-24	S-24B	Medium Height	24"
S-30	S-30B	Tall Height	30"

FASTRAK quantity restrictions apply per order, see first page for details

DiversifiedSpaces.com | info@DiversifiedSpaces.com | 877.348.9663

MOBILE STORAGE

ACCESS TOUCHDOWN CABINET

COMPONENTS	CASEBODY	Cabinet walls and locking doors; Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Enclosed compartment with adjustable shelf
	TOP	1-1/4" black laminate or ChemGuard top with matching edge
	FEET	4" locking, swivel casters
	MOBILE CAPACITY	500 lbs.



4401K

ITEM #	PRODUCT	SIZE
4401_	1-1/4" HPL	36"W x 24"D x 36"H
4401_	1-1/4" HPL	36"W x 24"D x 36"H
4402_	1-1/4" ChemGuard	36"W x 24"D x 36"H

ACCESS SLIDING DOOR CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood and veneers with UV finish
	STORAGE	Enclosed compartment with fixed shelf (weight capacity of 40 lbs. Per sq. ft.)
	TOP	1-1/4" black laminate top with matching edge band
	FEET	4" locking, swivel casters
	MOBILE CAPACITY	500 lbs.



4101K

ITEM #	PRODUCT	SIZE
4101K	Sliding Door Cabinet	48"W x 24"D x 36"H

ACCESS TOUCHDOWN TOTE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood and veneers with UV finish
	STORAGE	21 classic totes (14-1/4"W x 19"D x 3-1/2"H)
	TOP	1-1/4" Black HPL top with matching edge band
	FEET	4" locking, swivel casters



4751K

ITEM #	PRODUCT	SIZE
4751K	Tote Cabinet	48"W x 24"D x 41-1/2"H

MOBILE STORAGE

PERPETULAB BALANCE CABINET

COMPONENTS	CASEBODY	Cabinet walls and sliding, locking doors constructed of solid oak and veneers with an UV finish; Unit is double-sided and includes two sets of sliding doors
	STORAGE	Four adjustable shelves (weight capacity of 40 lbs. Per sq. ft.)
	LAMINATE TOP	1-1/4" black laminate top with matching edge band
	FEET	4" locking, swivel casters
	MOBILE CAPACITY	500 lbs.



5201K

ITEM #	PRODUCT	SIZE
5201K	Balance Cabinet	48"W x 24"D x 40"H

PERPETULAB MOBILE MICROSCOPE CABINET

COMPONENTS	CASEBODY	Cabinet walls and locking doors constructed of solid oak hardwood and veneers with a UV finish
	FEET	4" locking, swivel casters
	TOP	Black laminate or ChemGuard with matching edge band
	STORAGE	Removable Wire dividers, see table below for size and capacity



4741K
(Microscopes not included)

ITEM #	PRODUCT	SIZE
4701K	Double-Sided Microscope Cabinet	48"W x 24"D x 40-3/4"H
4741K	Double-Sided Microcharge Cabinet*	48"W x 30"D x 42"H

* Includes charging bar

ACCESS DEMO CART

COMPONENTS	BASE	Constructed of oak hardwood with square wooden legs and veneers with UV finish; Legs fastened to 4-1/2" high apron with factory-installed 9/16" hanger bolts and heavy-duty 13-gauge steel corner brace
	STORAGE	Auxiliary, lower plywood shelf
	TOP	Black laminate or ChemGuard with matching edge band
	FEET	3" locking, swivel casters
	MOBILE CAPACITY	500 lbs.



4502M

ITEM #	TOP	SIZE
4501K	1-1/4" Laminate	36"W x 24"D x 30-1/4"H
4502K	1-1/4" ChemGuard	36"W x 24"D x 30-1/4"H

FASTRAK quantity restrictions apply per order, see first page for details

DiversifiedSpaces.com | info@DiversifiedSpaces.com | 877.348.9663

TALL STORAGE

PERPETULAB TALL MICROSCOPE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood and veneers with UV finish
	STORAGE	Based on microscope size of 7-1/4"W x 14"H; 48"W holds 25-30 microscopes; three adjustable shelves and two fixed shelves (40 lbs. Per sq ft) with adjustable wires, enclosed behind framed tempered 3/16" glass doors with three-point locking handle system; 16"D cabinet shelf size is 13"D
	TOE-KICK	Rubber-base molding with metal corners



ITEM #	# DOORS	SIZE
372-4816K	2	48"W x 16"D x 84"H



372-4816K

ACCESS TALL CABINET WITH GLASS DOORS

COMPONENTS	CASEBODY	Constructed of oak hardwood and veneers with UV finish
	STORAGE	Framed tempered 3/16" glass doors have secure, three-point locking handle system; Fixed bottom and middle shelf with four adjustable shelves (holds 40 lbs. Per square foot)
	TOE-KICK	Rubber base molding with metal corners



ITEM #	# DOORS	SIZE
358-3622K	2	36"W x 22"D x 84"H
358-4822K	2	48"W x 22"D x 84"H



358-4822K

ACCESS TALL GENERAL STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish; Two-door units (36" and wider) have 1" shelves; Doors have secure, three-point locking handle system
	STORAGE	Fixed bottom and middle shelf with four adjustable shelves (holds 40 lbs. Per sq. ft.)
	TOE-KICK	Rubber base molding with metal corners



ITEM # LIGHT HARDWOOD	ITEM # - OAK	# DOORS	SIZE
GSC-36	353-3622K	2	36"W x 22"D x 84"H
GSC-22	353-4822K	2	48"W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



353-4822K

TALL STORAGE

ACCESS TALL STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Upper section has four adjustable 1" shelves and one fixed bottom shelf; Lower section has four dovetailed, locking drawers (21-1 ³ / ₁₆ "W x 19- ³ / ₄ "D x 7"H); Doors have secure, three-point locking handle system
	TOE-KICK	Rubber base molding with metal corners



ITEM #

SIZE

GSC-8M	48W x 22"D x 84"H
GSC-8K	48W x 22"D x 84"H



GSC-8M

ACCESS TOTE TRAY & SHELF STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood and veneers with UV finish
	STORAGE	24 classic totes (14- ¹ / ₄ "W x 19"D x 3- ¹ / ₂ "H), one fixed shelf, two adjustable shelves and doors with secure, three-point locking handle system
	TOE-KICK	Rubber base molding with metal corners



ITEM #

PRODUCT

SIZE

351-4822K	Tote Tray & Shelf Cabinet	48"W x 22"D x 84"H
-----------	---------------------------	--------------------



351-4822K

ACCESS TALL TOTE STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood and veneers with UV finish
	STORAGE	48 classic totes(14- ¹ / ₄ "W x 19"D x 3- ¹ / ₂ "H) and doors with secure, three-point locking handle system
	TOE-KICK	Rubber base molding with metal corners



ITEM #

PRODUCT

SIZE

350-4822K	Tote Tray Storage Cabinet	48"W x 22"D x 84"H
-----------	---------------------------	--------------------



350-4822M

Cabinets should be secured to the wall for safety. Mounting hardware is not included.

FASTRAK quantity restrictions apply per order, see first page for details

DiversifiedSpaces.com | info@DiversifiedSpaces.com | 877.348.9663

ACCESSORIES

LAB HAND

Designed to provide a safe, convenient surface for laptop, tablets or books in a laboratory setting. The Lab Hand is mounted on a solid plastic rod which fits securely into standard rod sockets. The platform is made of powder coated steel to create a surface that will withstand the typical chemicals found in today's laboratories. The Lab Hand holds laptops and books off the worksurface protecting them from spills and increasing the amount of work space available. Unit has 12" square platform with 5 1/2" rod for mounting.



100994

ITEM #	PRODUCT
100994	Lab Hand Units
100994X6	Set of 6 Lab Hand Units

MIRROR & MIRROR/MARKERBOARD

Mirror and Mirror/Markerboard are enclosed in a solid oak frame. Mirror is a shatter resistant acrylic. Units easily mount on 1/2" diameter crossbars (not included). Can be tilted to any angle and is held securely with nylon screws in the mounting brackets.




4001K

ITEM #	PRODUCT	SIZE
4000K	Mirror	27 1/2"W x 20 1/2"H
4001K	Mirror/Marker Board	27 1/2"W x 20 1/2"H

UPRIGHTS, ARMS & CROSSBARS

The upright set includes two clamps (3/4" x 1/2"), two uprights (3/4" x 36") and one crossbar (1/2" x 40") that fits in rod socket with 3/4" receiver.



100604

ITEM #	PRODUCT	SIZE
100604	Upright Set w/Full Crossbar	
100002	Clamp	3/4" x 3/4"
100003	Clamp	3/4" x 1/2"
100004	Upright	3/4" x 36"
100005	Crossbar	3/4" x 18"
100006	Crossbar	3/4" x 48"
100007	Crossbar	1/2" x 40"
100008	Crossbar	1/2" x 32"
206505	Rod Sockets	Receives 3/4" Uprights



206505



100002

GAS COCKS

Fittings have a ground key valve for long life; Units are complete with nipple, lock nut and washer for installation and are deck-mounted.

ITEM #	PRODUCT
100047	Single Gas Cock
100048	Double Gas Cock at 90°



100048

ACCESSORIES

GOOSENECK FAUCET

Chrome-plated brass, deck-mounted faucets with multi-service fixture that includes cold water and two gas cocks; Mounting hardware provided.

ITEM #	PRODUCT
100074-BKR	Multi-Service Fixture (18"H)



100074-BKR

HAND PUMP

Piston action mechanism for high water flow action and long term prime lock. It's unaffected by water deposits which reduce the ability of other types of hand pumps to hold prime. Chrome base and spout. NSF Approved.

ITEM #	PRODUCT
100013	Chrome Hand Pump



100013

WATER JUGS

Plastic jugs utilized in our mobile units.

ITEM #	PRODUCT
100118	2 1/2 Gallon Jug (Kinetic Demo Stations)



100118

CLASSIC TOTE

Made of sturdy high-impact polystyrene with a tan high gloss finish. All trays include a convenient aluminum card holder for labeling. Inside length of 17-1/4". More sizes available, call customer service.

ITEM #	PRODUCT	SIZE
100135	Classic Tote	14-1/4"W x 19"D x 3-1/2"H



100035

TABLE LEG REPLACEMENTS, BOOTS AND BRACKETS

ITEM #	DESCRIPTION
100076X4	Leg Boots (Qty: 4)
100728X4	Floor Mounting Brackets (Qty: 4)



100076X4



100728X4

FASTRAK quantity restrictions apply per order, see first page for details

DiversifiedSpaces.com | info@DiversifiedSpaces.com | 877.348.9663

FASTRAK

QUICK-SHIP PROGRAM



VISIT OUR WEBSITE!



SMART
DESIGN
SMARTER
LABS



DIVERSIFIED
SPACES™

300 S Krueger Street - Suring, WI 54174

877.348.9663

920.842.2499

Info@DiversifiedSpaces.com