



# DIVERSIFIED SPACES™

Full Line Catalog





# TABLE OF CONTENTS

Purchase Orders .....	2	Diversified Spaces Metal Solutions ..	58
Fastrak Quick-Ship Program.....	3	Storage .....	60
Tables .....	4	Casework.....	60
Science .....	4	Science .....	61
CTE.....	9	CTE.....	66
Culinary .....	17	Robotics.....	72
Drafting .....	18	Tote.....	74
Art.....	24	Art.....	81
Multipurpose.....	26	Cubbies & Lockers .....	86
Desks .....	29	Book Truck.....	90
Instructor .....	29	Media Center .....	91
Lab Stations .....	32	Multipurpose.....	92
Island .....	32	Accessories .....	98
Perimeter.....	39	Color Index.....	102
Mobile .....	40	Expertise .....	103
Workstations .....	44	CEU Credit Classes.....	104
Science .....	44	Design Services .....	105
CTE.....	46	Work Surface Guide .....	106
Seating .....	50	Warranty.....	108
Chairs.....	51	Index .....	109
Stools.....	53		
Benches .....	56		
Health .....	57		

# PURCHASE ORDERS

Purchase Orders will be accepted only from authorized Diversified Spaces dealers, and must be submitted in writing or electronically. Acceptance of orders is the sole discretion of Diversified Spaces. Delivery is FOB Suring, WI 54174.

## Pricing & Payment Terms

Prices are subject to change without notice and Diversified Spaces is not responsible for typographical errors. Quoted prices do not include federal, state, or local taxes. Sales Tax is required for deliveries to Wisconsin and Michigan and will be added to the invoice unless resale certificate applies. Standard payment terms are 1% 10/Net 30 days.

## Handling Fee

In some cases, extra fees may apply to your order that are not indicated on the individual pricing pages. Contact your Diversified Spaces Project Manager or Estimating Team for applicable fees.

Any special delivery services, including but not limited to lift gate and inside delivery, will incur up-charges.

## Cancellation and Change Policy

Customer is responsible for all costs incurred by Diversified Spaces prior to receipt of any change or cancellation. Orders for custom products may not be canceled.

## Returns

Returned Merchandise will not be accepted unless authorized in writing prior to return. Contact our Customer Service Department for a Return Materials Authorization (RMA) number. Standard product returns are subject to a 25% restocking charge, and must be freight prepaid.

## Freight Damage

Note: A clear receipt for a shipment that contained damaged merchandise or a shortage relieves the carrier of further responsibility. Check all deliveries for damage, and note any damage or shortage on the delivery receipt.

Merchandise Title passes from Diversified Spaces to the consignee upon delivery to the Carrier. It is the Customer's responsibility to submit a freight claim, including the cost of the shipment, for any damaged merchandise. Customer failure to follow the below instructions may result in added costs to Customer for delivery and replacement for damaged goods.

**All Deliveries:** Count and thoroughly inspect all items for shipping damage before accepting delivery. If it appears that damage could be possible, insist that the carton be opened and contents inspected by Driver. If damage has occurred, report damage to Diversified Spaces immediately. Recipient has the right to accept partial shipments and refuse the remaining damaged units. Refuse shipments of severely damaged items. If there is a shortage, note the shortage on the delivery receipt. .

**Motor Freight Deliveries:** Inspect the shipment for damage immediately following delivery. Driver must note all damaged cartons or shortages on the Bill of Lading and/or delivery receipt prior to acknowledgment of shipment delivery.

**UPS or FedEx Deliveries:** Inspect the shipment for damage immediately following delivery. Note all damage on the receipt and have Driver initial acknowledgment of damage before signing receipt. Do not remove any damaged merchandise from the original carton until an inspection has been made or waived by the shipping company.

## Product Suitability

Many states and localities have codes and regulations governing sales, construction, installation and/or use of products for certain purposes, which may vary from those in neighboring areas. While Diversified Spaces attempts to assure that its products comply with such codes, it cannot guarantee compliance, and cannot be responsible for how the product is installed or used. Before purchase and use of product, please review the product application, and national and local codes and regulations, and be sure that the product, installation and use are in compliance with all applicable codes.

## OSHA Hazardous Substance & California Prop 65 Product Information

Material Safety Data Sheets (MSDS) for OSHA defined hazardous substances and a list of products known to the State of California to cause cancer or reproductive harm are available. For details, contact:

Diversified Spaces  
300 Krueger Street  
Suring, WI, 54174  
Phone 877-842-5420  
Fax 920-842-5420

The information and recommendations contained on the MSDS supplied by the manufacturer is considered to be accurate and reliable. However, Diversified Spaces makes no warranty with respect to the accuracy or reliability of the information or the suitability of the recommendations.

# FASTRAK

QUICK-SHIP PROGRAM

*Furniture Ships in 10 Business Days or Less!*



More products!  
*Fast* turnaround!

Let our experts help build  
your knowledge!



# TABLES SCIENCE

## PERPETULAB TABLES

COMPONENTS	<b>FIXED WOODEN LEGS</b>	2-1/4" square, solid oak hardwood or solid light hardwood legs and 4-1/2" apron with a UV finish; Featuring heavy-duty 13-gauge steel corner braces; Non-skid adjustable leveling glides and rubber leg boots; Optional casters
	<b>FIXED STEEL LEGS</b>	2-1/2" fixed, square steel tube legs available in 8 colors; Choose solid oak hardwood or solid light hardwood on 4-1/2" apron with a UV finish; Available with non-skid adjustable leveling glides and Designer or Industrial casters
	<b>ADJUSTABLE WOODEN LEGS</b>	2-1/2" square, solid oak hardwood legs and 4-1/2" apron with a UV finish; Adjusts from 30" sitting height to 36" standing height by easy bolt adjustment; Featuring heavy-duty 13-gauge steel corner braces; Available with non-skid adjustable leveling glides (n/a with casters)
	<b>TOP</b>	Solid Epoxy, Phenolic Resin, Maple Butcher Block <sup>^</sup> , ShopTop <sup>®</sup> <sup>^</sup> , black ChemGuard or Laminate with options of Dry-Erase, 5 laminate finishes and 11 complementary edge band colors
	<b>ELECTRICAL</b> (Fixed with glides only)	Available on fixed legs with glides only (n/a on adjustable height or fixed legs with casters) *Electrical wiring instructions not included. Wiring/routing will vary dependent on supply, customer, electrician and must comply with local electrical codes, which vary by region.
	<b>OPTIONS</b>	See configurators; <sup>^</sup> n/a on adjustable legs



For ADA sizes, contact customer service.

## FIXED WOODEN LEGS



P7204K30SC  
Optional casters require stretcher and leg braces



C7205M30N



D7207M30N

## FIXED WOODEN LEG CONFIGURATOR

APRON	LEG TYPE	SIZE W X D	TOP TYPE	LAMINATE COLOR (L) TOPS ONLY	EDGE BANDING (2) & (L) TOPS ONLY	WOOD	HEIGHT	OPTIONS
Compartment (C)	Wood (7)	48" x 21" (16)	1-1/4" Laminate (L)	Almond (A)	Almond (A)	Oak (K)	30	Glides with Rubber Leg Boots (N) (Standard)
Drawers (D)		48" x 24" (10)	1-1/4" ChemGuard (2)	Black (B)	Aqua (Q)	Light	34	Leg Braces (L)
Plain (P)		48" x 30" (12)	1-3/4" Maple BB (5)	Charcoal (C)	Black (B)	Hardwood (M)	36	Leg Braces, Stretcher (S)
		48" x 36" (17)	1-1/2" ShopTop <sup>®</sup> (7)	Dry-Erase (E)	Carrot (T)			Leg Braces, Stretcher, Full Shelf (SF)
		48" x 42" (11) <sup>^</sup>	3/4" Phenolic (4)	Natural Maple (N)	Charcoal (C)			Leg Braces, Stretcher, Half Shelf (SH)
		48" Rnd* (48)	1" Epoxy** (6)	White (W)	Lime (L)			Leg Braces, Stretcher, Casters (SC)
		54" x 21" (18)			Natural Maple (N)			Leg Braces, Stretchers, Casters, Full Shelf (SCF)
		54" x 24" (20)			Peacock (P)			Leg Braces, Stretchers, Casters, Half Shelf (SCH)
		54" x 30" (13)			Red (R)			Electrical† (E)
		54" x 36" (19)			Royal (Y)			Leg Braces, Electrical† (LE)
		54" x 42" (80) <sup>^</sup>			White (W)			Leg Braces, Stretcher, Electrical† (SE)
		60" x 21" (21)						Leg Braces, Stretcher, Elec. †, Full Shelf (SEF)
		60" x 24" (60)						Leg Braces, Stretcher, Elec. †, Half Shelf (SEH)
		60" x 30" (14)						
		60" x 36" (22)						
		60" x 42" (90) <sup>^</sup>						
		72" x 21" (23)						
		72" x 24" (30)						
		72" x 30" (15)						
		72" x 36" (24)						
		72" x 42" (40) <sup>^</sup>						

\* Round table only available on plain apron tables  
 \*\*Epoxy with casters not covered under warranty  
 †Electrical only available on plain frame tables with glides  
<sup>^</sup>Tables 42"D have 2 compartments or drawers on each side



3" Caster (C)

Laminate Top Colors



Edge Band Colors



TOP TYPE	ACTUAL OVERALL HEIGHT		
	30" H	34" H	36" H
Laminate	30-1/4"	34-1/4"	36-1/4"
ChemGuard	30-1/4"	34-1/4"	36-1/4"
Maple BB	30-3/4"	34-3/4"	36-3/4"
ShopTop <sup>®</sup>	30-1/2"	34-1/2"	36-1/2"
Phenolic	29-3/4"	33-3/4"	35-3/4"
Epoxy	30"	34"	36"

+Casters - no change in overall height

# TABLES SCIENCE



D920LBMS30N



C9206KL30N



P920LCQKQ30N

## FIXED STEEL LEG CONFIGURATOR

APRON	LEG	SIZE W X D	TOP TYPE	LAMINATE COLOR (L) TOPS ONLY	EDGE BAND (2) & (L) TOPS ONLY	WOOD	STEEL COLOR	HEIGHT	OPTIONS
Compartment (C)	Steel (9)	48" x 21" (16)	1-1/4" Laminate (L)	Almond (A)	Almond (A)	Oak (K)	Aqua (Q)	30	Glides (N) (Standard)
Drawers (D)		48" x 24" (10)	1-1/4" ChemGuard (2)	Black (B)	Aqua (Q)	Light	Black (B)	34	Designer Casters+ (D)
Plain (P)		48" x 30" (12)	1-3/4" Maple BB (5)	Charcoal (C)	Black (B)	Hardwood (M)	Carrot (T)	36	Industrial Casters+ (C)
		48" Rnd* (48)	1-1/2" ShopTop® (7)	Dry-Erase (E)	Carrot (T)		Dark Gray (D)		Electrical† (E)
		54" x 21" (18)	3/4" Phenolic (4)	Natural Maple (N)	Charcoal (C)		Light Gray (G)		
		54" x 24" (20)	1" Epoxy (6)	White (W)	Lime (L)		Lime (L)		
		54" x 30" (13)			Natural Maple (N)		Silver (S)		
		60" x 21" (21)			Peacock (P)		White (W)		
		60" x 24" (60)			Red (R)				
		60" x 30" (14)			Royal (Y)				
		72" x 21" (23)			White (W)				
		72" x 24" (30)							
		72" x 30" (15)							

\* Round table only available on plain apron tables  
 † Electrical only available on plain frame tables with glides



Industrial Caster (C) Designer Caster (D)

Laminate Top Colors: A B C E N W  
 Edge Band Colors: A Q B T C L N P R Y W  
 Steel Leg Colors: Q B T D G L S W

TOP TYPE	ACTUAL OVERALL HEIGHT		
	30" LEG	34" LEG	36" LEG
Laminate	30-1/4"	34-1/4"	36-1/4"
ChemGuard	30-1/4"	34-1/4"	36-1/4"
Maple BB	30-3/4"	34-3/4"	36-3/4"
ShopTop®	30-1/2"	34-1/2"	36-1/2"
Phenolic	29-3/4"	33-3/4"	35-3/4"
Epoxy	30"	34"	36"

+Designer Casters - add 2-1/8" to OA height  
 +Industrial Casters - add 2-1/2" to OA height

## ADJUSTABLE WOODEN LEGS



A7206K



A720LETK



A720LBK

## ADJUSTABLE WOODEN LEG CONFIGURATOR

STYLE	SIZE W X D	TOP TYPE	LAMINATE COLOR (L) TOPS ONLY	EDGE BANDING (2) & (L) TOPS ONLY	WOOD
A7	48" x 24" (10) 60" x 30" (14) 54" x 24" (20) 72" x 24" (30) 60" x 24" (60)	1-1/4" Laminate (L) 1-1/4" ChemGuard (2) 3/4" Phenolic (4) 1" Epoxy (6)	Almond (A) Black (B) Charcoal (C) Dry-Erase (E) Natural Maple (N) White (W)	Almond (A) Aqua (Q) Black (B) Carrot (T) Charcoal (C) Lime (L) Natural Maple(N) Peacock (P) Red (R) Royal (Y) White (W)	Oak (K)

Laminate Top Colors: A B C E N W  
 Edge Band Colors: A Q B T C L N P R Y W

TOP TYPE	ACTUAL OVERALL HEIGHT
Laminate	30-1/4" to 36-1/4"
ChemGuard	30-1/4" to 36-1/4"
Phenolic	29-3/4" to 35-3/4"
Epoxy	30" to 36"

# TABLES SCIENCE

## FORWARD VISION™ & AXIS FORWARD VISION™ TABLES

COMPONENTS	<b>FIXED WOODEN LEGS</b>	2-1/4" square, solid oak hardwood or solid light hardwood legs and 4-1/2" apron with a UV finish; Featuring heavy-duty 13-gauge steel corner braces; Available with non-skid adjustable leveling glides, rubber leg boots and casters
	<b>FIXED STEEL LEGS</b>	2-1/2" fixed, square steel tube legs available in 8 colors; Choose solid oak hardwood or solid light hardwood on 4-1/2" apron with a UV finish; Available with non-skid adjustable leveling glides and Designer or Industrial casters
	<b>TOP</b>	Laminate with options of Dry-Erase, 5 laminate finishes and 11 complementary edge band colors, black ChemGuard, ShopTop®, or Phenolic
	<b>OPTIONS</b>	See configurator below

MULTIPURPOSE SCIENCE




FVT7LWTK36C




AVT9LETMT36C



Configurations



FVT Dimensions: Top - 66.63" x 22.37" x 48.5" x 22.37"  
Overall Dimensions - 83"W x 43-1/2"D



AVT Overall Dimensions: 84" x 44"

STYLE	LEG TYPE	TOP TYPE	LAMINATE COLOR (L) TOPS ONLY	EDGE BANDING (2) & (L) TOPS ONLY	WOOD	STEEL LEG COLOR	HEIGHT*	OPTIONS
FVT	Wood (7)	1-1/4" Laminate (L)	Almond (A)	Almond (A)	Oak (K)	Aqua (Q)	30	Glides (N) (Standard)
AVT	Steel (9)	1-1/4" ChemGuard (2) 1-1/2" ShopTop®** (7) 3/4" Phenolic (4)	Black (B) Charcoal (C) Dry-Erase (E) Natural Maple (N) White (W)	Aqua (Q) Black (B) Carrot (T) Charcoal (C) Lime (L) Natural Maple (N) Peacock (P) Red (R) Royal (Y) White (W)	Light Hardwood (M)	Black (B) Carrot (T) Dark Gray (D) Light Gray (G) Lime (L) Silver (S) White (W)	34** 36	Wooden Leg Casters: - Caster+ (C) Steel Leg Casters: - Industrial+ (C) - Designer+ (D)

\* ShopTop® not available on Axis Top  
\*\*34" table on casters not considered ADA height  
†Electrical only available on plain frame tables with glides



TOP TYPE ACTUAL OVERALL HEIGHT

TOP TYPE	30" LEG	34" LEG	36" LEG
Laminate	30-1/4"	34-1/4"	36-1/4"
ChemGuard	30-1/4"	34-1/4"	36-1/4"
Phenolic	29-3/4"	33-3/4"	35-3/4"
Epoxy	30"	34"	36"

+Wooden Leg Casters - no change to OA height

+Designer Casters - add 2-1/8" to OA height

+Industrial Casters - add 2-1/8" to OA height

Laminate Top Colors



Edge Band Colors



Steel Leg Colors



# TABLES SCIENCE


## TRAPEZOID TABLES

COMPONENTS	<b>FIXED WOODEN LEGS</b>	2-1/4" square, solid oak hardwood or solid light hardwood legs and 4-1/2" apron with a UV finish; Featuring heavy-duty 13-gauge steel corner braces; Available with non-skid adjustable leveling glides, rubber leg boots and casters
	<b>FIXED STEEL LEGS</b>	2-1/2" fixed, square steel tube legs available in 8 colors; Choose solid oak hardwood or solid light hardwood on 4-1/2" apron with a UV finish; Available with non-skid adjustable leveling glides and Designer or Industrial casters
	<b>TOP</b>	Laminate with options of Dry-Erase, 5 laminate finishes and 11 complementary edge band colors or black ChemGuard
	<b>OPTIONS</b>	See configurator below

MULTIPURPOSE SCIENCE



Configurations



TZ714LNRM36C



TZ914LEQM36D



TZ914LBWML36D

STYLE	LEG TYPE	SIZE W X D	TOP TYPE	LAMINATE COLOR (L) TOPS ONLY	EDGE BAND (2) & (L) TOPS ONLY	WOOD	STEEL LEG COLOR	HEIGHT	OPTIONS
TZ	Wood (7)	60" x 30" (14)	1-1/4" ChemGuard (2)	Almond (A)	Almond (A)	Oak (K)	Aqua (Q)	30	Glides (N) (Standard) Wooden Leg Casters: - Caster+ (C) Steel Leg Casters: - Industrial+ (C) - Designer+ (D)
	Steel (9)	60" x 24" (60)	1-1/4" Laminate (L)	Black (B) Charcoal (C) Dry-Erase (E) Natural Maple (N) White (W)	Aqua (Q) Black (B) Carrot (T) Charcoal (C) Lime (L) Natural Maple (N) Peacock (P) Red (R) Royal (Y) White (W)	Light Hardwood (M)	Black (B) Carrot (T) Dark Gray (D) Light Gray (G) Lime (L) Silver (S) White (W)	36	



TOP TYPE	ACTUAL OVERALL HEIGHT	
	30" LEG	36" LEG
Laminate	30-1/4"	36-1/4"
ChemGuard	30-1/4"	36-1/4"
+Wooden Leg Casters - no change to OA height		
+Designer Casters - add 2-1/8" to OA height		
+Industrial Casters - add 2-1/8" to OA height		

Laminate Top Colors



Edge Band Colors



Steel Leg Colors



# TABLES SCIENCE

## ACCU TABLE

COMPONENTS	<b>BASE</b>	14-gauge steel tube construction with off-white powder coat, pin-height adjustable and glides
	<b>TOP</b>	1" Epoxy or 3/4" Phenolic resin
	<b>DIMENSIONS</b>	48", 60", 72" W x 30" D X 29"-36" H
	<b>OPTIONS</b>	Hanging base cabinets, modesty panels and lower shelf units available



ITEM NUMBER	WIDTH	DEPTH	TOP TYPE
DM - LT4830-G40W	48"	30"	Phenolic
DM - LT6030-G40W	60"	30"	Phenolic
DM - LT7230-G40W	72"	30"	Phenolic
DM - LT4830-G60W	48"	30"	Epoxy
DM - LT6030-G60W	60"	30"	Epoxy
DM - LT7230-G60W	72"	30"	Epoxy

Call customer service for additional options!

## INTEGRA BENCH

COMPONENTS	<b>BASE</b>	114-gauge steel tube construction with off-white powder coat, pin-height adjustable and glides
	<b>TOP</b>	1" Epoxy or 3/4" Phenolic resin
	<b>DIMENSIONS</b>	48", 60", 72", W x 30" D X 29"-36" H
	<b>ELECTRICAL</b>	Standard 4 duplex receptacle outlets on single circuit multiple circuit wiring available
	<b>STORAGE</b>	2 upper shelves



ITEM NUMBER	WIDTH	DEPTH	TOP TYPE
DM - FB4830-G40W	48"	30"	Phenolic
DM - FB6030-G40W	60"	30"	Phenolic
DM - FB7230-G40W	72"	30"	Phenolic
DM - FB4830-G60W	48"	30"	Epoxy
DM - FB6030-G60W	60"	30"	Epoxy
DM - FB7230-G60W	72"	30"	Epoxy

Check out our Metal Solutions Catalog!



# TABLES CTE



X8145



X8204

## LOBO MULTIPURPOSE TABLES

COMPONENTS	FRAME	Metal apron with 29" fixed height or 23-1/4"-37-1/4" adjustable height, black powder-coated legs
	TOP	Solid Epoxy, Phenolic Resin, Maple Butcher Block, ShopTop®, black ChemGuard or Laminate with options of Dry-Erase, 5 laminate finishes and 11 complementary edge band colors
	FEET	Equipped with adjustable leveling glides; Optional Casters

SCIENCE CTE MULTIPURPOSE



For ADA sizes, contact customer service.

STYLE	SIZE W X D	TOP TYPE	LAMINATE (L) TOPS ONLY	EDGE BAND (2) OR (L) TOPS ONLY	OPTIONS
X7 - Fixed Height	60" x 30" (14)	1-1/4" Laminate (L)	Almond (A)	Almond (A)	Casters (251121X4)
X8 - Adj. Height	72" x 30" (15)	1-1/4" ChemGuard (2)	Black (B)	Aqua (Q)	
	54" x 24" (20)	1-3/4" Maple BB (5)	Charcoal (C)	Black (B)	
	72" x 36" (24)	1-1/2" ShopTop® (7)	Dry-Erase (E)	Carrot (T)	
	60" x 24" (60)	3/4" Phenolic (4)	Natural Maple (N)	Charcoal (C)	
	60" x 42" (90)	1" Epoxy (6)	White (W)	Lime (L)	

TOP TYPE	ACTUAL OVERALL HEIGHT	
	FIXED	ADJUSTABLE
Laminate	29-1/4"	23-1/2" to 37-1/2"
ChemGuard	29-1/4"	23-1/2" to 37-1/2"
Maple BB	30"	24" to 38"
ShopTop®	29-3/4"	23-3/4" to 37-3/4"
Phenolic	29"	23" to 37"
Epoxy	29-1/4"	23-1/4" to 37-1/4"

*+Casters add 3-1/2" to OA height*

Laminate Top Colors

A B C E N W

Edge Band Colors

A Q B T C L N P R Y W

See our products  
in action here!



# TABLES CTE

From the first arc strike to the final pass, our welding table solution gives your program the core equipment it needs to train future welders.



Learn more about our Welding Solution here!



## WELDING FIXTURE TABLE

COMPONENTS	<b>BASE</b>	Tubular cross-bracing between legs for enhanced stability
	<b>TOP</b>	3/8" A572-50 American-processed steel; Well known for durability and strength; Full surface has 2" laser-etched grid lines; Corners include 30, 45, & 90 degree laser etched guides for accuracy in set up
	<b>FEET</b>	Leveling feet standard or premium heavy duty suspension, non-marking wheel casters; Four legged tables come with 2 fixed casters and 2 swiveling/locking casters placed on the handle end; Six legged fixture tables come with 4 swiveling locking casters and 2 fixed casters; Fixed casters are on the center pair of legs and a swivel/locking caster at each corner; Casters do not change overall height
	<b>STORAGE</b>	2-1/2" square 14-gauge steel with laser-cut holes for accessory mounting, perfect for 16 mm tools; Cross-bracing design accommodates the addition of a lower shelf, providing convenient storage for welding equipment, tools or materials unnoticed
	<b>OPTIONS</b>	Shelf, handle or 16ga metal suspended pullout drawer with 10ga full outer metal cabinet, powder coated black; Choose 1, 2 or 3 drawers



ITEM #	PRODUCT	W X D X H	IMPORTANT NOTES
DMW4830	Welding Fixture Table	48" x 30" x 36"	<b>Forklift required for most deliveries</b>
DMW6036	Welding Fixture Table	60" x 36" x 36"	
DMW7236	Welding Fixture Table	72" x 36" x 36"	
DMW4848	Welding Fixture Table	48" x 48" x 36"	
DMW9648	Welding Fixture Table	96" x 48" x 36"	
DMW12048	Welding Fixture Table	120" x 48" x 36"	
DMW6060	Welding Fixture Table	60" x 60" x 36"	
DMW12060	Welding Fixture Table	120" x 60" x 36"	
S	Shelf	Items dependent on size of table; To add accessories, add the item number to the end of Welding Fixture Table item number.	
H	Handle		
SH	Shelf and Handle	For example: DMW4830SH	
C	Casters	Casters do not raise overall height; <b>Must be added at the time of order, cannot be added later</b>	
DMW-DRW1W	1 Drawer	23-1/4" x 19-7/8" x 8"	
DMW-DRW2W	2 Drawers	23-1/4" x 19-7/8" x 12-19/50"	
DMW-DRW3W	3 Drawers	23-1/4" x 19-7/8" x 16-7/8"	


# TABLES CTE

## FEATURES



3/8" American-processed steel

Edge-to-edge flatness ensuring precision with 1/64 variance of flatness



Laser cut holes for accessory mounting

Optional fully suspended heavy-duty casters for mobility

Tubular cross-bracing for stability - increasing resistance to side loading by up to 70%

12x12 welded support grid for ultimate strength

## COMPLETE YOUR WELDING SOLUTION WITH OUR FABRICATION PREP TABLE AND FIXTURE TOOL KITS!

### FABRICATION PREP TABLE


COMPONENTS	BASE	Four legged frame with shelf power coated black
	TOP	Carbon steel top
	FEET	Leveling feet standard or swivel locking casters
	STORAGE	Optional 16ga metal suspended pullout drawers with 10ga full outer metal cabinet, powder coated black; Choose 1, 2 or 3 drawers




ITEM #	PRODUCT	W X D X H
DMW6030S-PREP	Table with Shelf and Leveling Feet	60" x 30" x 36"
DMW6030SC-PREP	Table with Shelf and Swivel Locking Casters	60" x 30" x 36"
DMW-DRW1P	1 Drawer	23-1/4" x 19-7/8" x 8"
DMW-DRW2P	2 Drawers	23-1/4" x 19-7/8" x 12-19/60"
DMW-DRW3P	3 Drawers	23-1/4" x 19-7/8" x 16-7/8"



DMW6030SC-PREP  
Shown with DMW-DRW2P and DMW-DRW3P



DMWKIT-BEGIN



DMWKIT-INSTR

### WELDING FIXTURE TOOL KITS

COMPONENTS	STUDENT FIXTURE TOOL KIT*	103pc Kit includes: Plier Clamps with 5" Jaw Opening (4); Clamps with T Handle (8); Variable Height Edge Stops (4); Side Clamps (8); TMW 1/2" Thread Blocks (16); TMW Mag Blocks (20); Stop Pins (8); Sliding Stops - 2-1/2" Travels (8); Fab Squares 10" x 10" x 4" (4); 1/2" x 1/8" Hex Bolts with Nuts and Washers (20); Combo Accessory Tool Holders (2); 20" Ring Angle Hanger Accessory (1)
	ADVANCED FIXTURE TOOL KIT*	147pc Kit Includes Student Fixture Tool Kit plus the following: Lifting Hooks - Set of 4 (2); Risers - 6" x 6" x 20" (2); Table Extensions - 10" x 10" Vise Mount (2); V-Blocks (16); Ball Lock Pins - 5/8" (20) Welding Table Fab Square 25" x 10" x 4" (2)

ITEM #	PRODUCT
DMWKIT-BEGIN	103pc Student Fixture Tool Kit*
DMWKIT-INSTR	147pc Advanced Fixture Tool Kit*

\*Accessory kits sold as complete sets only, parts are not sold separately



# TABLES CTE

## APPRENTICE INDUSTRIAL ARTS WORKBENCHES

COMPONENTS	<b>BASE</b>	Frame powder-coated in 8 standard colors; 12-gauge adjustable steel legs with flared bottom foot and 14-gauge steel leg stretchers
	<b>MLB MODEL</b>	Includes choice of 1-3/4" Maple Butcher Block top or 1-1/2" ShopTop® and 3/4" deep lower shelf and rear stretcher
	<b>WBML MODEL</b>	Includes 2-1/4" Maple Butcher Block top in two sizes: Two-station (64"W x 28"D) or four-station (64"W 54"D); Optional matching shelf and vises on four-station units
	<b>OVERALL HEIGHT</b>	MLB: Maple BB (30-3/4" to 39-3/4"), ShopTop® (30-1/2" to 39-1/2"); WBML: Maple BB (31-1/4" to 40-1/4")
	<b>ELECTRICAL</b>	Built-in cavities at top of leg allow standard electric outlet (not provided)

**CTE MULTIPURPOSE**



### MLB MODEL CONFIGURATOR

STYLE	WIDTH	DEPTH	TOP TYPE	STEEL COLOR
MLB	48	24	1-3/4" Maple BB (5)	Black (B)
	60	30	1-1/2" ShopTop® (7)	Dark Gray (D)
	72	36		Light Gray (G)
	96*			Silver (S)
				Carrot (T)
				Lime (L)
				Aqua (Q)
				White (W)

\*96"W table has three leg sets

Steel Leg & Shelf Colors

**Q B T D G L S W**



MLB60245L



MLB96307D

### WBML MODEL CONFIGURATOR

STYLE	STEEL COLOR	STATION #	WISE #
WBML	Black (B)	2*	No Vises (0V)
+2-1/4" Maple BB Top	Dark Gray (D)	4	Two Vises (2V)
	Light Gray (G)		Four Vises (4V)
	Silver (S)		
	Carrot (T)		
	Lime (L)		
	Aqua (Q)		
	White (W)		

\*Two-station workbenches not available with vises



WBMLG40V



WBMLQ44V

#### SIZE OPTIONAL SHELF

Two-Station	20-0062_
Four-Station	20-0061_

\_ Matching shelf color code

Steel Leg & Shelf Colors

**Q B T D G L S W**

# TABLES CTE

## FAB LAB SERIES

COMPONENTS	BASE	Frame powder-coated in eight standard colors with matte finish; Apron constructed of 16-gauge with end gusset geometry and attached to legs with bolts; Legs constructed of 2" x 2" square steel outer tubes welded together with upper and lower cross braces; 1-3/4" x 1-3/4" square steel 14-gauge inner tubes with riv-nuts spaced 1" on-center to provide adjustable heights from 27-1/4"H to 35-1/4"H; 14-gauge stretcher bar provides additional rigidity to table frame (can be installed front, middle or back of leg frame); Top attached with screws in two directions
	TOP	Black epoxy, black phenolic resin, Maple Butcher Block, or Shoptop®; Laminate, ChemGuard, or Dry-Erase with edge band
	FEET	Equipped with adjustable leveling glides
	OPTIONS	Color-coordinated 12" deep shelf made from 14-gauge steel; 3" casters (#253996X4); <i>Casters add 3-1/2" to table height</i>

CTE MULTIPURPOSE



STYLE	WIDTH	DEPTH	TOP	TOP COLOR (L) TOPS ONLY	EDGE BAND (2) OR (L) TOPS ONLY	STEEL COLOR	OPTIONS
AMS	60 72 96	30 36	1-1/4" Laminate (L) 1-1/4" ChemGuard (2) 1-3/4" Maple BB (5) 1-1/2" ShopTop® (7) 3/4" Phenolic (4) 1" Epoxy (6)	Almond (A) Black (B) Charcoal (C) Erasable (E) Natural Maple (N) White (W)	Almond (A) Aqua (Q) Black (B) Carrot (T) Charcoal (C) Lime (L) Natural Maple (N) Peacock (P) Red (R) Royal (Y) White (W)	Aqua (Q) Black (B) Carrot (T) Dark Gray (D) Light Gray (G) Lime (L) Silver (S) White (W)	Optional Casters (Set of 4) (253996X4)

SHELF COLOR	60" SHELF	72" SHELF	96" SHELF
Black	255588-B	255589-B	255590-B
White	255588-W	255589-W	255590-W
Carrot	255588-T	255589-T	255590-T
Lime	255588-L	255589-L	255590-L
Aqua	255588-Q	255589-Q	255590-Q
Silver	255588-S	255589-S	255590-S
Light Gray	255588-G	255589-G	255590-G
Dark Gray	255588-D	255589-D	255590-D

Laminate Top Colors

A B C E N W

Edge Band Colors

A Q B T C L N P R Y W

Steel Leg & Shelf Colors

Q B T D G L S W

TOP TYPE OVERALL HEIGHT

Laminate	28-1/2" to 36-1/2"
ChemGuard	28-1/2" to 36-1/2"
Maple BB	29" to 37"
ShopTop®	28-3/4" to 36-3/4"
Phenolic	28" to 36"
Epoxy	28-1/4" to 36-1/4"

+Casters add 3-1/2" to OA height



AMS60367L



AMS72305GN



AMS7230LBBGN



AMS6030LBLE



Stake Plate

SMB-540

## APPRENTICE SHEET METAL BENCH

<b>COMPONENTS</b>	<b>BASE</b>	Constructed of solid light hardwood legs, 4-1/2" apron, stringers and plywood shelves; finished with a UV finish
	<b>TOP</b>	2-1/4" Maple Butcher Block protected on two long edges with 2" x 2" angle iron
	<b>DIMENSIONS</b>	60"W or 96"W x 40"D x 31-1/4"H
	<b>OPTIONS</b>	None, one or two stake plates



	60"W	96"W	# STAKE PLATES
SMB-540		SMB-840	0
SMB-540A		SMB-840A	1
SMB-540B		SMB-840B	2

# TABLES CTE

## APPRENTICE ANGLE IRON WORKBENCH

COMPONENTS	<b>BASE</b>	Constructed of solid light hardwood legs, 4-1/2" apron and light hardwood veneer shelf with 4" rear curb, both with a UV finish
	<b>TOP</b>	2-1/4" Maple Butcher Block with 4" rear curb and angle iron front edge
	<b>DIMENSIONS</b>	72-144"W x 24"D x 31-1/4"H or 37-1/4"H

CTE



31-1/4"H	37-1/4"H	WIDTH	# LEGS
A32-6W	A37-6W	72"	4
A32-8W	A37-8W	96"	4
A32-10W	A37-10W	120"	6
A32-12W	A37-12W	144"	6



A32-6W



MGSB-6024

## APPRENTICE GLUE & STAIN STATION

COMPONENTS	<b>BASE</b>	Constructed of solid light hardwood framing and 4-1/2" apron with one side featuring eight sets of pegs for mounting (bar clamps not included) and UV finish; Shelf measures 48"W x 16"D with 4" rear curb
	<b>TOP</b>	1-1/4" plywood top capped with gray galvanized steel
	<b>DIMENSIONS</b>	60"W x 24"D x 35"H
	<b>OPTIONS</b>	3" casters

CTE



ITEM #	SIZE
GSB-6024	60"W x 24"D x 32"H
MGSB-6024 (Mobile)	60"W x 24"D x 35"H

## APPRENTICE SIDE CLAMP STATION

COMPONENTS	<b>BASE</b>	Constructed of solid light hardwood framing with a UV finish
	<b>TOP</b>	Open and includes 17 sets of 3/4" wide grooves (cut into heavy gauge steel rail) which accept bar clamps three feet and over; Lower center rail adaptable for storage of hand screws and "C" clamps
	<b>FEET</b>	Rubber leg boots
	<b>DIMENSIONS</b>	73-1/2"W x 36"D x 30-1/2"H
	<b>OPTIONS</b>	Drip pan

CTE



ITEM #	STYLE
GCT-7236	Bench only
GCT-DP	Bench w/Drip Pan



GCT-DP  
(Shown with Drip Pan)

# TABLES CTE

## APPRENTICE MITER BOX STATION

COMPONENTS	<b>BASE</b>	Constructed of solid light hardwood legs, framing and 4-1/2" apron with a UV finish; Holds up to 26"W miter saw (not included)
	<b>TOP</b>	ShopTop® provides duo stationary work surfaces (24"W x 24"D) on either side of adjustable center section
	<b>DIMENSIONS</b>	72"W x 24"D x 33-1/2"H



ITEM #	TOP	SIZE
MBB-7224	1-1/2" ShopTop®	72"W x 24"D x 33-1/2"H



MBB-7224

## FORUM INDUSTRIAL ARTS WOOD WORKBENCH

COMPONENTS	<b>BASE</b>	Constructed of solid light hardwood legs, 4-1/2" apron and veneers with a UV finish
	<b>TOP</b>	Maple Butcher Block
	<b>DIMENSIONS</b>	W: 48", 60" or 72", 96" x D: 24", 30" or 36" 1-3/4" Maple Top OA H: 30-3/4" 2-1/4" Maple Top OA H: 31-1/4"



1-3/4" MAPLE BB TOP	2-1/4" MAPLE BB TOP	SIZE
W-4824L	W-4824	48"W x 24"D
W-6024L	W-6024	60"W x 24"D
W-7224L	W-7224	72"W x 24"D
W-9624L	W-9624	96"W x 24"D
W-4830L	W-4830	48"W x 30"D
W-6030L	W-6030	60"W x 30"D
W-7230L	W-7230	72"W x 30"D
W-9630L	W-9630	96"W x 30"D
W-6036L	W-6036	60"W x 36"D
W-7236L	W-7236	72"W x 36"D
W-9636L	W-9636	96"W x 36"D



W-6036L



WW2-2V

## FORUM FIXED WORKBENCH

COMPONENTS	<b>BASE</b>	Constructed of solid light hardwood with an earth-friendly UV finish
	<b>TOP</b>	2-1/4" Maple Butcher Block
	<b>VICES</b>	Options for 0, 1, 2 or 4 vises (installation on site)
	<b>DIMENSIONS</b>	26" or 54"D x 64"W x 31-1/4"H



26" D - TWO-STATION	54" D - FOUR-STATION	# VISES
WW2-0V	WW4-0V	0
WW2-1V	N/A	1
WW2-2V	WW4-2V	2
N/A	WW4-4V	4

# TABLES CTE/CULINARY

## MENU CULINARY TABLES

COMPONENTS	<b>BASE</b>	Galvanized 1-5/8" diameter steel legs and bracing with 1-1/4" adjustable, high impact corrosion-resistant feet
	<b>TOP</b>	T-420 18-gauge stainless steel top, reinforced with two 5" "C" Channels
	<b>WORKSURFACE HEIGHT</b>	34-3/4"H
	<b>OPTIONS</b>	Casters, Drawers
	<b>LOWER SHELF OPTION</b>	Adjustable under shelf with two pins per corner



ITEM #	SIZE	DESCRIPTION
DW-VTT0B-6024	60"W x 24"D	Flat top w/open base
DW-VTT0B-7224	72"W x 24"D	Flat top w/open base
DW-VTT0B-3630	36"W x 30"D	Flat top w/open base
DW-VTT0B-4830	48"W x 30"D	Flat top w/open base
DW-VTT0B-6030	60"W x 30"D	Flat top w/open base
DW-VTTR50B-6024	60"W x 24"D	Flat top w/5" riser and open base
DW-VTTR50B-7224	72"W x 24"D	Flat top w/5" riser and open base
DW-VTTR50B-3630	36"W x 30"D	Flat top w/5" riser and open base
DW-VTTR50B-4830	48"W x 30"D	Flat top w/5" riser and open base
DW-VTTR50B-6030	60"W x 30"D	Flat top w/5" riser and open base
DW-VTTR50B-7230	72"W x 30"D	Flat top w/5" riser and open base
XS-3630	36"W x 30"D	Flat top w/lower shelf
XS-4830	48"W x 30"D	Flat top w/lower shelf
XS-6030	60"W x 30"D	Flat top w/lower shelf
XS-7230	72"W x 30"D	Flat top w/lower shelf
250516	Add 4-1/2"H	Set (4) Locking Casters
250487	26"W x 27"L x 8"D*	Drawer w/5" deep removable pan



DW-VTT0B-6030



DW-VTT0B-3630



DW-VTT0B-6030

\*Exterior dimensions

\*\*One Drawer for 36"L, 48"L and 60"L tables; Two drawers for 72"W table



250487  
Weight Capacity: 200lbs



250516

## MENU CULINARY TABLES

COMPONENTS	<b>SHELF</b>	NSF-approved, 18-gauge T-304 stainless steel; 8" angle supports and 1-1/2" turn up on wall side
	<b>OPTIONS</b>	Pot hooks with one double prong per 12"



ITEM #	DESCRIPTION	SIZE
250511	Wall shelf	36"W x 12"D
250513	Wall shelf w/pot hooks	36"W x 12"D
250512	Wall shelf	48"W x 12"D
250514	Wall shelf w/pot hooks	48"W x 12"D



250513



250511

# TABLES DRAFTING

## DRAFTSMAN DRAWING TABLE

<b>COMPONENTS</b>	<b>BASE</b>	Solid light hardwood legs, 4-1/2" apron and veneers with a UV finish and attached with 13-gauge steel corner braces
	<b>TOP</b>	Laminate Top: Almond laminate top on 3/4" particle board core with phenolic backer and matching edge band; Top adjusts from 0-30 degrees with soft-close "no pinch" safety feature and includes an attached pencil ledge; 1-piece top measures 36"W x 24"D; 2-piece tops measure 24"W x 24"D adjustable and 12"W x 24"D fixed
	<b>FEET</b>	Adjustable floor glides
	<b>OVERALL SIZE</b>	Units are 36"W x 24"D, 29-3/4" or 35-3/4"H
	<b>STORAGE</b>	Choose from: Plain apron (DT-9) Small center drawer (DT-2 or DT-3): OD 2"H x 13"W x 19-3/4"D Large center drawer (DT-1): OD 2"H x 17-7/8" W x 19-3/4"D




DT-9SA37


### DRAFTING



TOP TYPE	HEIGHT	PLAIN	SMALL DRAWER	LARGE DRAWER
1-Piece Top	29-3/4"	DT-9A30	DT-2A30	DT-1A30
2-Piece Top	29-3/4"	DT-9SA30	DT-2SA30	DT-1SA30
1-Piece Top	35-3/4"	DT-9A37	DT-3A37	DT-1A37
2-Piece Top	35-3/4"	DT-9SA37	DT-3SA37	DT-1SA37



A = 1-PIECE TOP



SA = 2-PIECE TOP



DT-1A30



DT-2SA30



DT-3SA37

# TABLES DRAFTING

## DRAFTSMAN DRAWING TABLE SYSTEM

<b>COMPONENTS</b>	<b>BASE</b>	Solid light hardwood legs, 4-1/2" apron and veneers with a UV finish and attached with 13-gauge steel corner braces
	<b>TOP</b>	Almond laminate top on 3/4" particle board core with phenolic backer and matching 1mm edge band; Top adjusts from 0-30 degrees with soft-close "no pinch" safety feature and includes an attached pencil ledge; 1-piece top measures 42"W x 30"D; 2-piece tops measure 30"x 30"D adjustable and 12"W x 30"D fixed.
	<b>FEET</b>	Adjustable floor glides
	<b>OVERALL SIZE</b>	42" W x 30" D x 39-3/4" H
	<b>STORAGE</b>	Board storage models feature six (25-1/4"H x 24-3/8"D x 1-1/4"W) spaces for storage; all doors and dovetailed drawers lock
	<b>OPTIONS</b>	Deluxe model includes CPU holder (23"H x 11"W x 29"D), monitor arm, keyboard 32" H, and mouse tray




CDTC-71


### DRAFTING



TOP TYPE	PLAIN	DRAWERS	BOARD STORAGE	DRAWERS & BOARD STORAGE
Basic (1-Piece Top)	DT-30A	DT-31A	DT-32A	DT-33A
Basic (2-Piece Top)	DT-60SA	DT-61SA	DT-62SA	DT-63SA
Deluxe (2-Piece Top)	CDTC-70	CDTC-71	CDTC-72	N/A



A = 1-PIECE TOP



SA = 2-PIECE TOP



DT-60SA



DT-63SA



CDTC-71

# TABLES DRAFTING



DTA-21A

## DRAFTSMAN DRAWING TABLE

COMPONENTS	<b>BASE</b>	Solid light hardwood legs, 4-1/2" apron and veneers with UV finish and attached with 13-gauge steel corner braces
	<b>STORAGE</b>	Choose from six or eight dovetailed, locking drawers (20-1/2"W x 19-3/4"D), master-keyed separately or six dovetailed, locking drawers (10-1/2"W x 19-3/4"D x 2"H); master-keyed separately; includes center book compartment (10-1/2"W x 21-1/4"D x 5-7/8"H)
	<b>TOPS</b>	Almond laminate tops on 3/4" particle board core with phenolic backer and matching 1mm edge band; Choose one (28"W x 32-1/2"D) adjustable top with flat fixed reference area in middle (14"W x 32-1/2"D) or two adjustable (24"W x 24"D) with flat fixed reference area in middle (12"W x 24"D); Adjustable tops adjust from 0-30 degrees with soft-close "no pinch" safety feature and include an attached pencil ledge
	<b>FEET</b>	Adjustable floor glides



## SINGLE

ITEM #	STYLE	DRAWER SIZE	OVERALL SIZE
DT-4SA	One adjustable top, one fixed	10-1/2"W x 19-3/4"D x 2"H	36"W x 24"D x 30"H
DT-4A	One adjustable top	10-1/2"W x 19-3/4"D x 2"H	36"W x 24"D x 30"H
DT-8A	One adjustable top, one fixed	20-1/2"W x 19-3/4"D x 2"H	48"W x 32-1/2"D x 39-3/4"H



DT-8A

## TWO-STATION

ITEM #	DRAWERS	TOP STYLE	OVERALL SIZE
DT-80A	Six	One adjustable top, one fixed	70"W x 32-1/2"D x 39-3/4"H
DT-82A	Eight	One adjustable top	70"W x 32-1/2"D x 39-3/4"H
DTA-21A	Six	One adjustable top, one fixed	60"W x 24"D x 35-3/4"H

## DRAFTSMAN TWO-STATION DELUXE DRAWING TABLE SYSTEM

COMPONENTS	<b>BASE</b>	Solid light hardwood legs, 4-1/2" apron and veneers with UV finish and attached with 13-gauge steel corner braces
	<b>TOPS</b>	Two adjustable tops of (24"W x 24"D) Almond laminate on 3/4" particle board core with phenolic backer and matching 1mm edge band; Top adjusts from 0-30 degrees with soft-close "no pinch" safety feature and includes an attached pencil ledge; Has fixed reference area in middle (24"W x 30"D)
	<b>FEET</b>	Adjustable floor glides
	<b>INCLUDES</b>	Includes two CPU holders, two keyboard trays and flat panel monitor arm that holds two 15"-17" monitors



ITEM #	TOP STYLE	OVERALL SIZE
CDTC-73	Two adjustable tops, one fixed	84"W x 30"D x 39-3/4"H



CDTC-73

# TABLES DRAFTING

## DRAFTSMAN INSTRUCTOR TABLE

COMPONENTS	<b>BASE</b>	Solid light hardwood legs, 4-1/2" apron and veneers with UV finish and attached with 13-gauge steel corner braces
	<b>STORAGE</b>	Two dovetailed, locking drawers (Left Drawer OD 2"H x 35"W x 19-3/4"D, Right Drawer OD 2"H x 9"W x 19-3/4"D)
	<b>TOP</b>	Almond Laminate on 3/4" particle board core with phenolic backer and matching 1mm edge band; Top adjusts from 0-30 degrees with soft-close "no pinch" safety feature and includes an attached pencil ledge
	<b>FEET</b>	Adjustable floor glides

**DRAFTING ART**



ITEM #	TOP	OVERALL SIZE
IDT-102	3/4" Almond laminate top	60"W x 37-1/2"D x 36"H
IDT-103	3/4" Almond laminate top	72"W x 37-1/2"D x 36"H



IDT-102

## DRAFTSMAN INSTRUCTOR TABLE W/LIGHT

COMPONENTS	<b>BASE</b>	Solid light hardwood legs, 4-1/2" apron and veneers with UV finish and attached with 13-gauge steel corner braces
	<b>TOP</b>	Almond laminate top on 3/4" particle board core with phenolic backer and matching 1mm edge band; Shatter-resistant glass insert for maximum diffusion of light with minimum glare and no hot spots; Top adjusts from 0-30 degrees with soft-close "no pinch" safety feature and includes an attached pencil ledge
	<b>ELECTRICAL</b>	Installed 120-volt electrical cord; 4 energy-efficient fluorescent tubes included
	<b>FEET</b>	Adjustable floor glides

**DRAFTING ART**



ITEM #	TOP STYLE	OVERALL SIZE
LT-4424	Adjustable glass top	44"W x 24"D x 39-3/4"H



LT-4424

## DRAFTSMAN FIXED LIGHT TABLE

COMPONENTS	<b>BASE</b>	Solid light hardwood legs, 4-1/2" apron and veneers with UV finish and attached with 13-gauge steel corner braces
	<b>TOP</b>	Laminated shatter-resistant glass provides maximum diffusion of light with minimum glare and no hot spots; (26"W x 17"D) glass insert encased in a 3/4" thick hardwood frame with 1mm edge banding; (32"W x 22"D) overall top is fixed at a 22-degree angle with attached pencil ledge
	<b>ELECTRICAL</b>	Installed 120-volt electrical cord; Energy-efficient lighting
	<b>FEET</b>	Adjustable floor glides

**DRAFTING ART**



ITEM #	TOP STYLE	OVERALL SIZE
LT-3222M	Fixed glass top	31"W x 20"D x 43"H (back)



LT-3222M

# TABLES DRAFTING

## DRAFTSMAN PORTABLE DRAWING BOARD

COMPONENTS	BASE	Constructed of light hardwood with a UV finish and folds flat for storage
	TOP	¾" Almond laminate top with 1mm edge band with a 24"W x 20"D drafting surface that adjusts to 30°, 45° or 60° angles
	FEET	Rubber

DRAFTING ART



PDT-2420

ITEM #	TOP STYLE	OVERALL SIZE
PDT-2420	Adjustable	24"W x 20"D

## UPLIFT! DRAFTING TABLES

COMPONENTS	BASE	Solid light hardwood legs and 3-¼" apron with UV finish and attached with 13-gauge steel corner braces; Adjustable steel, silver powder-coated legs, adjust from 26" to 41-¼" heights in increments which include 2-¾" spacers
	TOP	¾" Almond laminate top with 1mm edge band and phenolic backer; Adjustable tops adjust from 0-30 degrees with soft-close "no pinch" safety feature and include an attached pencil ledge
	FEET	Adjustable floor glides

DRAFTING ART



ALTD1-6030

ALTD2-6030

ITEM #	TOP SIZE	OVERALL SIZE
ALTD1-6030	2-Piece: 42"W x 30"D - Adjustable, 18"W x 30"D Fixed	60"W x 30"D
ALTD2-6030	2-Piece: 2-30"W x 30"D - Adjustable	60"W x 30"D

## UPLIFT! DRAFTING TABLES

COMPONENTS	BASE	Black metal frame featuring side handles with unique ratchet system that adjusts from 31"H sitting height to 40"H standing height and locks top into position
	TOP	Tinted glass top is 40"W x 30"D and tilts in 1" increments from 70° (sitting height) to 30° (standing height) and can be used as dry-erase marker board; Workstation includes an attached pencil ledge and maximum top surface pressure is 150lb

DRAFTING ART



SSDT-30

ITEM #	TOP STYLE	OVERALL SIZE
SSDT-30	Adjustable - Glass	40"W x 30"D x 31-40"H

# TABLES DRAFTING

## DRAFTSMAN TABLES

COMPONENTS	<b>BASE</b>	Solid light hardwood legs and 4-1/2" apron with a UV finish and attached with 13-gauge steel corner braces
	<b>STORAGE</b>	Dovetailed, locking drawers
	<b>TOP</b>	Almond laminate top or Maple Butcher Block top
	<b>FEET</b>	Adjustable floor glides and rubber boots

**DRAFTING ART**



PT-72P

ITEM #	TOP STYLE	OVERALL SIZE
PT-72P	Fixed - 1-1/4" Almond laminate top	72"W x 30"D x 30"H
PT-72M	Fixed - 1-3/4" Maple BB	72"W x 30"D x 30"H

## DRAFTSMAN FOUR-STATION DRAFTING TABLE

COMPONENTS	<b>BASE</b>	Solid light hardwood legs and 4-1/2" apron with a UV finish and attached with 13-gauge steel corner braces
	<b>TOP</b>	Four tops, (26"W x 24"D); 3/4" Almond plastic laminate with 1 mm edge banding and pencil ledges
	<b>STORAGE</b>	Additional storage under each drawing area (23-3/4"W x 20-3/4"D)
	<b>FEET</b>	Adjustable floor glides and rubber boots

**DRAFTING ART**



DT-90PL

ITEM #	TOP STYLE	OVERALL SIZE
DT-90PL	Four-Piece Adjustable	84"W x 48"D x 30"H

## DRAFTSMAN LAYOUT BENCH

COMPONENTS	<b>BASE</b>	Solid light hardwood legs, 4-1/2" apron and veneers with a UV finish and attached with 13-gauge steel corner braces
	<b>STORAGE</b>	Dovetailed, locking drawers; four paper storage drawers (32-5/12"W x 25-3/4"D x 2"H), one file drawer (15-3/12"W x 19-3/4"D x 10-1/4"H) and four smaller drawers (15-3/12"W x 19-3/4"D x 4-1/2"H)
	<b>TOP</b>	Almond Laminate with phenolic backer and matching edge band
	<b>FEET</b>	Adjustable floor glides

**DRAFTING ART MAKERSPACE**



PLB-201

Works great as a sewing desk too!

ITEM #	TOP	OVERALL SIZE
PLB-201	Fixed - 1-1/4" laminate top	72"W x 30"D x 37"H

## SEWING TABLES

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood apron, legs and veneers with a UV finish
	<b>STORAGE</b>	Locking cabinet with pullout shelf on full extending glides for single or dual-cabinet storage
	<b>TOP</b>	Almond laminate top with matching edge band and 1 or 2 grommets
	<b>FEET</b>	Self-leveling glides on legs
	<b>TOE KICK</b>	Rubber base molding with metal corners

**CTE MAKERSPACE**



SMT-7242K

ITEM #	STYLE	SIZE
SMT-7224_	Single Student	72"W x 24"D x 30"H
SMT-7242_	Double Student	72"W x 42"D x 30"H

\_Hardwood Option: M - Light Hardwood or K - Oak

# TABLES ART


## STEM IMPRINT TABLE

COMPONENTS	<b>BASE</b>	2-1/4" square, solid oak hardwood or solid light hardwood legs and 4-1/2" apron with a UV finish; Featuring heavy-duty 13-gauge steel corner braces; Non-skid adjustable leveling glides and rubber leg boots
	<b>TOP</b>	1-1/4" Dry-Erase laminate top and phenolic backer;
	<b>FEET</b>	Adjustable floor glides and rubber leg boots

CTE DRAFTING MULTIPURPOSE



P7209M30N



ITEM #	TOP TYPE	OVERALL SIZE
P7209_30N	Top imprinted with compass and rulers	54"W x 24"D x 30-1/4"H

Hardwood Option: M - Light Hardwood or K - Oak

## PERSPECTIVE WORKTOP CLASSIC

COMPONENTS	<b>BASE</b>	2-1/4" solid light hardwood legs and 4-1/2" apron with a UV finish; Attached with 13-gauge steel corner braces
	<b>TOP</b>	Maple Butcher Block or Almond Laminate Top
	<b>FEET</b>	Adjustable floor glides and rubber leg boots
	<b>OVERALL SIZE</b>	48"W x 48"D; 26 or 30"H for Butcher Block, 25 1/2"H or 29 1/2"H for Laminate

ART



24 1/4" LEGS

28 1/4" LEGS

TOP TYPE

WX4-M26	WX4-M	1-3/4" Maple butcher block
WX4-P26	WX4-P	1-1/4" Almond laminate top



WX4-M

## PERSPECTIVE CLAY WEDGING TABLE

COMPONENTS	<b>BASE</b>	2-1/4" square, solid oak hardwood or solid light hardwood legs and 4-1/2" apron with a UV finish; Featuring heavy-duty 13-gauge steel corner braces
	<b>TOP</b>	1-1/4" particle board with laminate top and phenolic backer; Covered with removable, washable canvas attached with hook and loop fastener
	<b>FEET</b>	Rubber leg boots
	<b>FEATURES</b>	Clay cutter wire mounted to top and angled across depth of top for easy tightening if wire stretches

ART



ITEM #

OVERALL SIZE

WT7142_30N	60"W x 30"D x 30-1/4"H
------------	------------------------

Hardwood Option: M - Light Hardwood or K - Oak



WT7142M30N



# TABLES ART



PT\_60M



PT-62P



PT-61M

## PERSPECTIVE TABLES

COMPONENTS	<b>BASE</b>	Solid light hardwood legs with two tapered pedestal style panel legs and two light hardwood truss bars; Finished with a UV finish
	<b>STORAGE</b>	Choose from plain book compartment or tote tray units (storage n/a on XL Tables) Book compartment measures: 34-1/2"W x 12-1/16"D x 2-1/4"H; Each tote measures: 13-1/2"W x 19"D x 3-1/2"H
	<b>TOP</b>	Maple Butcher Block and Almond or Natural Maple Laminate Top; Premier top attachment prevents table from racking or rocking
	<b>DIMENSIONS</b>	60"W x 42"D x 26-3/4" or 30-1/4"H XL table sizes: 60" or 72"W x 30", 36", 42" or 48"D x 26", 30" or 36"H



PLAIN APRON	COMPARTMENT	TOTE TRAY	TOP TYPE	OVERALL SIZE
PT-62M26	PT-61M26	PT-60M26	1-3/4" Maple BB	60"W x 42"D x 26-3/4"H
PT-62M*	PT-61M	PT-60M	1-3/4" Maple BB	60"W x 42"D x 30-3/4"H
PT-62PNB26	PT-61PNB26	PT-60PNB26	1-1/4" Natural Maple HPL	60"W x 42"D x 26-1/4"H
PT-62PNB	PT-61PNB	PT-60PNB	1-1/4" Natural Maple HPL	60"W x 42"D x 30-1/4"H
PT-62P26	PT-61P26	PT-60P26	1-1/4" Almond HPL	60"W x 42"D x 26-1/4"H
PT-62P	PT-61P	PT-60P	1-1/4" Almond HPL	60"W x 42"D x 30-1/4"H

## XL TABLE CONFIGURATOR

STYLE	WIDTH	DEPTH	TOP TYPE	HEIGHT
PT	-60	30	1-3/4" Maple BB (M)	26*
	-72	36	1-1/4" Natural Maple HPL (PNB)	30
		42	1-1/4" Almond HPL (P)	36
		48		

\*Only available with 60"W



PT-724836

## WORK TABLES

COMPONENTS	<b>BASE</b>	Solid light hardwood legs with two tapered pedestal style panel legs and two light hardwood truss bars; Finished with a UV finish
	<b>TOP</b>	1-1/4" Almond laminate top; The 36"W unit has one grommet hole and the 48"W and 60"W units have two grommet holes
	<b>DIMENSIONS</b>	36", 48", or 60"W x 30"D x 30-1/4"H



ITEM #	TOP STYLE	OVERALL SIZE
CT-200P36	1-1/4" Almond laminate top with grommet hole	36"W x 30"D x 30-1/4"H
CT-200P48	1-1/4" Almond laminate top with 2 grommet holes	48"W x 30"D x 30-1/4"H
CT-200P60	1-1/4" Almond laminate top with 2 grommet holes	60"W x 30"D x 30-1/4"H



CT-200P60

# TABLES MULTIPURPOSE



ALT-6030GG



ALT-6042BL

## UPLIFT! TABLES

COMPONENTS	<b>BASE</b>	Adjust from 27-3/4" to 41-3/4" heights in increments which include 2-3/4" spacers
	<b>TOP</b>	Laminate top available in black or gray glaze
	<b>FEET</b>	Equipped with non-skid adjustable leveling glides
	<b>OPTIONS</b>	Casters (100709X4) available - add 2-5/16" to OA height

ITEM #	SIZE W X D	1-1/4" LAMINATE TOP	OPTIONS
ALT-6030BL	60"W x 30"D	Black	Casters (100709X4)
ALT-6030GG	60"W x 30"D	Gray Glaze	
ALT-6042BL	60"W x 42"D	Black	
ALT-6042GG	60"W x 42"D	Gray Glaze	

MULTIPURPOSE



For ADA sizes, contact customer service.



P830LNNM



P830LBBM\_Casters

## UPLIFT! TABLES WITH WOOD APRON

COMPONENTS	<b>BASE</b>	Solid oak hardwood or solid light hardwood 4-1/2" apron with a UV finish and powder coated steel legs.
	<b>TOP</b>	Black Phenolic, black ChemGuard or Laminate with options of Dry-Erase, 5 laminate finishes and 11 complementary edge band colors
	<b>HEIGHT</b>	Laminate and ChemGuard adjust from 26-1/2" to 41" heights in increments which include 2-3/4" spacers; Phenolic tops adjust from 26" to 40-1/2"
	<b>FEET</b>	Equipped with non-skid adjustable leveling glides
<b>OPTIONS</b>	Optional casters - add 2-5/16" to OA height	

MULTIPURPOSE



For ADA sizes, contact customer service.

STYLE	SIZE W X D	TOP TYPE	LAMINATE COLOR (L) TOPS ONLY	EDGE BAND (2) & (L) TOPS ONLY	WOOD	OPTIONS
P8	48" x 24" (10)	1-1/4" Laminate (L)	Almond (A)	Almond (A)	Oak (K)	Casters (100709X4)
	54" x 24" (20)	1-1/4" ChemGuard (2)	Black (B)	Aqua (Q)	Light	
	60" x 24" (60)	3/4" Phenolic (4)	Charcoal (C)	Black (B)	Hardwood (M)	
	60" x 30" (14)		Dry-Erase (E)	Carrot (T)		
	72" x 24" (30)		Natural Maple (N)	Charcoal (C)		
			White (W)	Lime (L)		
				Natural Maple (N)		
				Peacock (P)		
				Red (R)		
				Royal (Y)		
				White (W)		

Laminate Top Colors

A B C E N W

Edge Band Colors

A Q B T C L H P R Y W

# TABLES MULTIPURPOSE

## AVENUU A-FRAME TABLES

COMPONENTS	BASE	Powder-coated 2-1/2" x 2-1/2" square steel legs, with a fully welded 2" x 2" cross brace. Top is supported with an "L" channel support welded to the legs and bolted to the cross-table supports; Powder-coat comes in 8 colors
	TOP	Solid Epoxy, Phenolic Resin, Hardwood or Walnut Butcher Block, ShopTop®, Black ChemGuard or HPL with options of Dry-Erase, 5 laminate finishes with 11 complementary edge band colors and 6 Premium laminate finishes with matching edge band
	FEET	Equipped with your choice of Glides, Designer Casters, or 4" Industrial Casters
	OPTIONS	Backpack hook matching frame color; Glides subtract 2-1/2" from height; Designer Casters subtract 3/8"



AFT6030WB30D

MULTIPURPOSE CTE



For ADA sizes, contact customer service.

STYLE	WIDTH	DEPTH	TOP TYPE	LAMINATE COLOR (L) TOPS ONLY	EDGE BAND (2) & (L) TOPS ONLY	FRAME COLOR	HEIGHT	OPTIONS
AFT	48	30	1-1/4" Laminate (L)	Almond (A)	Almond (A)	Aqua (Q)	30	Glides(N)
	60	36	1-1/4" Premium Laminate† (P)	Black (B)	Aqua (Q)	Black (B)	34	Casters:
	72	42	1-3/4" Maple BB (5)	Charcoal (C)	Black (B)	Carrot (T)	36	- Industrial (C) (Standard)
	84	48	1-1/4" ChemGuard (2)	Dry-Erase (E)	Carrot (T)	Dark Gray (D)	42	- Designer+ (D)
	96*		1-3/4" Walnut BB (W)	Natural Maple (N)	Charcoal (C)	Light Gray (G)		Backpack Hook (256063-...)
			3/4" Phenolic (4)	White (W)	Lime (L)	Lime (L)		
			1" Epoxy (6)	Burnt Strand (2)†	Natural Maple (N)	Silver (S)		
				Buka Bark (3)†	Peacock (P)	White (W)		
				Blackened Chestnut (4)†	Red (R)			
				Columbia Walnut (1)†	Royal (Y)			
				Bourbon Pine (6)†	White (W)			
				Marula Pine (5)†				

TOP TYPE	ACTUAL OVERALL HEIGHT		
	30" LEG	36" LEG	42" LEG
Laminate	30-1/4"	36-1/4"	42-1/4"
ChemGuard	30-1/4"	36-1/4"	42-1/4"
Premium Laminate	30-1/4"	36-1/4"	42-1/4"
Maple BB	30-3/4"	36-3/4"	42-3/4"
Walnut BB	30-3/4"	36-3/4"	42-3/4"
Phenolic	29-3/4"	35-3/4"	41-3/4"
Epoxy	30"	36"	42"

Laminate Top Colors: A B C E N W  
Edge Band Colors: A Q B T C L N P R Y W

Premium Laminate Top†: 1 2 3 4 5 6  
Steel Leg Colors: Q B T D G L S W

†Laminate colors are considered Premium Laminates



AFT60305D36D



AFT30307Q30C



AFT6030P2W30N

# TABLES MULTIPURPOSE



HLBE603017



HLB60245

## HI-LO HAND-CRANK OR ELECTRIC TABLES Makes a great instructor desk too!

COMPONENTS	<b>HAND CRANK FRAME</b>	Adjustable steel frame powder-coated black; Adjusts from 26-3/4" to 44-1/2" overall height by hand crank handle; Handle retracts under table and is interchangeable on right or left side
	<b>ELECTRIC FRAME</b>	Adjustable steel frame powder-coated black; Adjusts from 26-3/4" to 46-1/2" overall height; Hand control, up/down buttons w/digital read-out, two presets and lock-out, two USB-A charging ports; Bluetooth, TiMotion App, anti-collision device to prevent overloading motors when another object prevents motion; Optional battery pack for mobile unit or power outage
	<b>TOP</b>	Epoxy, Phenolic, Hardwood Butcher Block, ShopTop®, Laminate, black ChemGuard, Dry-Erase, 5 laminate and 11 complementary edge band colors
	<b>FEET</b>	Leveling feet or casters, both included with table; <i>Casters are not recommended on epoxy top models</i>
	<b>WEIGHT CAPACITY</b>	264 lbs.

**MULTIPURPOSE INSTRUCTOR**



For ADA sizes, contact customer service.

STYLE	WIDTH	DEPTH	TOP TYPE	LAMINATE (L) TOPS ONLY	EDGE BAND (2) OR (L) TOPS ONLY	OPTIONS
HLB	60	24	1-1/4" Laminate (L)	Almond (A)	Almond (A)	Battery Pack (HLBE-B)
HLBE	72	30	1-1/4" ChemGuard (2) 1-3/4" Maple BB (5) 1-1/2" ShopTop® (7) 3/4" Phenolic (4) 1" Epoxy (6)	Black (B) Charcoal (C) Dry-Erase (E) Natural Maple (N) White (W)	Aqua (Q) Black (B) Carrot (T) Charcoal (C) Lime (L) Natural Maple (N) Peacock (P) Red (R) Royal (Y) White (W)	

Laminate Top Colors

A B C E N W

Edge Band Colors

A Q B T C L N P R Y W

TOP TYPE	ACTUAL OVERALL HEIGHT	
	HAND-CRANK	ELECTRICAL
Laminate	28" to 45-3/4"	27" to 47-3/4"
ChemGuard	28" to 45-3/4"	27" to 47-3/4"
Maple BB	28-1/2" to 46-1/4"	27-1/2" to 48-1/4"
ShopTop®	28-1/4" to 46"	27-1/4" to 48"
Phenolic	27-1/2" to 45-1/4"	27-1/4" to 47-1/4"
Epoxy	27-3/4" to 45-1/2"	27-3/4" to 47-1/2"

*+Casters add 2-3/8" to OA height*

# DESKS INSTRUCTOR



## HELM DESK

COMPONENTS	<b>BASE</b>	Cabinets and apron constructed with solid oak or light hardwood apron with an earth-friendly UV finish; Steel frame constructed of 14-gauge thick wall 2-1/2" square steel tubes with welded 2" x 2" cross brace and 11-gauge steel "L" channel table support, powder-coated in eight standard colors with matte finish; Top attached with screws in two directions and supported by two 14-gauge steel "C" channels attached to frame with four 3/8" carriage bolts per channel, two on each end
	<b>TOP</b>	Solid Epoxy, Phenolic Resin, Light Hardwood Butcher Block, ShopTop®; ChemGuard or HPL with choice of Dry-Erase, 5 laminate finishes and 11 3mm edge band colors
	<b>STORAGE</b>	Cabinets (24"W x 32"D x 29-3/4"H) on both sides with locking, dovetailed drawers or full height door; Left or right door hinge options
	<b>FEET</b>	4" Designer Casters
	<b>OVERALL DIMENSIONS</b>	See below 29-5/8"H or 35-5/8"H

## INSTRUCTOR SCIENCE



STYLE	DOOR HINGE	WIDTH	DEPTH	TOP TYPE	HPL COLOR (L) TOPS ONLY	EDGE BANDING (2) OR (L) TOPS ONLY	MATERIAL	STEEL COLOR	HEIGHT	OPTIONS
HFD	L	84	30	1-1/4" ChemGuard (2)	Almond (A)	Almond (A)	Oak (K)	Aqua (Q)	30	Designer Caster (D)
	R	96	36	3/4" Phenolic (4)	Black (B)	Aqua (Q)	Light Hardwood (M)	Black (B)	36	
			30	1-3/4" Maple BB (5)	Charcoal (C)	Black (B)		Carrot (T)		
			36	1" Epoxy (6)	Erasable (E)	Carrot (T)		Dark Gray (D)		
				1-1/2" ShopTop® (7)	Natural Maple (N)	Charcoal (C)		Light Gray (G)		
				1-1/4" HPL (L)	White (W)	Lime (L)		Lime (L)		
						Natural Maple (N)		Silver (S)		
						Peacock (P)		White (W)		
						Red (R)				
						Royal (Y)				
						White (W)				

Laminate Top Colors

A B C E N W

Edge Band Colors

A Q B T C L N P R Y W

Steel Leg Colors

Q B T D G L S W

# DESKS INSTRUCTOR LAB STATION

## KINETIC WORK DESK

COMPONENTS	<b>BASE</b>	Constructed of solid oak or light hardwood and veneers with an earth-friendly UV finish; Knee space provided: 26"W
	<b>TOP</b>	Black 1" HPL with matching edge band and two grommets for routing power cords
	<b>STORAGE</b>	Two file drawers, four smaller drawers and one center pencil drawer; all locking and dovetailed
	<b>TOE KICK</b>	Rubber base molding with metal corners

**INSTRUCTOR SCIENCE**



ITEM #	TOP	SIZE
1131_	1" HPL	60"W x 30"D x 30"H

\_Hardwood Option: M - Light Hardwood or K - Oak

## KINETIC WORK DESK

COMPONENTS	<b>BASE</b>	Constructed of solid oak or light hardwood and veneers with an earth-friendly UV finish; Comes standard with pull-out writing board (3/4"H x 16-1/4"W x 25-1/4"D) and Greenlaw arm; Knee space: 22"W x 30-1/2"D
	<b>TOP</b>	Solid Epoxy or Phenolic Resin
	<b>STORAGE</b>	Three small drawers (13-1/2"W x 18"D x 4"H), one file drawer (13-1/2"W x 18"D x 10-1/4"H) and cabinet (18"W x 28"D x 29"H) with adjustable shelf (excluded on ADA unit); All locking and dovetailed
	<b>ELECTRIC</b>	GFI-protected AC duplex receptacle; assembly and installation required
	<b>SINK &amp; FIXTURE INCLUDES</b>	Epoxy resin sink (14"W x 10"D x 6"H), polypropylene trap and Greenlaw Arm
	<b>ADA UNIT</b>	ADA epoxy resin sink (14"W x 10"D x 5"H) combination blade handle cold water/gas fixtures; Knee space meets ADA requirements/wide enough for wheelchair to fit into space (19"D x 27" knee height x 30"W and 8-1/2" knee clearance from front tabletop edge)
<b>TOE KICK</b>	Rubber base molding with metal corners	

**INSTRUCTOR SCIENCE**



ITEM #	SINK	TOP	DESCRIPTION	OVERALL SIZE
1214_-L	Left	3/4" Phenolic	Door cabinet on left, drawers on right	60"W x 30"D x 36"H
1214_-R	Right	3/4" Phenolic	Door cabinet on right, drawers on left	60"W x 30"D x 36"H
1216_-L	Left	1" Epoxy	Door cabinet on left, drawers on right	60"W x 30"D x 36"H
1216_-R	Right	1" Epoxy	Door cabinet on right, drawers on left	60"W x 30"D x 36"H
1214_F-L	N/A	3/4" Phenolic	Door cabinet on left, drawers on right	60"W x 30"D x 36"H
1214_F-R	N/A	3/4" Phenolic	Door cabinet on right, drawers on left	60"W x 30"D x 36"H
1216_F-L	N/A	1" Epoxy	Door cabinet on left, drawers on right	60"W x 30"D x 36"H
1216_F-R	N/A	1" Epoxy	Door cabinet on right, drawers on left	60"W x 30"D x 36"H
1214_-L-ADA	Left	3/4" Phenolic	Knee Space on left, drawers on right	72"W x 30"D x 33-1/4"H
1216_-L-ADA	Left	1" Epoxy	Knee Space on left, drawers on right	72"W x 30"D x 33-1/2"H

\_Hardwood Option: M - Light Hardwood or K - Oak



# DESKS INSTRUCTOR LAB STATION



## KINETIC INSTRUCTOR DEMO DESK

<b>COMPONENTS</b>	<b>BASE</b>	Constructed of solid oak or light hardwood and veneers with an earth-friendly UV finish
	<b>TOP</b>	Solid Epoxy or Phenolic Resin
	<b>STORAGE</b>	Two small drawers (14-3/4"W x 19"D x 5-1/2"H), three large drawers (33-3/4"W x 19"D x 5-1/2"H) and cabinet (36"W x 28"D x 35") with adjustable shelf; All locking and dovetailed; Knee space area (22"W x 30-1/2"H) includes two grommets (one in each cabinet) for wire routing
	<b>ELECTRIC/PLUMBING</b>	GFI-protected AC duplex receptacle; Assembly and installation required
	<b>SIDE DESK</b>	Includes modesty panel, pull-out writing board (14-1/2"W x 20"D), one file drawer (13-1/2"W x 18"D x 10-1/4"H), two storage drawers (13-1/2"W x 18"D x 4"H) and one pencil drawer (19"W x 18"D x 3"H); Classroom side of unit features bookshelf with one fixed shelf; can be attached to right or left side of instructor desk
	<b>TOE KICK</b>	Rubber base molding with metal corners
	<b>OPTIONS</b>	Flat top without sink and fixtures, or sink (18"W x 15"D x 11"H), one hot and cold mixing faucet, double gas cock, polypropylene trap, set of support rods and crossbar
	<b>NOTE</b>	Crossbars on this unit do not accept the mirror or mirror/marker board

**INSTRUCTOR SCIENCE**



ITEM #	SINK	TOP	DESCRIPTION	OVERALL SIZE
1114_-R	Right	3/4" Phenolic	Double door cabinet on right, drawers on left	96"W x 30"D x 35 3/4"H
1116_-R	Right	1" Epoxy	Double door cabinet on right, drawers on left	96"W x 30"D x 36"H
1114_F-R	N/A	3/4" Phenolic	Double door cabinet on right, drawers on left	96"W x 30"D x 35 3/4"H
1116_F-R	N/A	1" Epoxy	Double door cabinet on right, drawers on left	96"W x 30"D x 36"H
1114_-L	Left	3/4" Phenolic	Double door cabinet on left, drawers on right	96"W x 30"D x 35 3/4"H
1116_-L	Left	1" Epoxy	Double door cabinet on left, drawers on right	96"W x 30"D x 36"H
1114_F-L	N/A	3/4" Phenolic	Double door cabinet on left, drawers on right	96"W x 30"D x 35 3/4"H
1116_F-L	N/A	1" Epoxy	Double door cabinet on left, drawers on right	96"W x 30"D x 36"H
1144_	-	3/4" Phenolic	Left or right attached side desk	48"W x 30"D x 29 3/4"H
1146_	-	1" Epoxy	Left or right attached side desk	48"W x 30"D x 30"H

\_Hardwood Option: M - Light Hardwood or K - Oak

# LAB STATIONS ISLAND

## KINETIC LAB STATIONS

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood apron, veneers and legs have a UV finish
	<b>TOP</b>	Black solid epoxy or black phenolic resin (some models available with black laminate or black ChemGuard)
	<b>STORAGE</b>	All units have locking doors and dovetailed, locking drawers; Book compartments
	<b>FEET</b>	Rubber leg boots and rubber base molding
	<b>OPTIONS</b>	GFI AC duplex outlets; Flat top without sink and fixtures, or drop-in solid epoxy resin sink (12"W x 8"D x 6"H) with cold water faucets for every two students; Gas cocks plus rod sockets

SCIENCE



### STORAGE CONFIGURATIONS



2106K Plain Apron w/Door



C2106K Compartments w/Door



2206K Plain Apron w/Drawers/Door



C2206K Compartments w/Drawers/Door



C2716KF Compartments w/Electrical with Full Door and Adj. Shelf



C2516KF Compartments w/Electrical Drawers/Half Door



C2716K Compartments w/Electrical, Fixtures, Door and Adj. Shelf



C2516K Compartments w/Electrical & Fixtures Drawers/Half Door

### TOP CONFIGURATIONS



Single-Faced Flat Top



Single-Faced Units with Compartments



Double-Faced Flat Top



Double-Faced Units with Compartments

# LAB STATIONS ISLAND

## FLAT TOP UNITS WITH STORAGE

### Single-Faced Unit

1" EPOXY	¾" PHENOLIC**	STUDENTS	TOP DIMENSIONS	CABINET STYLE
*2106_	*2104_	2	24"D x 66"W	Plain Apron with Door, 30"H
*2206_	*2204_	2	24"D x 66"W	Plain Apron with Drawers/Door, 30"H
*C2106_	*C2104_	2	24"D x 66"W	Compartments with Door, 30"H
*C2206_	*C2204_	2	24"D x 66"W	Compartments with Drawer/Door, 30"H

### Double-Faced Unit

1" EPOXY	¾" PHENOLIC**	STUDENTS	TOP DIMENSIONS
*2306_	*2304_	4	42" D x 66" W
*2406_	*2404_	4	42" D x 66" W
*C2306_	*C2304_	4	42" D x 66" W
*C2406_	*C2404_	4	42" D x 66" W

\*Models also available with black laminate (01) or black ChemGuard (02) Ex: 2102\_

\*\*Subtract ¼" from height for Phenolic tops

\_Hardwood Option: M - Light Hardwood or K - Oak

## FLAT TOP UNITS WITH COMPARTMENTS & ELECTRIC

### Single-Faced Unit

1" EPOXY	¾" PHENOLIC**	STUDENTS	TOP DIMENSIONS	CABINET STYLE
C2716_F	C2714_F	2	30"D x 66"W	1 Unit with Full Door/Adjustable Shelves, 36"H
C2726_F	C2724_F	4	30"D x 132"W	2 Units with Full Door/Adjustable 36"H
C2736_F	C2734_F	6	30"D x 198"W	3 Units with Full Door/Adjustable Shelves, 36"H
C2746_F	C2744_F	8	30"D x 264"W	4 Units with Full Door/Adjustable Shelves, 36"H
C2516_F	C2514_F	2	30"D x 66"W	1 Unit with Drawers/Half Door, 36"H
C2526_F	C2524_F	4	30"D x 132"W	2 Units with Drawers/Half Door, 36"H
C2536_F	C2534_F	6	30"D x 198"W	3 Units with Drawers/Half Door, 36"H
C2546_F	C2544_F	8	30"D x 264"W	4 Units with Drawers/Half Door, 36"H

### Double-Faced Unit

1" EPOXY	¾" PHENOLIC**	STUDENTS	TOP DIMENSIONS
C2616_F	C2614_F	4	48" D x 66" W
C2626_F	C2624_F	8	48" D x 132" W
C2636_F	C2634_F	12	48" D x 198" W
C2646_F	C2644_F	16	48" D x 264" W
C2416_F	C2414_F	4	48" D x 66" W
C2426_F	C2424_F	8	48" D x 132" W
C2436_F	C2434_F	12	48" D x 198" W
C2446_F	C2444_F	16	48" D x 264" W

\_Hardwood Option: M - Light Hardwood or K - Oak

\*\*Subtract ¼" from height for Phenolic tops

## UNITS W/COMPARTMENTS, ELECTRIC, SINK, FIXTURES & ROD SOCKETS

### Single-Faced Unit

1" EPOXY	¾" PHENOLIC**	STUDENTS	TOP DIMENSIONS	CABINET STYLE
C2716_	C2714_	2	30"D x 66" W	1 Unit with Full Door/Adjustable Shelves, 36"H
C2726_	C2724_	4	30"D x 132" W	2 Units with Full Door/Adjustable Shelves, 36"H
C2736_	C2734_	6	30"D x 198" W	3 Units with Full Door/Adjustable Shelves, 36"H
C2746_	C2744_	8	30"D x 264" W	4 Units with Full Door/Adjustable Shelves, 36"H
C2516_	C2514_	2	30"D x 66" W	1 Unit with Drawers/Half Door, 36"H
C2526_	C2524_	4	30"D x 132" W	2 Units with Drawers/Half Door, 36"H
C2536_	C2534_	6	30"D x 198" W	3 Units with Drawers/Half Door, 36"H
C2546_	C2544_	8	30"D x 264" W	4 Units with Drawers/Half Door, 36"H

### Double-Faced Unit

1" EPOXY	¾" PHENOLIC**	STUDENTS	TOP DIMENSIONS
C2616_	C2614_	4	48" D x 66" W
C2626_	C2624_	8	48" D x 132" W
C2636_	C2634_	12	48" D x 198" W
C2646_	C2644_	16	48" D x 264" W
C2416_	C2414_	4	48" D x 66" W
C2426_	C2424_	8	48" D x 132" W
C2436_	C2434_	12	48" D x 198" W
C2446_	C2444_	16	48" D x 264" W

\_Hardwood Option: M - Light Hardwood or K - Oak

\*\*Subtract ¼" from height for Phenolic tops



C2434K

# LAB STATIONS ISLAND

## KINETIC SERVICE ISLAND

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers have a UV finish
	<b>STORAGE</b>	Door cabinet with lock
	<b>TOP</b>	Solid epoxy
	<b>ELECTRIC</b>	Two side GFI AC duplex outlets, assembly and installation required
	<b>FEATURES</b>	Solid epoxy resin sink (14"W x 10"D x 6"H), two combination cold water/gas fixtures, chemical-resistant polypropylene trap
	<b>TOE KICK</b>	Rubber base molding with metal corners
<b>OVERALL DIMENSIONS</b>		26"W x 24"D x 36"H



SCIENCE



ITEM #	TOP
3116_	1" Epoxy

\_Hardwood Option: M - Light Hardwood or K - Oak



3116M  
Shown with two 30"H plain apron tables

## KINETIC LAB STATION

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood apron, veneers and legs have a UV finish; 18" wide removable panel located between storage cabinets that provides access to all utilities
	<b>STORAGE</b>	Locking door cabinet with adjustable shelves; or locking door/drawer cabinet with locking drawer and storage area plus one adjustable shelf
	<b>TOP</b>	Solid epoxy or phenolic resin
	<b>ELECTRIC/PLUMBING</b>	One GFI AC duplex outlets; Assembly and installation required
	<b>OPTIONS</b>	Solid epoxy resin sink (12"W x 8"L x 6"D) with cold water/gas fixtures or flat top without sink and fixtures
	<b>FEET</b>	Rubber leg boots and rubber base molding
<b>OVERALL DIMENSIONS</b>		68"W x 36"D x 36"H

SCIENCE



2926M  
Front & Back

DOOR CABINET	DOOR/DRAWER CABINET	SINK DIMENSIONS	TOP
2926_	2966_	12"W x 8"L x 6"D	1" Epoxy
2926_F	2966_F	No Sink	1" Epoxy
2924_	2964_	12"W x 8"L x 6"D	3/4" Phenolic
2924_F	2964_F	No Sink	3/4" Phenolic

\_Hardwood Option: M - Light Hardwood or K - Oak



# LAB STATIONS ISLAND

## FORWARD VISION™ WORKSTATIONS

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood apron, veneers and legs have a UV finish
	<b>STORAGE</b>	Locking door cabinet with two adjustable shelves or locking door/drawer cabinet with one adjustable shelf and locking drawer
	<b>TOP</b>	Solid epoxy
	<b>ELECTRIC</b>	Two GFI AC duplex outlets, assembly and installation required
	<b>OPTIONS</b>	Solid epoxy resin sink (15"W x 18"L x 5"D), cold water/gas fixtures or flat top without sink and fixtures
	<b>FEET</b>	Rubber leg boots and rubber base molding
	<b>OVERALL DIMENSIONS</b>	96"W x 50"D x 36"H, ADA 34"H

SCIENCE



2946K | Front View

ITEM #	DESCRIPTION	SINK DIMENSIONS	ADA
2946_	Door Cabinet	15"W x 18"L x 5"D	
2946_F	Door Cabinet w/Flat Top	No Sink	
2956_	Door/Drawer Cabinet	15"W x 18"L x 5"D	
2956_F	Door/Drawer Cabinet w/Flat Top	No Sink	
2946_-L-ADA	Door Cabinet	15"W x 18"L x 5"D	Yes
2946_F-L-ADA	Door Cabinet w/Flat Top	No Sink	Yes
2956_-L-ADA	Door/Drawer Cabinet	15"W x 18"L x 5"D	Yes
2956_F-L-ADA	Door/Drawer Cabinet w/Flat Top	No Sink	Yes

\_Hardwood Option: M - Light Hardwood or K - Oak



2956K-L-ADA



2946K | Front View

## FORWARD VISION™ II WORKSTATIONS

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood apron, veneers and legs have a UV finish
	<b>STORAGE</b>	Two adjustable shelves per cabinet; Cabinets with locking doors
	<b>TOP</b>	Phenolic resin
	<b>ELECTRIC</b>	Data and electrical outlets provided on side; Includes two GFI AC duplex outlets, assembly and installation required
	<b>OPTIONS</b>	Solid epoxy resin sink (12"W x 8"L x 6"D), cold water/gas fixtures or flat top without sink and fixtures; Side-mounted hooks
	<b>FEET</b>	Rubber leg boots and rubber base molding
	<b>OVERALL DIMENSIONS</b>	88"W x 46"D x 35 1/4"H

SCIENCE



2944K | Front View



2944K | Back View



2944K | Front View

ITEM #	SINK DIMENSIONS	DESCRIPTION
2944_	12"W x 8"L x 6"D	Door Cabinet w/Forward Vision™ Top
2944_F	No Sink	Door Cabinet w/Forward Vision™ Top
A2944_	12"W x 8"L x 6"D	Door Cabinet w/Interface Top
A2944_F	No Sink	Door Cabinet w/Forward Vision™ Top

\_Hardwood Option: M - Light Hardwood or K - Oak



A2944MF | Back View

# LAB STATIONS ISLAND

## KINETIC TRIFACIAL WORKSTATION

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers have a UV finish
	<b>TOP</b>	Black solid epoxy
	<b>ELECTRIC</b>	Three GFI duplex outlets, assembly and installation required
	<b>OPTIONS</b>	Flat top without sink and fixtures, or drop-in hexagonal lipped sink with three combination cold water/gas fixtures
	<b>TOE KICK</b>	Rubber base molding with metal corners
	<b>OVERALL DIMENSIONS</b>	49"W x 56-1/2"D x 36"H

SCIENCE



ITEM #	SINK	TOP
1536_	Yes	1" Epoxy
1536_F	No	1" Epoxy

\_Hardwood Option: M - Light Hardwood or K - Oak



1536K

## KINETIC OCTAGON WORKSTATION

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood apron and veneers with a UV finish
	<b>PEDESTAL BASE STORAGE</b>	1516K/1514K includes four drawers (each: 20-7/16"W x 10-3/4"D x 2-23/32"H); 1616K/1614K includes four drawers w/2 pulls per drawer (each: 26-7/16"W x 10-3/4"D x 2-23/32"H)
	<b>DRAWER BASE STORAGE</b>	1546K/1544K includes 16 drawers (each: 20-7/16"W x 10-3/4"D x 4-15/32"H); 1646K/1644K includes 16 drawers w/2 pulls per drawer (each: 26-7/16"W x 10-3/4"D x 4-15/32"H)
	<b>TOP</b>	Solid epoxy or phenolic resin
	<b>ELECTRIC/PLUMBING</b>	Four GFI AC duplex outlets; Assembly and installation of electricity and plumbing required
	<b>OPTIONS</b>	Flat top without sink and fixtures, or two combination cold water/gas fixtures, four rod sockets and solid epoxy sink (16"D x 16"W x 7"H) with strainer, stopper and trap
	<b>TOE KICK</b>	Rubber base molding with metal corners
	<b>OVERALL DIMENSIONS</b>	56"W or 62"W x 36"H

SCIENCE



1516M



1546MF

W/SINK & FIXTURES	FLAT TOP	BASE STYLE	SIZE	TOP MATERIAL
1516_	1516_F	Pedestal	56"W	1" Epoxy
1546_	1546_F	Drawer	56"W	1" Epoxy
1616_	1616_F	Pedestal	62"W	1" Epoxy
1646_	1646_F	Drawer	62"W	1" Epoxy
1514_	1514_F	Pedestal	56"W	3/4" Phenolic
1544_	1544_F	Drawer	56"W	3/4" Phenolic
1614_	1614_F	Pedestal	62"W	3/4" Phenolic
1644_	1644_F	Drawer	62"W	3/4" Phenolic

\_Hardwood Option: M - Light Hardwood or K - Oak

# LAB STATIONS ISLAND

## INTERFACE WORKSTATION

COMPONENTS	BASE	Constructed of solid oak hardwood or light hardwood legs and veneers with a UV finish; Black powder coated curved apron
	TOP	Solid Epoxy Resin
	STORAGE	Two adjustable shelves per cabinet with locking doors
	ELECTRIC	Power is safe and easily accessed at worksurface level
	OVERALL DIMENSIONS	96"W x 66 3/4"D x 36"H
	SINK	19-gallon, two-tiered epoxy resin sink, with dual Unicast fixtures for water and gas, plus drain grooves for glassware

SCIENCE



STYLE	TOP TYPE	FAUCET FIXTURE	WOOD	STEEL COLOR
AXU	Epoxy (6)	Unicast Knob (CK)	Oak (K) Light Hardwood (M)	Black (B)



AXU6CKMB



AXU6CKMB



# LAB STATIONS ISLAND

## INTERFORM WORKSTATIONS

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers have a UV finish
	<b>TOP</b>	1 1/4" HPL top with particle board core and phenolic backer; Available in black ChemGuard, dry-erase, 5 laminate colors and 11 edge band colors
	<b>AE7 MODEL</b>	ADA unit (82), sink unit (81) or 2-door unit (03); Overall Dimensions: 84"W x 44"D x 30 1/4"H, 34 1/4"H or 36 1/4"H
	<b>AE801 MODEL</b>	Features two adjustable shelves per cabinet; 42 1/2"W x 8"D space for extra leg space or room to fit tote storage 96"W x 50"D x 30-1/4"H, 34-1/4"H or 36-1/4"H
	<b>TOE KICK</b>	Rubber base molding with metal corners

SCIENCE



AE78234LCLM  
Back



AE78234LCLM  
Front

STYLE	MODEL	HEIGHT	TOP TYPE	HPL COLOR (L) TOPS ONLY	EDGE BANDING (2) OR (L) TOPS ONLY	MATERIAL
AE7	Double doors with sink (81)	30	ChemGuard (2)	Almond (A)	Almond (A)	Oak (K)
	ADA Access w/sink(82) (only available in 34" Height)	34	HPL (L)	Black (B)	Aqua (Q)	Light Hardwood (M)
	Double door unit with no sink or fixtures (03)	36		Charcoal (C)	Black (B)	
AE801	Recessed space for leg room or tote storage (Tote storage will only fit 34"H or 36"H)			Dry-Erase (E)	Carrot (T)	
				Natural Maple (N)	Charcoal (C)	
				White (W)	Lime (L)	
					Natural Maple (N)	
					Peacock (P)	
					Red (R)	
				Royal (Y)		
				White (W)		

Laminate Top Colors

Edge Band Colors

A B C E N W

A Q B T C L N P R Y W



AE801362CLM



AE801362CLM with AET836LCAM4

## KINETIC CLEAN-UP SINK

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood apron and veneers have a UV finish; Unfinished back panel with plumbing cut-out
	<b>STORAGE</b>	Locking doors with adjustable shelves
	<b>TOP</b>	Polyolefin top with long-grooved sloping counter leading to large sink (24-1/2"W x 18-1/2"D x 14"H)
	<b>FEATURES</b>	Low temperature strength (eliminates cracking from dry ice), hot and cold-water mixing faucet
	<b>TOE KICK</b>	Rubber base molding with metal corners
<b>OVERALL DIMENSIONS</b>		55-1/2"W x 28"D x 36-1/2"H

SCIENCE



3303K

ITEM #	TOP	OVERALL
3303_	Polyolefin	55-1/2"W x 28"D x 36-1/2"H

Hardwood Option: M - Light Hardwood or K - Oak

# LAB STATIONS PERIMETER

## KINETIC WALL SERVICE STATION

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers have a UV finish
	<b>STORAGE</b>	Doors with adjustable shelves, doors/drawer combination with one adjustable shelf, or four drawer/door unit with one adjustable shelf and four drawers; All doors and drawers have locks
	<b>TOP</b>	Solid epoxy or Phenolic resin
	<b>ELECTRIC/PLUMBING</b>	Two GFI AC duplex outlets; Assembly and installation required
	<b>OPTIONS</b>	Flat top without sink and fixtures, or epoxy resin sink (18"W x 15"D x 11"H) and two combination cold water/gas fixtures
	<b>TOE KICK</b>	Rubber base molding with metal corners
	<b>OVERALL DIMENSIONS</b>	108"W x 24"D x 36"H

SCIENCE



¾" PHENOLIC TOP	1" EPOXY TOP	STYLE	OVERALL SIZE
3214_	3216_	Door	108"W x 24"D x 36"H
3224_	3226_	Door/Drawer	108"W x 24"D x 36"H
3234_	3236_	Door/Four Drawer	108"W x 24"D x 36"H
3244_	3246_	Double Doors & 8 Drawers	108"W x 24"D x 36"H

Hardwood Option: M - Light Hardwood or K - Oak  
 Note: Units are built to be installed against a wall and do not have finished backs.



3216K  
(Shown below with two 36"H plain apron tables)



## KINETIC PERIMETER WORKSTATION

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood apron and veneers have a UV finish
	<b>STORAGE</b>	Doors, drawers/door, four-drawer, or door/four-drawer; All units have locking doors and dovetailed, locking drawers
	<b>TOP</b>	Solid epoxy or phenolic resin
	<b>ELECTRIC/PLUMBING</b>	Two GFI AC duplex outlets; Assembly and installation required
	<b>OPTIONS</b>	Flat top without sink and fixtures, or drop-in solid epoxy resin sink (12"W x 8"D x 6"H) with strainer, two combination cold water and gas fixtures, four rod sockets and rod storage (rods not included)
	<b>FEET</b>	Rubber leg boots and rubber base molding
	<b>OVERALL DIMENSIONS</b>	90"W x 84"D x 36"H Epoxy, 90"W x 84"D x 35-¾"H; Peninsula portion is 42" x 66", worksurface against wall 18"D x 90"L

SCIENCE



W/SINK & FIXTURES	FLAT TOP	TOP	CABINET STYLE
2814_	2814_F	¾" Phenolic	Doors
2824_	2824_F	¾" Phenolic	Drawers/Door
2834_	2834_F	¾" Phenolic	Door/4 Drawer
2844_	2844_F	¾" Phenolic	4 Drawer
2816_	2816_F	1" Epoxy	Doors
2826_	2826_F	1" Epoxy	Drawers/Door
2836_	2836_F	1" Epoxy	Door/4 Drawer
2846_	2846_F	1" Epoxy	4 Drawer

100604 / Optional Upright Rod Set with Full Crossbar

Hardwood Option: M - Light Hardwood or K - Oak  
 Note: Units are built to be installed against a wall and do not have finished backs.



2814M



2816K



2836K



2846K

# LAB STATIONS MOBILE

## KINETIC MOBILE DEMO CENTERS

COMPONENTS	<b>CASEBODY</b>	Solid oak hardwood or light hardwood and veneers have a UV finish
	<b>STORAGE</b>	Dovetailed drawers with epoxy coated steel glides and lockable storage compartment, sliding doors include aluminum door glides, 21" x 28"
	<b>TOP</b>	HPL or ChemGuard surface with matching edge band
	<b>ELECTRICAL</b>	GFI-protected AC duplex electrical outlet
	<b>FEET</b>	4" locking, swivel casters
	<b>SINK &amp; FIXTURES INCLUDE</b>	Stainless steel sink (15"W x 13"L x 5"D), hand pump, 25' grounded extension cord, two 2-½-gallon water bottles, connection hoses
	<b>ROD SOCKETS INCLUDE</b>	Two ¾" diameter upright rods, one ½" diameter crossbar with clamps, two rod sockets
	<b>ADDITIONAL OPTIONS</b>	Mirror or Mirror/markerboard combo (Included standard in the 4342 models)
	<b>MOBILE CAPACITY</b>	500 lbs.

SCIENCE INSTRUCTOR CTE



4111K  
Double Sliding Doors



4332K  
2 Doors & 3 Drawers



4222K  
Totes behind Double Sliding Doors



4342K  
2 Doors & 4 Drawers with  
Mirror/Markerboard



4121K  
Double Sliding Doors  
With Drop Leaf Extensions

# LAB STATIONS MOBILE

ITEM #	TOP	DESCRIPTION	OVERALL
4332_	1-1/4" ChemGuard top	Two doors, pullout board, 2 drawers, 1 file drawer, sink and fixtures	48"W x 28"D x 36"H
4332_F	1-1/4" ChemGuard top	Two doors, pullout board, 2 drawers, 1 file drawer	48"W x 28"D x 36"H
4332_F-RS*	1-1/4" ChemGuard top	Two doors, pullout board, 2 drawers, 1 file drawer, rod sockets	48"W x 28"D x 36"H
4342_	1-1/4" ChemGuard top	Two doors, 4 drawers, sink and fixtures, mirror/markerboard	54"W x 30"D x 36"H
4342_F	1-1/4" ChemGuard top	Two doors and 4 drawers, mirror/markerboard	54"W x 30"D x 36"H
4342_F-RS	1-1/4" ChemGuard top	Two doors, 4 drawers, rod sockets, mirror/markerboard	54"W x 30"D x 36"H
4111_	1-1/4" Black HPL top	Two adjustable shelves behind 2 sliding doors, sink and fixtures, rod sockets	48"W x 24"D x 36"H
4111_F	1-1/4" Black HPL top	Two adjustable shelves behind 2 sliding doors	48"W x 24"D x 36"H
4111_F-RS*	1-1/4" Black HPL top	Two adjustable shelves behind 2 sliding doors, rod sockets	48"W x 24"D x 36"H
4121_	1-1/4" Black HPL top	Two sliding doors, 2 tote trays, drop leaf extensions, sink and fixtures, rod sockets, propane burner w/stand	48"W x 24"D x 36"H (72"W w/ext.)
4121_F	1-1/4" Black HPL top	Two sliding doors, 2 tote trays, and drop leaf extensions, propane burner w/stand	48"W x 24"D x 36"H (72"W w/ext.)
4121_F-RS*	1-1/4" Black HPL top	Two sliding doors, 2 tote trays, rod sockets, propane burner w/stand	48"W x 24"D x 36"H (72"W w/ext.)
4222_	1-1/4" ChemGuard top	4 Totes & waste container behind 2 sliding doors, sink and fixtures, rod sockets	48"W x 28"D x 36"H
4222_F	1-1/4" ChemGuard top	4 Totes & waste container behind 2 sliding doors	48"W x 28"D x 36"H
4222_F-RS*	1-1/4" ChemGuard top	4 Totes & waste container behind 2 sliding doors, rod sockets	48"W x 28"D x 36"H

Hardwood Option: M - Light Hardwood or K - Oak  
 \*Note: On "RS" units, the Greenlaw Arm or Upright Full Crossbar Set is not included



## KINETIC ADA LAB STATION

<b>COMPONENTS</b>	<b>CASEBODY</b>	Solid oak hardwood or light hardwood and veneers have a UV finish
	<b>STORAGE</b>	Dovetailed, locking drawers and storage compartment
	<b>TOP</b>	1-1/4" ChemGuard top with matching edge band
	<b>OPTIONS INCLUDED</b>	Stainless steel sink (15"W x 13"L x 5"D), toggle switch water pump, two 2-1/2-gallon water bottles with connecting hose, two rod sockets, Greenlaw Arm, upright set w/full crossbar, two connecting clamps and two rod sockets, 25' grounded extension cord, GFI-protected AC duplex electrical outlet and flat top
	<b>FEET</b>	4" locking, swivel casters
	<b>ADDITIONAL OPTIONS</b>	Mirror, mirror/markerboard combo (See Accs.)
	<b>MOBILE CAPACITY</b>	500 lbs.

**INSTRUCTOR SCIENCE**



ITEM #	PRODUCT	OVERALL SIZE
4352_	ADA Unit w/Sink & Rod Sockets	72"W x 24"D x 33-1/2"H
4352_F	ADA Unit w/Flat Top	72"W x 24"D x 33-1/2"H
4352_F-RS*	ADA Unit w/Flat Top & Rod Sockets	72"W x 24"D x 33-1/2"H

Hardwood Option: M - Light Hardwood or K - Oak  
 Note: On "RS" units, the Greenlaw Arm or Upright Full Crossbar Set is not included, see accessories.



4352K

# LAB STATIONS MOBILE



## PROTOCOL FUME HOOD CABINET

<b>COMPONENTS</b>	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers with a UV finish
	<b>STORAGE</b>	Two drawers (two pull-out lipped shelves lined with chemical-resistant liner)
	<b>FUME HOOD</b>	Ductless unit enclosed by 5/16" chemical resistant acrylic; Structured with corrosion resistant electro-galvanized steel coated with anti-acid polymer; Comes standard with LED lighting > 650 Lux mounted internal light fixture.
	<b>ELECTRIC</b>	Does not require ducting (saves energy) and plugs into ordinary outlet
	<b>SMART TECHNOLOGY™</b>	Features smart-light communication – soft band of light to let you know unit is operating safely and will pulse for compromised airflow, fan failure or when it's time to change filters; Includes chemical sensors, real-time status and eGuard app
	<b>FILTER</b>	Includes one all-inclusive filter (2-year average life) that handles liquids, gases and solid chemicals; Filter type determined by results of Valiquest Chemical Questionnaire*
	<b>OTHER FEATURES</b>	Air flow meter, flow monitor, sampling port, programmable timer, energy ports and list of approved chemicals
	<b>FEET</b>	4" casters
<b>OVERALL DIMENSIONS</b>	1800: 35 5/8"W x 29"D x 79 1/2"H - 86 3/8"H; Internal hood dimensions: 30 1/8"W x 23"D x 32"H; External hood dimensions: 30 3/4"W x 24 3/8"D x 43 3/4"H - 50 3/8"H 1850: 43 1/2"W x 34"D x 88 1/2"H - 95 3/8"H**; Internal hood dimensions: 39"W x 28 1/8"D x 41 1/8"H; External hood dimensions: 39 5/8"W x 29 1/2"D x 52 3/4"H - 59 5/8"H** **Height varies with filter chosen	

SCIENCE CTE SAFETY



ITEM #	PRODUCT
1800_	Mobile Fume Hood Cabinet with Fume Hood
1850_	Large Mobile Fume Hood Cabinet with Fume Hood

ITEM #	REPLACEMENT FILTERS
253560-GF4 HEPA	H14 HEPA filter for powders and particulates
253560-GF4.AS	Carbon filter with pre-filter for organic vapors
253560-GF4.BE+	Carbon filter with pre-filter for organic and acid vapors
253560-GF4.F	Carbon filter with pre-filter for formaldehyde vapors
253560-GF4.K	Carbon filter with pre-filter for ammonia vapors
253560-PRE FILTER M	Pre-filter for HEPA H14 Filter

Hardwood Option: M - Light Hardwood or K - Oak

\*Erlab hoods require filters that are selected based on your specific application. To determine the appropriate model, the Valiquest Chemical Questionnaire (scan QR code) must be completed before purchase. In some cases, a HEPA filter may also be required based on the results. All specifications are reviewed and approved by Erlab's PhD chemist to ensure safety. For assistance, please contact customer service.



# LAB STATIONS MOBILE

## PROTOCOL MOBILE HOT WATER STATION

COMPONENTS	BASE	Constructed of oak hardwood or light hardwood and veneers with UV finish
	TANKS	5-gallon fresh water and 6-gallon wastewater tank; NSF, UL and FDA approved (labeled accordingly); Water heats up to 10 to 15° warmer than fresh tank temperature (room temperature starting water recommended)
	ELECTRIC	Electricity required; Includes duplex outlet and extension cord
	FEATURES	Stainless steel sink with hot- and cold-water mixing faucet, water heater, pump
	FEET	4" locking casters

SCIENCE MULTIPURPOSE



ITEM #	TOP	SIZE
HWS-3624_	HPL	36"W x 24"D x 36"

\_Hardwood Option: M - Light Hardwood or K - Oak



HWS-3624K

## PROTOCOL MOBILE HAND-WASHING STATION

COMPONENTS	BASE	Constructed of oak hardwood or light hardwood and veneers with UV finish
	TANKS	36"H unit has four 5-gallon tanks; 30"H has four 2-1/2-gallon jugs - two fresh water and two waste tanks; water heater and pump
	FOOT PUMP	Choose 1 or 2 foot pumps
	TOP	36"H unit has 3/4" phenolic resin top; 30"H has 1-1/4" particle board with HPL top and phenolic backer
	FEATURES	Stainless steel sink, gooseneck faucet with lab style nozzle tip, two-cabinet doors (one on each side), quick connect fittings for switching between fresh-water tanks and raised paper towel rod (one per single unit, two per double unit)
	FEET	4" locking casters
	DIMENSIONS	24"W x 24"D x 30 or 36"H

SCIENCE MULTIPURPOSE



ITEM #	HEIGHT	FOOT PUMPS
WSP1-30_	30	1
WSP1-36_	36	1
WSP2-30_	30	2
WSP2-36_	36	2

\_Hardwood Option: M - Light Hardwood or K - Oak



Foot Pump

WSP2-36M

## PROTOCOL METERED HAND-WASHING SINKS

COMPONENTS	BASE	Cabinet constructed with 18-gauge stainless steel body and 4-gauge stainless steel top
	TANK	5-gallon fresh water and 7-gallon waste tanks; Requires no disassembly
	ELECTRIC	Includes 15' GFCI power cord with standard wall plug (UL Listed) and powers 115-volt 3.3 GPM water diaphragm pressure pump (CSA Listed) at 45 PSI
	FEATURES	Stainless steel sink (10"W x 14"D x 5"H), water-saving, metered cold water faucet (0.5 GPM flow rate), refillable top-loading soap dispenser, towel dispenser and lockable door
	FEET	5" casters (two swivel and two locking)

SCIENCE CULINARY



ITEM #	PRODUCT	WATER HEATER	SIZE
260004	COLD Water Sink & Metered Faucet	No	24"W x 24"D x 39"H
260005	HOT Water Sink & Metered Faucet	Yes	24"W x 24"D x 39"H



260004



# WORKSTATIONS SCIENCE

## HYDROPONIC GROWING SYSTEM

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers with a UV finish
	<b>WATER RESERVOIR</b>	22-gallon black plastic vertical water storage tank featuring BPA-free UV-stabilized polyethylene resin to prolong life of tank; includes 8" lid and 1" outlet
	<b>LIGHTING</b>	100W full-spectrum LED grow light mounted on adjustable height metal arm (with integrated cord housing) comes in black or silver
	<b>OTHER FEATURES</b>	Submersible pump, air pump, air stone, (2) timers, hoses, grow tray and (10) 6" net pots
	<b>FEET</b>	4" heavy-duty locking casters; Caster weight capacity: 350 lbs. Each

SCIENCE CTE MAKERSPACE



ITEM # LIGHT HARDWOOD	ITEM # OAK	PRODUCT	OVERALL SIZE
HGCM_	HGCK_	Growing Center	46-3/8"W x 29-1/2"D x 76-7/8"H

\_Frame Option: B - Black or S - Silver



HGCMs

## SPROUT PLANT GROWING STAND

COMPONENTS	<b>BASE</b>	Constructed of tough, plastic-coated iron with shelves that can be adjusted in 1" increments
	<b>SHELVING</b>	Four adjustable shelves and two fixed mesh shelves
	<b>TRAYS</b>	20 plastic trays (four per shelf) for plants
	<b>LIGHTS</b>	Five sets of T5 grow lights; Each light has two specialty horticultural 4" high-output T5HO bulbs housed within a polished aluminum reflector; Hanging hardware for light height adjustment
	<b>FEET</b>	Locking casters
	<b>WEIGHT LIMIT</b>	300 lbs.

SCIENCE CTE MAKERSPACE



ITEM #	PRODUCT	SIZE
MGC-4818	Plant Growing Stand	48"W x 18"D x 81-3/4"H



MGC-4818



MGC-4818

# WORKSTATIONS SCIENCE



ARSKS



## AUGMENTED REALITY (AR) SANDBOX

<b>COMPONENTS</b>	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers with a UV finish, height adjustable steel frame that comes in black or silver
	<b>SOFTWARE</b>	Includes detailed instructions for downloading, calibrating and running software
	<b>ELECTRIC EQUIPMENT</b>	Microsoft Kinect 3D camera and data projector; Deluxe wire management system keeps cords hidden and managed neatly
	<b>FEATURES</b>	Adjustable Laptop shelf that folds away when not in use
	<b>FEET</b>	4" heavy-duty, locking casters



ITEM # LIGHT HARDWOOD	ITEM # OAK	PRODUCT	OVERALL SIZE
*ARSM_	*ARSK_	AR Sandbox	45 5/8"W x 50 3/4"D x 78 7/8" - 84 7/8"H

Frame Option: B - Black or S - Silver

\*Sand not included (recommend 250 lbs. Of Sandastick® (sparkling white play sand))

ITEM #	PRODUCT
ARS-SAND	250 lbs. Of Sandastick® (sparkling white play sand)

Check out our blog post featuring the AR Sandbox here!



# WORKSTATIONS CTE



## INTERMIX MAKERSPACE WORKSTATION

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers with a UV finish
	<b>MODEL OPTION #1</b>	Lazy Susan Turntable - has two independent turntables encased in 30"W x 30"D frame
	<b>MODEL OPTION #2</b>	Cabinet (30"W x 30"D) - includes center divider with one adjustable shelf per side
	<b>MODEL OPTION #3</b>	Open Tote - open storage cabinet (30"W x 36"D), including 4 ¾"H compartment and Euro-Series (high-impact polystyrene) translucent totes available in four colors; 30"H model includes two single totes (12 ¼"W x 16 ¾"D x 3"H) and one double tote (12 ¼"W x 16 ¾"L x 6"H) per side; 36"H model includes four single totes and one double tote per side
	<b>TOP</b>	Particle board with laminate top and phenolic backer; Available in dry-erase, 5 laminate and 11 edge band colors
	<b>TOP SHAPE OPTIONS</b>	Square top shape (48" x 48") or wave top (60" x 60")
	<b>FEET</b>	3" locking casters
	<b>OVERALL DIMENSIONS</b>	(IMS) 48"W x 48"D; (IMW) 60"W x 60"D with heights of 29 ¼"H or 35 ¼"H

## CTE MAKERSPACE



STYLE	CABINET TYPE	HEIGHT	TOP	HPL TOP COLOR (L)	EDGE BANDING (L)	WOOD	OPEN TOTE OPTION
Square (IMS)	Cabinet (03)	30	1 ¼" HPL (L)	Almond (A)	Almond (A)	Oak (K)	Euro Translucent Clear (1)
Wave (IMW)	Lazy Susan (92) Open Tote (99)	36		Black (B) Charcoal (C) Erasable (E) Natural Maple (N) White (W)	Aqua (Q) Black (B) Carrot (T) Charcoal (C) Lime (L) Natural Maple (N) Peacock (P) Red (R) Royal (Y) White (W)	Light Hardwood (M)	Euro Translucent Royal (2) Euro Translucent Carrot (3) Euro Translucent Lime (4)

Laminate Top Colors  
**A B C E N W**

Edge Band Colors  
**A Q B T C L N P R Y W**

Tote Colors  
**1 2 3 4**

## COMMAND PLTW AND ROBOTICS WORKSTATION

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers with a UV finish
	<b>STORAGE</b>	Two large robot storage areas and open 4 ¾"H storage area above; Features Euro-Series (high-impact polystyrene) translucent totes available in four colors; Two single totes (12 ¼"W x 16 ¾"D x 3"H) and one double tote (12 ¼"W x 16 ¾"D x 6"H) per side with glide and tilt system
	<b>TOP</b>	¾" white HPL, measures 61"W x 49"D with 2 ½" raised frame to keep robots on tabletop; Raised frame will match the finish of the cabinet underneath
	<b>FEET</b>	4" heavy-duty, locking casters

## CTE MAKERSPACE



ITEM # LIGHT HARDWOOD	ITEM # OAK	STYLE	OVERALL SIZE
XW-4961M	XW-4961K	Open Storage with Totes	61"W X 49"D X 32"H



XW-4961M2

Check out more  
Robotics in storage!

# WORKSTATIONS CTE

## FORUM FOUR-STATION MOBILE WORKBENCH

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers with a UV finish
	<b>BASE OPTIONS</b>	Cabinet with doors and adjustable shelf on each side, locking doors and (dovetailed) drawers that roll easily on epoxy-coated glides, or twelve vertical locker openings with doors (six on each side); All configurations include locking doors with pulls that hang on five knuckle institutional hinges
	<b>TOPS</b>	Maple butcher block or laminate available in dry-erase and five laminate finishes with 11 complementary 3mm edge band colors
	<b>FEET</b>	4" Industrial Casters
	<b>OVERALL DIMENSIONS</b>	31 1/4"H x 48"W x 54"D

CTE MAKERSPACE



WW12C5



WW31CLNN



WW32CLCL

STYLE	CABINET TYPE	CASTER	TOP TYPE	HPL COLOR (L) TOPS ONLY	EDGE BANDING (L) TOPS ONLY
WW	12-Door (12)	Industrial (C)	1 3/4" Maple BB (5)	Almond (A)	Almond (A)
	4-Door (31)		1 1/4" Laminate (L)	Black (B)	Aqua (Q)
	Door/Drawer (32)			Charcoal (C)	Black (B)
				Erasable (E)	Carrot (T)
				Natural Maple (N)	Charcoal (C)
				White (W)	Lime (L)
					Natural Maple (N)
					Peacock (P)
					Red (R)
					Royal (Y)
					White (W)

Laminate Top Colors

A B C E N W

Edge Band Colors

A Q B T C L N P R Y W

## ACCESS TOUCHDOWN WORKTOP CABINET

COMPONENTS	<b>CASEBODY</b>	Cabinet walls and doors constructed of light hardwood and veneers with a UV finish; Locking cabinet with two doors and adjustable interior shelf; Includes two built-in angled pegboard panels
	<b>TOP</b>	Maple butcher block top
	<b>FEET</b>	4" locking, swivel casters

CTE MAKERSPACE



EMWB-6

ITEM #	PRODUCT	OVERALL SIZE
EMWB-6	Access Touchdown Worktop Cabinet	60"W x 28"D x 29 1/2"H

# WORKSTATIONS CTE

## FORUM FIXED TWO-STATION WORKBENCH

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers with a UV finish; Choose cabinet with double doors or drawers over doors
	<b>TOP</b>	2 ¼" maple butcher block
	<b>VICES</b>	Options for no vise, 1 or 2 vise (installation on site)
	<b>OVERALL DIMENSIONS</b>	64"W x 28"D x 33 ¼"H



WW231-1V

ITEM #	CABINET STYLE	VICES
WW231-0V	Double doors	No Vise
WW231-1V	Double doors	1 Vise
WW231-2V	Double doors	2 Vises
WW232-0V	Double doors over double drawers	No Vise
WW232-1V	Double doors over double drawers	1 Vise
WW232-2V	Double doors over double drawers	2 Vises

## FORUM FIXED FOUR-STATION WOOD WORKBENCH

COMPONENTS	<b>BASE</b>	Solid oak hardwood or light hardwood and veneers have a UV finish
	<b>TOP</b>	2 ¼" maple butcher block
	<b>MODEL OPTION #1</b>	Double-faced unit featuring adjustable shelf within cabinet and locking doors with pulls that hang on five knuckle institutional hinges
	<b>MODEL OPTION #2</b>	Double-faced unit featuring dovetailed, locking drawers that roll easily on epoxy-coated glides and locking doors with pulls that hang on five knuckle institutional hinges
	<b>MODEL OPTION #3</b>	Double-faced unit featuring 12 vertical locker openings (11"W x 21"D x 11 ½"H); locking doors with pulls hang on five knuckle institutional hinges
	<b>MODEL OPTION #4</b>	Double-faced unit featuring 6 locking drawers that roll easily on epoxy-coated glides and locking doors on the other side
	<b>VICES</b>	Options for no vise or 4 vises (installation on site)
<b>OVERALL DIMENSIONS</b>	64"W x 54"D x 31 ¼"H	



ITEM #	CABINET STYLE	VICES
WW31-0V	4 Doors	No Vise
WW31-4V	4 Doors	4 Vises
WW32-0V	4 Doors and 4 Drawers	No Vise
WW32-4V	4 Doors and 4 Drawers	4 Vises
WW12-0V	12 Doors	No Vise
WW12-4V	12 Doors	4 Vises
WW33-0V	6 Drawers on 1 side & 2 Doors on other side	No Vise
WW33-4V	6 Drawers on 1 side & 2 Doors on other side	4 Vises



WW31-4V



WW32-4V



WW12-4V



WW33-4V Front



WW33-4V Back

# WORKSTATIONS CTE

## FORUM INDUSTRIAL ARTS TWO-STATION STEEL WORKBENCH

COMPONENTS	<b>LOCKER BASE</b>	Double-faced heavy gauge steel unit available in gray or black, welded and riveted
	<b>TOP</b>	2 ¼" maple butcher block, face-glued hardwood strips with clear coat finish
	<b>STORAGE OPTIONS</b>	Doors or lockers
	<b>VICES</b>	Options for no vise, 1 or 2 vises (installation on site)
	<b>OVERALL DIMENSIONS</b>	64"W x 28"D x 33 ¼"H



WB6ABL-2V



WB6ABL-1V



WB02-1V

BLACK	GRAY	STORAGE TYPE	NOMINAL OPENING SIZE	VICES
WBD2BL-0V	WBD2-0V	2 Vertical Doors	33"W x 20"D x 29"H	No Vises
WBD2BL-1V	WBD2-1V	2 Vertical Doors	33"W x 20"D x 29"H	1 Vise
WBD2BL-2V	WBD2-2V	2 Vertical Doors	33"W x 20"D x 29"H	2 Vises
WBB4BL-0V	WBB4-0V	4 Horizontal Lockers	15"W x 20"D x 14 ½"H	No Vises
WBB4BL-1V	WBB4-1V	4 Horizontal Lockers	15"W x 20"D x 14 ½"H	1 Vise
WBB4BL-2V	WBB4-2V	4 Horizontal Lockers	15"W x 20"D x 14 ½"H	2 Vises
WB6ABL-0V	WB6A-0V	6 Horizontal Lockers	15"W x 20"D x 9"H	No Vises
WB6ABL-1V	WB6A-1V	6 Horizontal Lockers	15"W x 20"D x 9"H	1 Vise
WB6ABL-2V	WB6A-2V	6 Horizontal Lockers	15"W x 20"D x 9"H	2 Vises
WB6BL-0V	WB6-0V	6 Vertical Lockers	9"W x 20"D x 14"H	No Vises
WB6BL-1V	WB6-1V	6 Vertical Lockers	9"W x 20"D x 14"H	1 Vise
WB6BL-2V	WB6-2V	6 Vertical Lockers	9"W x 20"D x 14"H	2 Vises

## FORUM INDUSTRIAL ARTS FOUR-STATION STEEL WORKBENCH

COMPONENTS	<b>LOCKER BASE</b>	Double-faced heavy gauge steel unit available in gray or black, welded and riveted
	<b>TOP</b>	2 ¼" maple butcher block
	<b>STORAGE</b>	Three GFI duplex outlets, assembly and installation required
	<b>HEIGHT WITH VICES</b>	49"W x 56 ½"D x 33 ¼"H
	<b>OVERALL DIMENSIONS</b>	64"W x 54"D x 31"H



WB12-4V Side



WB12-0V Front

BLACK	GRAY	STORAGE TYPE	NOMINAL OPENING SIZE	VICES
WB2BL-0V	WB2-0V	4 Vertical Doors	33"W x 20"D x 29"H	No Vises
WB2BL-4V	WB2-4V	4 Vertical Doors	33"W x 20"D x 29"H	4 Vises
WB4BL-0V	WB4-0V	8 Horizontal Lockers Openings	15"W x 20"D x 14 ½"H	No Vises
WB4BL-4V	WB4-4V	8 Horizontal Lockers Openings	15"W x 20"D x 14 ½"H	4 Vises
WB12ABL-0V	WB12A-0V	12 Horizontal Lockers Openings	15"W x 15"D x 9"H	No Vises
WB12ABL-4V	WB12A-4V	12 Horizontal Lockers Openings	15"W x 15"D x 9"H	4 Vises
WB12BL-0V	WB12-0V	12 Vertical Locker Openings	9"W x 20"D x 14"H	No Vises
WB12BL-4V	WB12-4V	12 Vertical Locker Openings	9"W x 20"D x 14"H	4 Vises

# WORKSTATIONS CTE

## FORUM WALL LOCKERS

COMPONENTS	<b>LOCKER BASE</b>	Double-faced heavy gauge steel unit available in gray or black, welded and riveted with 20-gauge side panels and vented 18-gauge doors featuring spring-loaded hinges; Choose between vertical lockers, horizontal lockers or double-door bases
	<b>TOP</b>	1 3/4" maple butcher block
	<b>OVERALL DIMENSIONS</b>	6'W, 8'W, 10'W or 12'W x 2'D x 32 3/4"H



MA6-6L

BLACK	GRAY	STYLE	TOP SIZE	NOMINAL OPENING SIZE	OPENINGS
MA6-6LBK	MA6-6L	Vertical Lockers	72"W x 24"D	9"W x 20"D x 14"H	10
MA6-8LBK	MA6-8L	Vertical Lockers	96"W x 24"D	9"W x 20"D x 14"H	14
MA6-10LBK	MA6-10L	Vertical Lockers	120"W x 24"D	9"W x 20"D x 14"H	18
MA6-12LBK	MA6-12L	Vertical Lockers	144"W x 24"D	9"W x 20"D x 14"H	22
MA6A-6LBK	MA6A-6L	Horizontal Lockers	72"W x 24"D	15"W x 20"D x 9"H	9
MA6A-8LBK	MA6A-8L	Horizontal Lockers	96"W x 24"D	15"W x 20"D x 9"H	15
MA6A-10LBK	MA6A-10L	Horizontal Lockers	120"W x 24"D	15"W x 20"D x 9"H	18
MA6A-12LBK	MA6A-12L	Horizontal Lockers	144"W x 24"D	15"W x 20"D x 9"H	21
MAD2-6LBK	MAD2-6L	Double Door	72"W x 24"D	33"W x 20"D x 29"H	2
MAD2-8LBK	MAD2-8L	Double Door	96"W x 24"D	33"W x 20"D x 29"H	2
MAD2-10LBK	MAD2-10L	Double Door	120"W x 24"D	33"W x 20"D x 29"H	3
MAD2-12LBK	MAD2-12L	Double Door	144"W x 24"D	33"W x 20"D x 29"H	4

## FORUM LOCKER BASE

COMPONENTS	<b>BASE</b>	Double-faced heavy gauge steel unit available in gray or black; Welded and riveted with 20-gauge side panels and vented 18-gauge doors featuring spring-loaded hinges; LB-D2 style units have one adjustable shelf, and are not vented.



LB-6BK

BLACK	GRAY	STYLE	SIZE	NOMINAL OPENING SIZE
LB-2BK	LB-2	Two Vertical Lockers	12"W x 21"D x 31"H	9"W x 20"D x 14"H
LB-B2BK	LB-B2	Two Horizontal Lockers	18"W x 21"D x 31"H	15"W x 20"D x 14"H
LB-6A3BK	LB-6A3	Three Horizontal Lockers	18"W x 21"D x 31"H	15"W x 20"D x 8-9/10"H
LB-6BK	LB-6	Six Vertical Lockers	36"W x 21"D x 31"H	9"W x 20"D x 14"H
LB-D2BK	LB-D2	Double Door w/Adjustable Shelf	36"W x 21"D x 31"H	33"W x 20"D x 29"H
LB-6ABK	LB-6A	Six Horizontal Lockers	36"W x 21"D x 31"H	15"W x 20"D x 8-9/10"H
LB-B4BK	LB-B4	Four Horizontal Lockers	36"W x 21"D x 31"H	15"W x 20"D x 14"H



LB-6

# SEATING CHAIRS

## ACUMEN VINYL CHAIRS

COMPONENTS	<b>VINYL SEAT WITH BACK</b>	Contoured waterfall seat cushion (19" W x 18" D) and adjustable cushioned backrest (17" W x 10 1/2" D) with lumbar support; Available in 5 colors: Black (2), Mandarin (3), Graphite (5), Ink (8), and Elephant (9). Bio-safety Level 2 (BSL-2)
	<b>FRAME</b>	Black, pneumatic base; Footrest on medium and tall height
	<b>FEET</b>	Comes with black non-marring glides and self-braking casters

**INSTRUCTOR** **MULTIPURPOSE**



ITEM #	PRODUCT DESCRIPTION	HEIGHT
SE-T_D	Desk Height	18"-23"
SE-T_M	Medium Height with Footrest	21"-28"
SE-T_T	Tall Height with Footrest	25"-34 1/2"

\_ Indicates seat color code

Acumen Vinyl Colors

**2 3 5 8 9**



SE-T9T

SE-T2D

## ACUMEN POLY CHAIRS

COMPONENTS	<b>CLASSIC DOT BACK</b>	Rugged, ergonomic and fully washable seat and backrest made of polyurethane that resists chemicals, punctures, and punctures (16"W x 17"D seat, 15 1/2"W x 15"H back)
	<b>DIAMOND BACK</b>	Textured seat and backrest with durable polyurethane cushions that resist chemicals, soil and punctures (16 1/2"W x 17"D seat, 16 1/2"W x 12"H back)
	<b>FRAME</b>	Black, pneumatic base; Footrest on medium and tall height models
	<b>FEET</b>	Comes with black non-marring glides and self-braking casters

**SCIENCE** **INSTRUCTOR**



ITEM #	PRODUCT DESCRIPTION	HEIGHT
SE-NPC_D	Desk Height and Diamond Back	17 3/4" - 22 1/2"
SE-NPC_M	Medium Height with Footrest and Diamond Back	19 3/4" - 27 1/2"
SE-NPC_T	Tall Height with Footrest and Diamond Back	24 1/4" - 34"
SE-PC_D	Desk Height and Classic Dot Back	17 3/4" - 22 1/2"
SE-PC_M	Medium Height with Footrest and Classic Dot Back	19 3/4" - 27 1/2"
SE-PC_T	Tall Height with Footrest and Classic Dot Back	24 1/2" - 34"

\_ Indicates seat color code

Acumen Poly Chair Color

**1 2 7**



SE-NPC7D

SE-PC2M

# SEATING CHAIRS

## SCONNIE 4-LEGGED & CANTILEVER STACKABLE CHAIR

COMPONENTS	<b>POLY SEAT</b>	Ergonomic designed polypropylene shell in black or charcoal with smooth contoured back
	<b>FRAME</b>	1" round, 16-gauge heavy duty steel tube legs welded to a steel seat mounting plate
	<b>FEET</b>	Nylon glides
	<b>OPTIONS</b>	Felt or steel glides

**MULTIPURPOSE**



ITEM #	WGT	SEAT HEIGHT	DESCRIPTION
CHR18-4	12	18"	4-legged stackable chair
CHR18-C	14	18"	Cantilever stackable chair with plastic feet and nylon glides

Sconnie Chair Color

P09 PCH



CHR18-4



CHR18-C

## SCONNIE 5-STAR CHAIR

COMPONENTS	<b>POLY SEAT</b>	Ergonomic designed polypropylene shell in black or charcoal with smooth contoured back
	<b>FRAME</b>	Mobile adjustable height with 5-star base
	<b>FEET</b>	Casters
	<b>OPTIONS</b>	5F model comes with chrome footrest ring

**MULTIPURPOSE**



ITEM #	WGT	SEAT HEIGHT	DESCRIPTION
CHR21-5	18	16-21"	Mobile adjustable height chair
CHR31-5F	20	21-31"	Mobile adjustable height chair

Sconnie Chair Color

P09 PCH



CHR21-5



CHR31-5F

## SCONNIE CAFÉ CHAIR

COMPONENTS	<b>POLY SEAT</b>	Ergonomic designed polypropylene shell in black or charcoal with smooth contoured back
	<b>FRAME</b>	1" round, 16-gauge heavy duty steel tube legs welded to a steel seat mounting plate
	<b>FEET</b>	Nylon glides

**MULTIPURPOSE**



ITEM #	WGT	SEAT HEIGHT	DESCRIPTION
CHR24-4F	14	24"	Stackable café chair, 4-legged, footrest with nylon glides
CHR30-4F	16	30"	Stackable café chair, 4-legged, footrest with nylon glides

Sconnie Chair Color

P09 PCH



CHR30-4F

# SEATING STOOLS

## ACUMEN POLY STOOLS

COMPONENTS	<b>POLY SEAT</b>	Chemical, soil and puncture resistant textured polyurethane cushions, available in black only (12 1/2" diameter)
	<b>FRAME</b>	Features pneumatic lift for adjusting height; Foot rest included on standing height models
	<b>FEET</b>	Comes with black non-marring glides and self-braking casters

SCIENCE



ITEM #	PRODUCT DESCRIPTION	HEIGHT
SE-PS2D	Desk Height	15 3/4" - 21"
SE-PS2M	Medium Height with Footrest	17 3/4" - 25 1/2"
SE-PS2T	Tall Height with Footrest	22" - 32"

\_ Indicates seat color code  
Acumen Poly Chair Color

1 2 7



## TRACTOR STOOLS

COMPONENTS	<b>TRACTOR SEAT</b>	Rugged, ergonomic, fully washable polyurethane seat (17"W x 14"D); Chemical and puncture resistant and available in 3 colors
	<b>FRAME</b>	Black, pneumatic base; Footrest on medium and tall height models
	<b>FEET</b>	Comes with black non-marring glides and self-braking casters

SCIENCE CTE



ITEM #	PRODUCT DESCRIPTION	HEIGHT
SE-TR_D	Desk Height	16 1/2" - 21 1/2"
SE-TR_M	Medium Height with Footrest	19" - 26 1/2"
SE-TR_T	Tall Height with Footrest	23" - 33 1/2"

\_ Indicates seat color code

Tractor Stool Color

1 2 7



# SEATING STOOLS

## CHROMA STOOLS

COMPONENTS	FRAME	5 textured black, square metal legs with a fully welded design and integrated footrest
	CHROMA SEAT	14" diameter MDF core with high-pressure laminate (HPL) top and black Lotz Armor Edge™
	FEET	Non-marring glides

SCIENCE CTE



ITEM #	PRODUCT DESCRIPTION	HEIGHT
STL7186-AH5_	Desk Height	18"
STL7186-AR5_	Medium Height	18" - 28"
STL7186-AL5_	Tall Height	24"

Chroma Stool Colors

A Q B T C L N P R Y W



STL7186-AH5T

STL7186-AH5L

## APPRENTICE STOOLS

COMPONENTS	FRAME	4 fixed round legs in fully welded grey metal, featuring a footrest and optional backrest
	SEAT	14" diameter metal with recessed tempered Masonite panel overlay

CTE



ITEM #	W/BACKREST ITEM #	PRODUCT DESCRIPTION	HEIGHT
S-18	S-18B	Desk Height	18"
S-24	S-24B	Medium Height	24"
S-30	S-30B	Tall Height	30"



S-24B

S-24

# SEATING STOOLS

## PERSPECTIVE STOOLS WITH STEEL BASE

COMPONENTS	<b>FRAME</b>	5 textured black, square metal legs with a fully welded design and integrated footrest
	<b>HARDWOOD SEAT</b>	14" diameter face-glued hardwood strips, radius edge and lacquer finish
	<b>FEET</b>	Non-marring glides



ITEM #	PRODUCT DESCRIPTION	HEIGHT
STL9186-AH5	Desk Height	18"
STL9186-AR5	Medium Height	18" - 28"
STL9186-AL5	Tall Height	24"



STL9186-AR5



STL9186-AL5

## PERSPECTIVE STOOLS WITH PNEUMATIC BASE

COMPONENTS	<b>HARDWOOD SEAT WITH BACK</b>	Ergonomically contoured and made from furniture-grade hardwood
	<b>ROUND HARDWOOD SEAT</b>	13 3/4" round hardwood seat with circular ring lift lever
	<b>FRAME</b>	Black, pneumatic base; Footrest on medium and tall height models
	<b>FEET</b>	Comes with black non-marring glides and self-braking casters



ITEM #	PRODUCT DESCRIPTION	HEIGHT
SE-WB4D	Desk Height with Back	15"-20"
SE-W4D	Desk Height with Round Seat	15"-20"
SE-WB4M	Medium Height with Back and Footrest	18"-25 1/2"
SE-W4M	Medium Height with Round Seat and Footrest	18"-25 1/2"
SE-WB4T	Tall Height with Back and Footrest	22"-32"
SE-W4T	Tall Height with Round Seat and Footrest	22"-32"



SE-WB4D



SE-W4D  
With Casters

## ART HORSE

COMPONENTS	<b>BASE</b>	Solid light hardwood with a UV finish with grooved seat height that Accommodates up to 24" x 30" drawing boards
	<b>WEIGHT</b>	25 lbs



ITEM #	OVERALL SIZE
AH	28 1/2"W x 12"D x 27 1/2"H



# SEATING BENCHES

## PERSPECTIVE BENCHES

COMPONENTS	<b>DOUBLE SEAT BENCH</b>	1 ¼" t hick, maple butcher block seat (48"W x 12"D) with an earth-friendly UV finish
	<b>SINGLE SEAT BENCH</b>	¾" top (17"W x 12"D) and base of solid maple construction

ART



AB-4812

ITEM #	PRODUCT DESCRIPTION	HEIGHT
AB-4812	Double Seat Bench	17 ½"
AB	Single Seat Bench	17"
ABH	Single Seat Bench	26"

## AVENUE BENCH

COMPONENTS	<b>BASE</b>	Steel frame and square legs with multiple powder-coat colors available; Seat supported by two 14-gauge steel "C" channels attached to legs with four ¾" carriage bolts per channel, two on each end
	<b>TOP</b>	Maple butcher block or laminate with 5 color options and 11 complementary edge band color options
	<b>FEET</b>	Non-marring glides
	<b>SEAT DIMENSIONS</b>	46"W or 58"W x 12"D

MULTIPURPOSE



STYLE	WIDTH	DEPTH	TOP TYPE	LAMINATE COLOR (L) TOPS ONLY	EDGE BAND (L) TOPS ONLY	FRAME COLOR	HEIGHT	OPTIONS
AFB	46	12	1-¼" Maple BB (5)	Almond (A)	Almond (A)	Black (B)	18	Glides (N)
	58		1-¼" Laminate (L)	Black (B)	Aqua (Q)	White (W)		
				Charcoal (C)	Black (B)	Silver (S)		
				Natural Maple (N)	Carrot (T)			
				White (W)	Charcoal (C)			
					Lime (L)			
					Natural Maple (N)			
					Peacock (P)			
					Red (R)			
					Royal (Y)			
					White (W)			

Laminate Top Colors

A B C E N W

Edge Band Colors

A Q B T C L N P R Y W

Frame Color

B W S



AFB58125B18N



# SEATING HEALTH

## PROTOCOL ATHLETIC TAPING STATIONS

COMPONENTS	<b>BASE</b>	Constructed of solid oak hardwood or light hardwood and veneers with a UV finish
	<b>TOP</b>	2" thick vinyl cushions on each end, available in black or dove gray (each 27"W)
	<b>STORAGE</b>	Swing hallow drawer and swing doors; End cabinets feature swing doors with open shelf
	<b>OPTIONS</b>	Configure as a single or a triple-section unit with a removable center cushion

**HEALTH CTE**



ATSS4273630KB



ATSA4273630KB



CTSI753630KG

UNIT	STAND ALONE BENCHES	WIDTH	DEPTH	HEIGHT	MATERIAL	CUSHION
ATT	None (Frame Only) (S)	27	36	36	Oak (K)	Black (B)
	Single Shelf (S1)		42		Maple (M)	Gray (G)
	Double Shelves (S2)		48			
	End Cabinet (S3)					
	Side Cabinet (S4)					

UNIT	LOWER STORAGE TYPE	WIDTH	DEPTH	HEIGHT	MATERIAL	CUSHION
ATS	Open over Swing Doors (C1)	27	36	30	Oak (K)	Black (B)
	Single Drawer over Swing Doors (C2)			36	Maple (M)	Gray (G)
	Solid Locking Doors w/Adj. Shelf Inside (S1)					
	Open over Double Height Drawer (S4)					
	Double Height Drawer over Swing Doors (A4)					

UNIT	TRIPLE BASE BENCHES	WIDTH	DEPTH	HEIGHT	MATERIAL	CUSHION
CTS	Wall (W)	75	36	30	Oak (K)	Black (B)
	Island* (I)			36	Maple (M)	Gray (G)

\*Features finished back

Cushion Color

**B G**



ATTS273636MB



ATTS1273636MB



ATTS2273636MB



ATTS3273636MB



ATTS4273636MB

## PROTOCOL ATHLETIC TAPING AND TRAINING BENCHES

COMPONENTS	<b>FRAME</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>CUSHION</b>	2" or 4-3/4" thick with easy-to-clean, high-performance vinyl
	<b>FEET</b>	Self-leveling, non-marring glides

**HEALTH CTE**



FAB-7230M



ITEM #	PRODUCT	SIZE
FAB-7230_	Bench w/Built in Headrest	72"W x 30"D x 27"H
FAB31_	Trainer Bench	72"W x 30"D x 31"H
FAB31_SF	Trainer Bench with Shelf	72"W x 30"D x 31"H
FAB36_	Trainer Bench	72"W x 30"D x 36"H
FAB36_SF	Trainer Bench with Shelf	72"W x 30"D x 36"H

Hardwood Option: M - Light Hardwood or K - Oak

# DIVERSIFIED SPACES METAL SOLUTIONS

Engineered for the most demanding lab environments, our metal casework offers maximum durability and chemical resistance. With a modern, industrial look and multiple color options to choose from, it's ideal for advanced labs, research spaces and other high-use settings.



Tough enough for classrooms. Stylish enough to turn heads.

From benches and tables to casework and safety storage cabinets, check out our latest metal solutions



# STORAGE CASEWORK

## SIGNATURE COUNTER-TOPS

COMPONENTS	<b>EPOXY TOP</b>	1" Epoxy Resin
	<b>PHENOLIC TOP</b>	¾" Solid Phenolic Top
	<b>MAPLE BB TOP</b>	Very durable in climate-controlled areas
	<b>OVER HANG</b>	Counter-tops oversized for 1" overhangs on each end and 2" overhang to the front; Includes a 4" back splash on epoxy and phenolic tops to length of counter-top



Phenolic



Epoxy



Butcher Block

ITEM #	DESCRIPTION	SIZE
207529F	1" Epoxy Resin Top	38"L x 24"D
207530F	1" Epoxy Resin Top	74"L x 24"D
214515F	¾" Solid Phenolic Top	38"L x 24"D
214516F	¾" Solid Phenolic Top	74"L x 24"D
247866	1-¾" Maple Butcher Block Top	38"L x 24"D
229717	1-¾" Maple Butcher Block Top	74"L x 24"D

For cabinet runs or elevations, standard tops may not be compatible and custom tops should be coordinated through our Design Services for proper layout and quoting.

## SIGNATURE BASE CABINETS

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STYLE OPTIONS</b>	Door cabinet, door/drawer cabinet or drawer cabinet (all locking); Cabinets can be joined together to create wall of base cabinets



ITEM # - LIGHT HARDWOOD	ITEM # - OAK	DESCRIPTION	SIZE
121-3622M	121-3622K	Drawer Base Cabinet	36"W x 35"H x 22"D
106-3622M	106-3622K	Door/Drawer Base Cabinet	36"W x 35"H x 22"D
103-3622M	103-3622K	Door Base Cabinet	36"W x 35"H x 22"D

For cabinet runs or elevations, pieces should be coordinated through our Design Services for proper layout and quoting.



121-3622

## SIGNATURE WALL CABINETS

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Two adjustable shelves
	<b>STYLE OPTIONS</b>	Veneered solid or solid framed glass doors featuring ¾" safety glass



ITEM # - LIGHT HARDWOOD	ITEM # - OAK	DESCRIPTION	SIZE
D03-3012M	D03-3012K	Solid Double Doors	30"W x 30"H x 12"D
D03-3612M	D03-3612K	Solid Double Doors	36"W x 30"H x 12"D
D03-4212M	D03-4212K	Solid Double Doors	42"W x 30"H x 12"D
D03-4812M	D03-4812K	Solid Double Doors	48"W x 30"H x 12"D
D06-3012M	D06-3012K	Glass Double Doors	30"W x 30"H x 12"D
D06-3612M	D06-3612K	Glass Double Doors	36"W x 30"H x 12"D
D06-4212M	D06-4212K	Glass Double Doors	42"W x 30"H x 12"D
D06-4812M	D06-4812K	Glass Double Doors	48"W x 30"H x 12"D

For cabinet runs or elevations, pieces should be coordinated through our Design Services for proper layout and quoting.



D03-3612M



D06-3612M

# STORAGE SCIENCE

## PERPETULAB MOBILE MICROSCOPE CABINET

<b>COMPONENTS</b>	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish and veneers with a UV finish
	<b>FEET</b>	4" locking, swivel casters
	<b>TOP</b>	4701 & 4741 Models have HPL or ChemGuard with matching edge band 4711 top is solid oak or maple hardwood and veneers with a UV finish
	<b>MICROSCOPE STORAGE</b>	Removable Wire dividers, see table below for size and capacity



ITEM #	PRODUCT	SIZE
4701_	Double-Sided Microscope Cabinet	48"W x 24"D x 40-3/4"H
4711_	Single-Sided Microscope Cabinet	54"W x 23 1/2"D x 62"H
4741_	Double-Sided Microcharge Cabinet*	48"W x 30"D x 42"H

\* Includes charging bar  
\_Hardwood Option: M - Light Hardwood or K - Oak  
(Microscopes not Included)

ITEM #	MICROSCOPE CAPACITY	MICROSCOPE SLOT SIZE
4701	24 Standard, 12 each side	6 3/4"W x 10"D x 15 1/2"H
4711	15 Large	9"W x 19 1/2"D x 17"H
4741	20 Large, 10 each side	9"W x 19 1/2 "D x 117"H



4741K  
(Microscopes not included)



4701K  
(Microscopes not included)

## PERPETULAB BALANCE CABINET

<b>COMPONENTS</b>	<b>CASEBODY</b>	Cabinet walls and sliding, locking doors constructed of solid oak or maple hardwood and veneers with a UV finish; Unit is double-sided and includes two sets of sliding doors
	<b>STORAGE</b>	Four adjustable shelves (weight capacity of 40 lbs. Per sq. ft.)
	<b>LAMINATE TOP</b>	1-1/4" HPL top with matching edge band
	<b>FEET</b>	4" locking, swivel casters
	<b>MOBILE CAPACITY</b>	500 lbs.



ITEM #	PRODUCT	SIZE
5201_	Balance Cabinet	48"W x 24"D x 40"H

\_Hardwood Option: M - Light Hardwood or K - Oak



5201K

# STORAGE SCIENCE

## PERPETULAB TALL MICROSCOPE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Based on microscope size of 7-1/4"W x 14"H; 24"W cabinet holds 15 scopes, 36"W cabinet holds 20 scopes and 48"W holds 25-30 microscopes; three adjustable shelves and two fixed shelves (40 lbs. Per sq ft) with adjustable wires, enclosed behind framed tempered 3/16" glass doors with three-point locking handle system; 16"D cabinet shelf size is 13"D and 22"D cabinet shelf size is 19"D
	TOE-KICK	Rubber-base molding with metal corners

SCIENCE



ITEM #	# DOORS	SIZE
370-2416_	1	24"W x 16"D x 84"H
372-3616_	2	36"W x 16"D x 84"H
372-4816_	2	48"W x 16"D x 84"H
370-2422_	1	24"W x 22"D x 84"H
372-3622_	2	36"W x 22"D x 84"H
372-4822_	2	48"W x 22"D x 84"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



372-4816K

## PERPETULAB SKELETON CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Roll-in cabinet has fixed, upper shelf for extra storage; Frame tempered 3/16" glass doors have a secure, three-point locking handle system
	MODEL OPTIONS	Rolling stand or hanging model on retractable glide
	TOE-KICK	Rubber base molding with metal corners on hanging model unit only

SCIENCE



ITEM #	PRODUCT	SIZE
375-2422_	Hanging Skeleton Cabinet	24"W x 22"D x 84"H
377-2422_	Roll-in Skeleton Cabinet	24"W x 22"D x 84"H

\_ Hardwood Option: M - Light Hardwood or K - Oak  
(Skeletons not Included)



377-2422K

374-2422M

(Torsos not included)

## PERPETULAB TORSO CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Pull-out shelf, one fixed bottom and three adjustable shelves; Framed tempered 3/16" glass door with three-point locking handle system
	TOE-KICK	Rubber base molding with metal corners

SCIENCE



ITEM #	PRODUCT	SIZE
374-2422_	Torso Cabinet	24"W x 22"D x 84"H

\_ Hardwood Option: M - Light Hardwood or K - Oak  
(Torsos not Included)

# STORAGE SCIENCE

## PROTOCOL FIRST AID HANGING CABINET

COMPONENTS	BASE	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Sliding, locking upper doors, two open compartments and two adjustable shelves enclosed behind one hinged door
	SAFETY FEATURES	ABC fire extinguisher, fire blanket, first aid kit, two plastic one-gallon jugs and one galvanized pail

SCIENCE CTE SAFETY



ITEM #	PRODUCT	SIZE
FAC-3613_	First Aid Wall Cabinet	36"W x 13"D x 30"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



FAC-3613M

## PROTOCOL SHOWER & EYEWASH STATION

COMPONENTS	BASE	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Upper storage space has two adjustable shelves; Lower cabinet locks for security (ADA model includes access for wheelchair instead); Weight: 265 lbs
	EYEWASH STATION	10" diameter stainless steel bowl, lever action ball valve on HPL top
	SHOWER	Emergency drench shower head of high-impact ABS plastic with stay open chrome-plated brass valve
	NOT INCLUDED	Service piping

SCIENCE CTE SAFETY



ITEM #	PRODUCT	SIZE
6900_	Shower & Eyewash Station	36"W x 22"D x 84"H
6900_-ADA	Shower & Eyewash ADA Station	36"W x 22"D x 84"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



6900M

## PROTOCOL SHOWER & EYEWASH STATION

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Based on microscope size of 7-1/4"W x 14"H; 24"W cabinet holds 15 scopes; 36"W cabinet holds 20 scopes; and 48"W holds 25-30 microscopes; three adjustable shelves and two fixed shelves (40 lbs. Per sq ft) with adjustable wires, enclosed behind framed tempered 3/16" glass doors with three-point locking handle system; 16"D cabinet shelf size is 13"D and 22"D cabinet shelf size is 19"D
	TOE-KICK	2-1/4" fixed wood or 2-1/2" square steel tube legs available in 8 colors

SCIENCE CTE SAFETY



ITEM #	PRODUCT	SIZE
6950_	Safety Station	48"W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.

\_ Hardwood Option: M - Light Hardwood or K - Oak



6950M

# STORAGE SCIENCE

## PROTOCOL CORROSIVES CABINET

COMPONENTS	BASE	Constructed of oak hardwood or light hardwood and veneers with UV finish
	DOOR OPTIONS	Non-locking, double doors or locking single door with left or right hinge and wire pulls
	FEATURES	Lined with 1/4" polypropylene interior, and includes 2" plastic containment drip Pan, one lined adjustable shelf and removable back panel to access venting behind cabinet

SCIENCE CTE SAFETY



ITEM #	PRODUCT	SIZE
3420-3622_	Double Door, Non-locking	36"W x 22"D x 35"H
3420L-2422_	Single Door, Left Hinge, Non-Locking	24"W x 22"D x 35"H
3420R-2422_	Single Door, Right Hinge, Non-Locking	24"W x 22"D x 35"H

\_Hardwood Option: M - Light Hardwood or K - Oak



3420-3622M

## PROTOCOL FLAMMABLES CABINET

COMPONENTS	BASE	Constructed of oak hardwood or light hardwood and veneers with UV finish
	DOOR OPTIONS	Locking, double doors or locking, single door with left or right hinge with secure, 3-point locking handle system and wire pulls
	FEATURES	3" high drip tray in case of leak and metal adjustable shelf designed to contain spills in center of drip pan; Meets or exceeds NFPA30

SCIENCE CTE SAFETY



ITEM #	PRODUCT	SIZE
3440-3622_	Double Door, Locking	36"W x 22"D x 35"H
3440L-2422_	Single Door, Left Hinge, Locking	24"W x 22"D x 35"H
3440R-2422_	Single Door, Right Hinge, Locking	24"W x 22"D x 35"H

\_Hardwood Option: M - Light Hardwood or K - Oak



3440-3622M

## PROTOCOL EYE SAFETY CABINET

COMPONENTS	BASE	Constructed of 24-gauge white enameled steel with locking doors featuring tamper-resistant latches; Wall or shelf mountable with 7' grounded electric cord; Weighs 45 lbs
	UV GERMICIDAL STORAGE	Average kill rate of 99.2% with monitor providing protection during five-minute cycle controlled by timer (shuts off automatically if doors are opened); Pilot light confirms UV lamp is in use and germicidal lamp has 20-year limited warranty; 8 shelves (holds 6 glasses or 5 goggles per shelf)
	NOT INCLUDED	Glasses and goggles
	Underwriters Laboratories Inc. Listed: File #E140818	

SCIENCE CTE SAFETY



ITEM #	PRODUCT	SIZE
ESC11-11LM	Eye Safety Cabinet	24-1/2"W x 9-1/2"D x 32"H
FG-88210	Flexible Goggles	Adjustable 18"
SG-72000	Safety Glasses	Extendable Arms

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



ESC11-11LM



SG-72000



FG-88210

# STORAGE SCIENCE

## PROTOCOL STEEL ACID/CORROSIVES CABINET

COMPONENTS	CASEBODY	Constructed of sturdy 18-gauge (1mm) thick double-wall, welded steel with 1-1/2" (38mm) of insulating air space; Durable, lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance
	STORAGE	Polyethylene trays attached to galvanized steel shelves with removable, polyethylene liner to resist aggressive chemicals; High-performance doors that self-latch when pushed closed and open to full 180 degrees; Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
	FEATURES	Meets OSHA and NFPA 30; Dual vents with flame arresters, four adjustable self-leveling feet, grounding connector and trilingual label

SCIENCE CTE SAFETY



ITEM #	GALLONS	DOOR	SIZE
253261	45	Manual-Close	39-1/2"W x 14-9/10"D x 60-1/2"H



253261

## PROTOCOL STEEL FLAMMABLES CABINET

COMPONENTS	BASE	Constructed of sturdy 18-gauge (1mm) thick double-wall, welded steel with 1-1/2" (38mm) of insulating air space for fire resistance; Durable, lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance
	STORAGE	Galvanized steel shelves direct spills to back
	MANUAL-CLOSE DOORS	High-performance doors that self-latch when pushed closed; Doors open to full 180 degrees and fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
	SELF-CLOSE DOORS	Automatically close when fusible link melts at 165°F (74°C) under fire conditions; Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
FEATURES	Dual vents with flame arresters, four adjustable self-leveling feet, grounding connector and trilingual label	

SCIENCE CTE SAFETY



ITEM #	GALLONS	DOOR	SIZE
253260	45	Self-Closing	43"W x 18"D x 65"H
249732	45	Manual-Close	43"W x 18"D x 65"H
253259	60	Manual-Close	34"W x 34"D x 65"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



253260

## PROTOCOL STEEL OIL WASTE CAN

COMPONENTS	BASE	Round, steel construction with elevated base for circulation of air to disperse heat, and reduce moisture build-up and rust; Powder-coated finish provides chemical resistance
	LID	Opens no more than 60° and stays closed when not in use

CTE SAFETY



ITEM #	GALLONS	SIZE
253266	6	12" (Diameter) x 16"H
253267	10	14" (Diameter) x 18"H
253269	14	16" (Diameter) x 20"H



253266

# STORAGE CTE

## PERSPECTIVE PAINTING HOOD & CABINET SYSTEM

COMPONENTS	<b>CASEBODY</b>	Constructed of oak or light hardwood and veneers with UV finish; Features locking doors with adjustable shelf
	<b>HOOD</b>	Fabricated of 18-gauge steel with corrosion-resistant, powder-coated, baked epoxy finish; Includes two filters set in easy-to-change flange bracket system
	<b>LIGHT</b>	Standard vapor-proof light mounted and wired to junction box; Uses standard bulbs and wired to switches in front post area
	<b>BLOWER</b>	Motor operates at RPM to provide 100 LFM and ¾" of static pressure; Mounted on top and wired to common junction box; Transition piece from booth to blower provided and connected; Wired to switches in front post area
	<b>NOTE</b>	Booth must be connected to duct work (not provided)

CTE ART SAFETY



ITEM #	PRODUCT	SIZE
8200_	Paint Hood	36"W x 24"D x 97-¾"H

\_ Hardwood Option: M - Light Hardwood or K - Oak

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



8200M

## PROTOCOL STEEL PAINT/INK CABINET

COMPONENTS	<b>BASE</b>	Cabinets constructed of sturdy 18-gauge (1mm) double-wall, welded steel with 1-½" (38mm) of insulating air space
	<b>STORAGE</b>	One, three or five shelves; High-performance, self-latching doors close securely for maximum protection and feature fail-safe closing mechanism to ensure three-point stainless steel bullet latching system
	<b>FEATURES</b>	Meets OSHA and NFPA standards

CTE ART SAFETY



ITEM #	GALLONS	SHELVES	SIZE
253262	30	One	43"W x 12"D x 65"H
253263	40	Three	43"W x 18"D x 44"H
253265	60	Five	43"W x 18"D x 65"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



## PERSPECTIVE HANGING WALL STORAGE CABINET

COMPONENTS	<b>BASE</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Holds 29 standard aerosol cans or paints (3" x 4" area) in ¼" black HDPE plastic


CTE ART



ITEM #	PRODUCT	SIZE
FCC-29_	Supply Storage	43"W x 5-¼"D x 26-½"H

\_ Hardwood Option: M - Light Hardwood or K - Oak

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



FCC-29M  
Paint not included

# STORAGE CTE

## FORUM 60" TOOL CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Upper half includes doors lined with ¼" pegboard; Lower half has one fixed bottom and two adjustable 1" plywood shelves; Pegs based on specialty; Doors have secure, three-point locking handle system
	OPTIONS INCLUDED	Tools and totes
	OVERALL DIMENSIONS	60"W x 22"D x 84"H



TC-12WT

### PRODUCT

### ITEM #

Cabinet w/60 Assorted Hooks	TC-4
Cabinet w/Pegs for Woodworking	TC-10
Cabinet with Woodworking Tools	TC-10WT
Cabinet w/Pegs for Metalworking Tools	TC-11
Cabinet w/Pegs for General Shop	TC-12
Cabinet with General Shop Tools	TC-12WT
Cabinet w/Pegs for Electrical Tools	TC-13
Cabinet w/Pegs for Automotive Tools	TC-14
Cabinet w/Pegs for Welding Tools	TC-15
Cabinet w/Pegs for Power Technology Tools	TC-16
Cabinet w/Pegs for Foundry	TC-17
Cabinet w/Pegs for Machine Shop Tools	TC-22
Cabinet w/Pegs for Marine Tools	TC-24
Cabinet w/Pegs for Electronics Tools	TC-30
3 Compartment Nail Box	15-0082
Tote Tray: 13-3/4"	15-0081
Tote Tray: 9"W	15-0084

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_ Hardwood Option: M - Light Hardwood or K - Oak

## FORUM 48" TOOL CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Upper half includes doors lined with ¼" pegboard; Lower half has a fixed bottom and two adjustable 1" plywood shelves; Doors have secure, three-point locking handle system
	OPTIONS INCLUDED	General shop or woodworking tools and totes
	OVERALL DIMENSIONS	48"W x 22"D x 84"H



TC-4810WT

### ITEM #

### PRODUCT

### SIZE

TC-4810	Cabinet w/Hooks for Woodworking Tools*	48"W x 22"D x 84"H
TC-4810WT	Cabinet w/Woodworking Tools	48"W x 22"D x 84"H
TC-4812	Cabinet w/Hooks for General Shop Tools*	48"W x 22"D x 84"H
TC-4812WT	Cabinet w/ General Shop Tools	48"W x 22"D x 84"H
15-0082	Three Compartment Nail Box	51/2"W x 10-1/2"L x 2-1/2"D
15-0081	Classic Tote Tray	13-3/4"W x 19"L x 4-3/8"D
15-0084	Classic Tote Tray	9"W x 19"L x 4-3/8"D

\*Model does NOT come with any type of tools  
 \_ Hardwood Option: M - Light Hardwood or K - Oak

# STORAGE CTE

## FORUM ALL-PURPOSE TOOL CABINET

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Upper half includes doors lined with ¼" pegboard; Lower half has one fixed bottom and two adjustable 1" plywood shelves; Doors have secure, three-point locking handle system
	<b>OPTIONS INCLUDED</b>	All-purpose tools and totes
	<b>OVERALL DIMENSIONS</b>	48"W x 22"D x 84"H



ITEM #	PRODUCT	SIZE
TETC-40	All-Purpose Tool Cabinet	48"W x 22"D x 84"H
TETC-40WT	All-Purpose Tool Cabinet w/Tools	48"W x 22"D x 84"H
15-0082	Three Compartment Nail Box	5-½"W x 10-½"L x 2-½"D
15-0081	Classic Tote Tray	13-¾"W x 19"L x 4-¾"D
15-0084	Classic Tote Tray	9"W x 19"L x 4-¾"D

Hardwood Option: M - Light Hardwood or K - Oak



TETC-40WT

## FORUM TALL PARTS CABINET

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	80 plastic bins; Three adjustable shelves with solid ¾" thick back; Doors have secure, three-point locking handle system
	<b>TOE-KICK</b>	Rubber base molding in front



ITEM #	PRODUCT	SIZE
PSC-80_	Parts Storage Cabinet	36"W x 18"D x 84"H

Hardwood Option: M - Light Hardwood or K - Oak  
Cabinets should be secured to the wall for safety. Mounting hardware is not included.



PSC-80M

## FORUM WALL CABINET

COMPONENTS	<b>CASEBODY</b>	Constructed of maple hardwood and veneers with a UV finish; Composed of three sections: a center section that mounts to the wall and two hinged outer sections that close and lock
	<b>STORAGE</b>	Lined with pegboard interior and includes an assortment of hooks
	<b>OVERALL DIMENSIONS</b>	48"W x 12"D x 48"H; 96"W when opened



ITEM #	PRODUCT	SIZE
MC-1	Hanging Storage Cabinet	48"W x 12"D x 48"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



MC-1

# STORAGE CTE

## FORUM METAL LUMBER RACK

COMPONENTS	BASE	Constructed of four individual steel upright frames with gray primer finish; All welded construction and free standing
	SHELVING	One 38"D shelf and four 20"D shelves
	WEIGHT CAPACITY	Per shelf - 400 lbs.



ITEM #	PRODUCT	SIZE
LR-12M	Metal Lumber Rack	12'W x 42"D x 8'H

Mounting hardware is not included; must be mounted to the wall.



## FORUM LUMBER STORAGE RACK

COMPONENTS	BASE	Constructed of solid ash framing and interlocked uprights
	SHELVING	28 iron pipes for lumber support (1-1/4" diameter, 20" long pipes)



ITEM #	PRODUCT	SIZE
LR-13W	Wooden Lumber Rack	151-1/2"W x 32"D x 6'H



# STORAGE CTE

## FORUM LUMBER/PLYWOOD STORAGE RACK

COMPONENTS	UPRIGHTS	Starts with a minimum of two solid ash uprights, each 84"H and equipped with five 20"L, 1-1/4" diameter iron pipe arms; Mounts directly to the wall (Add more uprights to increase storage)
	OPTIONS	Steel wall spacer brackets, anchored at the top and bottom, position the upright 16" from the wall to allow for alternate storage option



ITEM #	PRODUCT
LR-1WM	Upright With Five Pipe Arms
LR-9SB	16" Wall Spacer Bracket

Mounting hardware is not included; must be mounted to the wall.



LR-1WM  
Quantity of 4 shown  
For illustrative purposes.

## FORUM VERTICAL RACK

COMPONENTS	BASE	Constructed of heavy-gauge metal with a gray primer finish
	SHELVING	Three horizontal short shelves (12"W x 18"D and 24"H) and four vertical storage sections (16"W x 6"D) with guardrail on bottom to hold stock in place



ITEM #	PRODUCT	SIZE
VSR-277M	Vertical Storage Rack	48"W x 30"D x 100"H



VSR-277M

# STORAGE CTE

## ACCESS LAPTOP CHARGING STATION

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish; Unit is double-sided and includes two sets of sliding doors
	<b>STORAGE</b>	Perforated wire dividers and outlets for 22 laptop computers; Outlet strips can be fed through hole in floor of unit; Fan and vent included to minimize heat buildup
	<b>LAMINATE TOP</b>	1-1/2" black HPL top with matching edge band
	<b>FEET</b>	4" locking, swivel casters

CTE MULTIPURPOSE



ITEM #	PRODUCT	SIZE
5301_	Recharging Station	48"W x 24"D x 36"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



5301K

## KINETIC MULTI-PURPOSE CART

COMPONENTS	<b>BASE</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Dovetailed drawer and plywood shelf (12"W x 24"D)
	<b>SHOPTOP®</b>	1-1/2" medium-density fiberboard (MDF) core between 1/2" particle board
	<b>OTHER FEATURES</b>	Removable aluminum upright set can hold spools for 3D-printers, culinary sealant rolls and more
	<b>FEET</b>	3" locking casters

CTE MAKERSPACE ART



ITEM #	PRODUCT	SIZE
3DP-3624_	Multi-Purpose Cabinet	36"W x 26"D x 36"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



3DP-3624M

Accessories not included

## ACCESS DEMO CART

COMPONENTS	<b>BASE</b>	Constructed of oak hardwood or light hardwood with square wooden legs and veneers with UV finish; Legs fastened to 4-1/2" high apron with factory-installed 5/16" hanger bolts and heavy-duty 13-gauge steel corner brace
	<b>STORAGE</b>	Auxiliary, lower plywood shelf
	<b>TOP</b>	Maple BB, laminate or ChemGuard with matching edge band
	<b>FEET</b>	3" locking, swivel casters
	<b>MOBILE CAPACITY</b>	500 lbs.

MULTIPURPOSE



ITEM #	TOP	SIZE
4501_	1-1/4" HPL	36"W x 24"D x 30-1/4"H
4502_	1-1/4" ChemGuard	36"W x 24"D x 30-1/4"H
4505_	1-3/4" Maple BB	36"W x 24"D x 30-1/4"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



4502M

# STORAGE ROBOTICS



VXM-4424M  
Robotics not included



VXM-4424M  
Robotics not included



VXT-3624M  
Shown with VEX totes not included



VXT-5024M  
Shown with standard totes not included



VXT-5024M  
Shown with VEX totes not included



VXT-3624M  
Shown with VEX totes not included

## COMMAND ROBOT COMPARTMENT STORAGE UNITS

<b>COMPONENTS</b>	<b>BASE</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE OPTIONS</b>	#1 - 2 pull-out drawers, full extension glides on left side, 4 fixed shelves/1 adj. shelf w/5 classic totes and 5 nail boxes on right side
		#2 - 6 separate storage compartments with fixed shelving that holds up to 18" square robot
	<b>DOORS</b>	#3 - Adjustable shelves to store 10 or 15 VEX totes (VEX totes not included)
	<b>FEET</b>	Equipped with swinging doors that have secure, 3-point locking handle system; Available with or without the VEX logo 4" heavy-duty, locking casters



ITEM #	STYLE	SIZE
VXP-5024_	Option #1 w/VEX logo	50"W x 24"D x 53"H
XP-5024_	Option #1	50"W x 24"D x 53"H
VXM-4424_	Option #2 w/VEX logo	44"W x 24"D x 68"H
XM-4424_	Option #2	44"W x 24"D x 68"H
VXT-3624_	Option #3 One divider w/VEX logo	36"W x 24"D x 53"H
XT-3624_	Option #3 One divider	36"W x 24"D x 53"H
VXT-5024_	Option #3 Two dividers and VEX logo	50"W x 24"D x 53"H
XT-5024_	Option #3 Two dividers	50"W x 24"D x 53"H

\_Hardwood Option: M - Light Hardwood or K - Oak

# STORAGE ROBOTICS



VXR-7228M



VXU-6232M

## COMMAND ROBOT STORAGE WORKSTATIONS

COMPONENTS	BASE	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	#1 -2 storage compartments w/flip-up shelf that holds up to 18"sq. robots, includes drawer w/customizable foam insert for tool storage; Includes 1-1/2" ShopTop® medium-density fiberboard (MDF) core between 1" particle board; 8" worksurface extension
	OPTIONS	#2- 3 storage compartments w/flip-up shelf that holds up to 18"sq. robots, includes drawer w/customizable foam insert for tool storage; Includes 1-1/2" ShopTop® medium-density fiberboard (MDF) core between 1" particle board; 8" worksurface extension
	DOORS	Equipped with swinging doors that have secure, 3-point locking handle system; Available with or without the VEX logo
	FEET	4" heavy-duty, locking casters



ITEM #	STYLE	SIZE
VXU-6232_	Option #1 Two compartments w/VEX Logo	62"W x 39"D x 42 3/4"H
XU-6232_	Option #1 Two compartments	62"W x 39"D x 42 3/4"H
VXR-7228_	Option #2 Three compartments w/VEX Logo	72"W x 26"D x 36 3/4"H
XR-7228_	Option #2 Three compartments	72"W x 26"D x 36 3/4"H

\_ Hardwood Option: M - Light Hardwood or K - Oak

# STORAGE TOTE

## ACCESS CLASSIC TOTE WRITE-N-ROLL CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Five single (classic) totes (13-3/4"W x 19"L x 4-3/8"D) and three wood drawers (14-1/4"W x 19"D x 3-1/2"H); Additional storage underneath top
	TOP	Adjustable, 3/4" white marker board top with black 3mm edge banding, including 10-position arms with soft-close "no pinch" safety feature
	FEET	4" locking, swivel casters

MULTIPURPOSE MAKERSPACE ART



ITEM #	STYLE	SIZE
4901_	Classic Tan	36"W x 24"D x 35-1/2"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



4901K

## ACCESS EURO TOTE WRITE-N-ROLL CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Euro-Series high-impact polystyrene totes (12-1/4"W x 16-3/4"D x 3"H) available in 4 colors with clear sturdy glides and tilt tote tray runners prevent totes from falling out; Three wood drawers (14-5/8"W x 16-3/4"D x 2-1/8"H); Additional storage underneath top
	TOP	Adjustable, 3/4" white marker board top with black 3mm edge banding, including 10-position arms with soft-close "no pinch" safety feature
	FEET	4" locking, swivel casters

MULTIPURPOSE MAKERSPACE ART



ITEM # LIGHT HARDWOOD	ITEM # OAK	SIZE
4821M_	4821K_	36"W x 24"D x 35-1/2"H

\_ Indicates Euro Translucent Tote color code.

Tote Colors



4821M2

## ACCESS TOUCHDOWN TOTE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	21 classic totes (14-1/4"W x 19"D x 3-1/2"H)
	TOP	1-1/4" Black HPL top with matching edge band
	FEET	4" locking, swivel casters

MULTIPURPOSE MAKERSPACE ART



ITEM #	PRODUCT	SIZE
4751_	Tote Cabinet	48"W x 24"D x 41-1/2"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



4751K

# STORAGE TOTE

## ACCESS EURO CABINET FOR INTERFORM WORKSTATION

COMPONENTS	BASE	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	36" H unit - nine single totes (12-1/4" W x 16-3/4" L x 3" H) and six quad totes (12-1/4" W x 16-3/4" D x 12" H); 34" H unit - six single totes (12-1/4" W x 16-3/4" L x 3" H) and six quad totes (12-1/4" W x 16-3/4" D x 12" H); Features Euro-Series (high-impact polystyrene) translucent totes available in four colors
	TOP	Particle board with HPL top and phenolic backer; Available in black ChemGuard, Dry-Erase, five laminate and 11-3mm edge band colors
	FEET	4" locking, swivel casters



AET836LWTK3



AET836LNL4

\* Height of AET8 workstation tote cabinet fits under AE836

SCIENCE MAKERSPACE



STYLE	HEIGHT*	TOP TYPE	HPL COLOR (L) TOPS ONLY	EDGE BANDING (2) & (L) TOPS ONLY	MATERIAL	TOTE OPTION
AET8	34 36	1-1/4" ChemGuard (2) 1-1/4" HPL (L)	Almond (A) Black (B) Charcoal (C) Erasable (E) Natural Maple (N) White (W)	Almond (A) Aqua (Q) Black (B) Carrot (T) Charcoal (C) Lime (L)	Oak (K) Light Hardwood (M)	Euro Translucent Clear (1) Euro Translucent Royal (2) Euro Translucent Carrot (3) Euro Translucent Lime (4)
			Laminate Top Colors	Edge Band Colors		
			A B C E N W	A Q B T C L N P R Y W		
					Tote Colors	1 2 3 4

## ACCESS EURO TOTE CABINET WITH WORKSURFACE

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	27 single Euro-Series (high-impact polystyrene) translucent totes (12-1/4" W x 16-3/4" D x 3" H) available in 4 colors; Clear sturdy glides and tilt tote tray runners secure totes from falling out
	TOP	1-1/4" Black HPL top with matching edge band
	MODEL OPTIONS	Open-style or locking, two-door cabinet unit
	FEET	4" locking, swivel casters



4811K4

MAKERSPACE ART



ITEM # LIGHT HARDWOOD	ITEM # OAK	SIZE
4811M_	4811K_	48"W x 24"D x 43-1/2"H

\_ Indicates Euro Translucent Tote color code.

Tote Colors

1 2 3 4

## ACCESS EURO TOTE CABINET WITH DRAWER

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Euro-Series (high-impact polystyrene) translucent totes available in 4 colors; Clear sturdy glides and tilt tote tray runners prevent totes from falling out; 12 single totes (12-1/4" W x 16-3/4" D x 3" H), three double totes (12-1/4" W x 16-3/4" D x 6" H) and one large wood drawer (39"W x 20"D x 4"H)
	TOP	1-1/4" Black HPL top with matching edge band
	FEET	4" locking, swivel casters



4801K1

MULTIPURPOSE MAKERSPACE ART



ITEM # LIGHT HARDWOOD	ITEM # OAK	STYLE	SIZE
4801M_	4801K_	Open	48"W x 24"D x 40-1/2"H

\_ Indicates Euro Translucent Tote color code.

Tote Colors

1 2 3 4

# STORAGE TOTE

## ACCESS TOTE PEDESTALS

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Features our Euro-Series high-impact polystyrene translucent totes (18-1/2"W x 16-3/4"D x 3"H) in 4 colors with access on both sides; Clear sturdy glides and tilt tote tray runners prevent totes from falling out
	FEET	4" locking, swivel casters

MULTIPURPOSE MAKERSPACE



ITEM # LIGHT HARDWOOD	ITEM # OAK	STYLE	SIZE
MET-24M_	MET-24K_	Door	20-1/2"W x 20"D x 24"H
MET-30M_	MET-30K_	Door	20-1/2"W x 20"D x 30"H

\_ Indicates Euro Translucent Tote color code.

Tote Colors



MET30M1

## ACCESS EURO TOTE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	27 single Euro-Series high-impact polystyrene totes (12-1/4"W x 16-3/4"L x 3"H), available in 4 colors; Clear sturdy glides and tilt tote tray runners secure totes from falling out
	MODEL OPTIONS	Open-style or locking-two door cabinet unit with three-point locking handle system
	FEET	4" locking, swivel casters

MULTIPURPOSE MAKERSPACE



ITEM # LIGHT HARDWOOD	ITEM # OAK	STYLE	SIZE
MTTE-4324M_	MTTE-4324K_	Open	43-1/2"W x 22-1/2"D x 52"H
MTTE-4324WDM_	MTTE-4324WDK_	Door	43-1/2"W x 22-1/2"D x 52"H

\_ Indicates Euro Translucent Tote color code.

Tote Colors



MTTE-4324M3

MTTE-4324WDK3

## ACCESS EURO TOTE XL CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Euro-Series high-impact polystyrene totes available in 4 colors; Clear sturdy glides and tilt tote tray runners prevent totes from falling out; Nine single totes (12-1/4"W x 16-3/4"L x 3"H), nine double totes (12-1/4"W x 16-3/4"L x 6"H) and three quad totes (12-1/4"W x 16-3/4"L x 12"H)
	MODEL OPTIONS	Open-style or locking-two door cabinet unit with three-point locking handle system
	FEET	4" locking, swivel casters

MULTIPURPOSE MAKERSPACE



ITEM # LIGHT HARDWOOD	ITEM # OAK	STYLE	SIZE
TS-4221M_	TS-4221K_	Open	42"W x 21"D x 53-3/4"H
TS-4221WDM_	TS-4221WDK_	Door	42"W x 21"D x 53-3/4"H

\_ Indicates Euro Translucent Tote color code.

Tote Colors



TS-4221M2

TS-4221WDK4

# STORAGE TOTE

TW-4221K4

## COMBINATION TOTE STORAGE WITH EURO TOTES

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Euro-Series high-impact polystyrene totes available in 4 colors; Clear, sturdy glides and tilt tote tray runners prevent totes from falling out; Six single totes (12-1/4"W x 16-3/4"L x 3"H), six double totes (12-1/4"W x 16-3/4"L x 6"H) and two quad totes (12-1/4"W x 16-3/4"L x 12"H); Backpack/coat space (13"W x 37"H) with interior hook
	MOBILE OPTIONS	Open-style or two-door cabinet unit with three-point locking handle system
	FEET	4" locking, swivel casters

**MULTIPURPOSE LOCKER**



TW-4221WDK4

ITEM # LIGHT HARDWOOD	ITEM # OAK	STYLE	SIZE
TW-4221M_	TW-4221K_	Open	42"W x 21"D x 53-3/4"H
TW-4221WDM_	TW-4221WDK_	Door	42"W x 21"D x 53-3/4"H

\_ Indicates Euro Translucent Tote color code.

Tote Colors



## ACCESS DUO EURO TOTE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Euro-Series high-impact polystyrene translucent totes (18-1/2"W x 16-3/4"D x 3"H) available in 4 colors with access on both sides; Clear sturdy glides and tilt tote tray runners prevent totes from falling out
	FEET	4" locking, swivel casters

**MULTIPURPOSE MAKERSPACE**



ITEM # LIGHT HARDWOOD	ITEM# OAK	SIZE	TOTE QTY
DE-30M_	DE-30K_	21"W x 37"D x 32-1/2"H	12
DE-41M_	DE-41K_	21"W x 37"D x 43-1/2"H	18
DE-65M_	DE-65K_	21"W x 37"D x 66-1/2"H	30

\_ Indicates Euro Translucent Tote color code.

Tote Colors



DE-30M3

DE-65M2

## ACCESS CLASSIC TOTE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish and veneers with a UV finish
	STORAGE	24 classic totes
	FEET	4" locking, swivel casters

**MULTIPURPOSE MAKERSPACE**



ITEM #	PRODUCT	SIZE
MTTC-4824_	Open-Style Cabinet	48-1/2"W x 22-1/2"D x 52"H
MTTC-4824WD_	Two-Door Cabinet	48-1/2"W x 22-1/2"D x 52"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



MTTC-4824WDK

# STORAGE TOTE

## ACCESS TALL TOTE STORAGE

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Includes 54 single-depth Euro-Series translucent totes (12-1/4"W x 16-3/4"D x 3"H) available in four colors with clear, secure glides and tilt tote tray runners
	MODEL OPTIONS	Open-style or door unit
	TOE KICK	Rubber base molding with metal corners

MULTIPURPOSE



ITEM # LIGHT HARDWOOD	ITEM # OAK	STYLE	SIZE
390-4322M_	390-4322K_	Open	42-15/16"W x 22"D x 84"H
391-4322M_	391-4322K_	Double Door	42-15/16"W x 22"D x 84"H

\_Indicates Euro Translucent Tote color code.

Tote Colors



390-4322M1

## ACCESS TALL TOTE STORAGE

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Includes 24 single-depth Euro-Series translucent totes (12-1/4"W x 16-3/4"D x 3"H) available in four colors with clear, secure glides and tilt tote tray runners
	TOE KICK	Rubber base molding with metal corners

MULTIPURPOSE



ITEM # LIGHT HARDWOOD	ITEM # OAK	STYLE	SIZE
352-4322M2	352-4322K2	Double Door	42-15/16"W x 22"D x 84"H

\_Indicates Euro Translucent Tote color code.

Tote Colors



352-4322M2

# STORAGE TOTE

## PERSPECTIVE ART SUPPLY STORAGE CABINET

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>TOP STORAGE</b>	One adjustable and one fixed shelf with 15 sets of holes that hold 15 optional metal dividers (#243214) for vertical storage
	<b>MIDDLE STORAGE</b>	Can cubby area holds 29 standard aerosol cans, and pints of tempera and acrylic paints (3" x 4" area) in 1/4" black HDPE plastic
	<b>BOTTOM STORAGE</b>	Features Euro-Series (high-impact polystyrene) totes available in four colors; twelve single totes (12-1/4"W x 16-3/4"D x 3"H) and three double totes (12-1/4"W x 16-3/4"D x 6"H) with clear, sturdy glide and tote tray runners
	<b>TOE-KICK</b>	Rubber base molding with metal corners

**CTE MULTIPURPOSE**



ITEM #	PRODUCT	SIZE
PSC-90_	Supply Storage	43"W x 22"D x 84"H
243214	15 metal dividers	---

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_Hardwood Option: M - Light Hardwood or K - Oak



Optional Metal Dividers



PSC-90M  
(Patent Pending)

## ACCESS TALL TOTE STORAGE CABINET

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	48 classic totes(14-1/4"W x 19"D x 3-1/2"H) and doors with secure, three-point locking handle system
	<b>TOE-KICK</b>	Rubber base molding with metal corners

**MULTIPURPOSE**



ITEM #	PRODUCT	SIZE
350-4822	Tote Tray Storage Cabinet	48"W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_Hardwood Option: M - Light Hardwood or K - Oak



350-4822

# STORAGE TOTE

## ACCESS TOTE TRAY & SHELF STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	24 classic totes (14-1/4"W x 19"D x 3-1/2"H), one fixed shelf, two adjustable shelves and doors with secure, three-point locking handle system
	TOE-KICK	Rubber base molding with metal corners

**ART** MULTIPURPOSE



ITEM #	PRODUCT	SIZE
351-4822_	Tote Tray & Shelf Cabinet	48"W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_ Hardwood Option: M - Light Hardwood or K - Oak



351-4822K

## PERSPECTIVE ART SUPPLY CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Built to hold T-squares, 18" x 24" drawing boards and other supplies for 24 students; 24 classic totes (14-1/4"W x 19"D x 3-1/2"H), and doors with secure, three-point locking handle system
	TOE-KICK	Rubber base molding in front
	OPTIONS INCLUDED	Tools

**DRAFTING** ART



ITEM #	STYLE	SIZE
DTC-5	Cabinet With Totes	48"W x 22"D x 84"H
DTC-5WT	Cabinet With Totes & Tools	48"W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_ Hardwood Option: M - Light Hardwood or K - Oak



DTC-5M

## PERSPECTIVE DRAWING SUPPLY CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Built to hold T-squares, 18" x 24" drawing boards and other supplies for either 24 students (48"W cabinet) or 36 students (60"W cabinet); Fixed shelving, eight classic totes (14-1/4"W x 19"D x 3-1/2"H) and doors with secure, three-point locking handle system
	TOE-KICK	Rubber base molding in front
	OPTIONS INCLUDED	Tools

**DRAFTING** ART



ITEM #	STYLE	WIDTH	SIZE
DTC-24	Cabinet With Totes	48"W	48"W x 22"D x 84"H
DTC-24WT	Cabinet With Totes & Tools	48"W	48"W x 22"D x 84"H
DTC-36	Cabinet With Totes	60"W	60"W x 22"D x 84"H
DTC-36WT	Cabinet With Totes & Tools	60"W	60"W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_ Hardwood Option: M - Light Hardwood or K - Oak



DTC-24WT

# STORAGE ART

## ACCESS WALL STORAGE BENCH

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Seven dovetailed pull out drawers (43"W x 25"D x 2-1/8"H), eight exterior drawers (18-1/2"W x 18-3/4"D x 1-3/8"H) and locking doors
	MAPLE BUTCHER BLOCK TOP	Face-glued hardwood strips with clear coat finish
	LAMINATE TOP	Almond color with matching edge band
	OVERALL DIMENSIONS	72W x 30"D x 36-1/4"H

ART DRAFTING



ITEM # - LIGHT HARDWOOD	ITEM # - OAK	PRODUCT	SIZE
SB-4LM	N/A	1-3/4" Maple BB	72W x 30"D x 36-3/4"H
SB-4PM	SB-4PK	1-1/4" Almond HPL	72W x 30"D x 36-1/4"H

For cabinet runs or elevations, pieces should be coordinated through our Design Services for proper layout and quoting.

## ACCESS FLAT STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Five drawers (37"W x 24-3/4"D x 1-3/8"H) with full extension glides; Up to three units can be stacked for added storage - can be interlocked or used independently
	CONFIGURATION	Start with 4" sub bottom, then stack flat files and add finished top

ART MULTIPURPOSE



SB-4PM

ITEM #	PRODUCT	SIZE
FFSB-3624	Sub Bottom	40-3/4"W x 27"D x 4"H
FFS-3624_	5-Drawer Flat File Section	40-1/2"W x 27"D x 17"H
FFST-3624_	Flat Finished Top	41"W x 28"D x 3/4"H

\_Hardwood Option: M - Light Hardwood or K - Oak

Unit above includes:  
FFST-3624K (Top),  
FFS-3624K (Drawers),  
FFSB-3624 (Base)

## ACCESS LARGE FORMAT PAPER CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Seven pull-out drawers measuring 43"W x 25"D x 2-1/8"H (inside size)
	TOP	1-1/4" almond HPL with matching edge band
	OVERALL DIMENSIONS	50"W x 30"D x 36-1/4"H

ART MULTIPURPOSE



DPSC-50M

ITEM #	PRODUCT	OVERALL SIZE
DPSC-50_	7-Drawer Flat Storage	50"W x 30"D x 36-1/4"H

\_Hardwood Option: M - Light Hardwood or K - Oak

## FLAT STORAGE

COMPONENTS	BASE	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	10 locking drawers (20-1/2"W x 26-3/4"D x 1-5/8"H)
	LAMINATE TOP	3/4" particle board with almond HPL top
	OPTIONS	4" locking casters (set of 4)

ART MULTIPURPOSE



T-1000 (Shown with Optional Casters)

ITEM #	PRODUCT	SIZE
T-1000	Taboret	24"W x 32"D x 40"H
LCS	Locking Casters	4"H (Add 4" to H)

\_Hardwood Option: M - Light Hardwood or K - Oak

# STORAGE ART

## TALL DOOR STORAGE

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Seven large drawers (4"H x 44"W x 26"D) for flat storage (maximum weight limit of 100 lbs. Each), three shelves (two adjustable) and doors with three-point locking handle system

ART



ITEM #	PRODUCT	SIZE
354-4830_	Rock/Paper Storage Cabinet	48"W x 30"D x 84"

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_Hardwood Option: M - Light Hardwood or K - Oak



354-4830M

## PERSPECTIVE PORTFOLIO/CANVAS STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Three-tier compartment with removable dividers holds max of 42 portfolios, papers or canvases (24" x 30")
	TOE-KICK	Rubber base molding with metal corners

ART



ITEM #	PRODUCT	SIZE
333-3630_	Portfolio/Canvas Cabinet	36"W x 30"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_Hardwood Option: M - Light Hardwood or K - Oak



333-3630M

## PERSPECTIVE DRAWING STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish; Designed to be placed against wall as back is unfinished
	STORAGE	25 slots (20" x 26") with 2-½ lbs. Weight capacity per slot; Doors have secure, three-point locking handle system

ART



ITEM #	PRODUCT	SIZE
DBC-1_	25 Slot Storage Cabinet	32"W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_Hardwood Option: M - Light Hardwood or K - Oak



DBC-1M

# STORAGE ART

## PERSPECTIVE CANVAS DOOR DISPLAY CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	DISPLAY/STORAGE	Framed doors have secure, three-point locking handle system and are covered with black canvas mesh designed to display artwork; Fixed bottom and middle shelf with four adjustable shelves [1" thick and can hold up to 40 lbs. Per sq ft]
	TOE-KICK	Rubber base molding with metal corners

ART MULTIPURPOSE



ITEM #	PRODUCT	SIZE
359-4822_	Canvas Door Display Cabinet	48W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_Hardwood Option: M - Light Hardwood or K - Oak



359-4822M

## ACCESS DISPLAY CASE

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Sliding, locking glass doors and sides; Fixed bottom shelf and three adjustable tempered glass shelves (weight capacity per shelf: 30 lbs.)
	TOE-KICK	Rubber base molding with metal corners
	FEATURES	Light included but not installed (local codes may require it to be hardwired)

ART MULTIPURPOSE



ITEM #	PRODUCT	SIZE
380-4822_	Display Cabinet	48"W x 22"D x 84"H

\_Hardwood Option: M - Light Hardwood or K - Oak



380-4822M

# STORAGE ART

## CERAMIC WORKSTATION

COMPONENTS	<b>BASE</b>	Constructed of light hardwood and veneers with UV finish;
	<b>STORAGE</b>	One locking base cabinet with adjustable shelf; Three dovetailed, locking drawers
	<b>LAMINATE TOP</b>	1 1/4" particle board with almond HPL top and phenolic backer
	<b>FEATURES</b>	Includes Mobile Clay Cart (C-38)
	<b>FEET</b>	Rubber base molding with metal corners

ART MAKERSPACE



CWC-72P

ITEM #	PRODUCT	OVERALL SIZE
CWC-72P	Ceramic Work Center	72"W x 30"D x 33 3/4"H



Use with the Mobile Clay Cart!

## PERSPECTIVE MOBILE CLAY CART

COMPONENTS	<b>TOP/BASE</b>	Constructed of light hardwood and veneers with UV finish; Top fitted with piano hinge and recessed pull
	<b>FEATURES</b>	Removable liner inside
	<b>FEET</b>	Casters

ART MAKERSPACE



ITEM #	SIZE
C-38	18-1/4"W x 14-1/8"D x 28-1/2"H



C-38

## PERSPECTIVE SCULPTURE WARE CART

COMPONENTS	<b>BASE</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish and thick clear, adjustable vinyl, zippered cover
	<b>STORAGE</b>	Two sided - each side features three epoxy-coated, adjustable grid-style shelves (14" shelf depth) with epoxy-coated drip pan on bottom shelf
	<b>FEET</b>	4" heavy-duty, swivel casters

ART



ITEM #	PRODUCT	SIZE
5100_	Sculpture Cart	48-1/2"W x 30-1/2"D x 60-1/2"H

\_Hardwood Option: M - Light Hardwood or K - Oak



5100M

# STORAGE ART

## PERSPECTIVE DAMP CABINET

COMPONENTS	<b>BASE</b>	Cabinet air-sealed by foam rubber gasket doors; Exterior walls and doors double-walled with internal layer of anodized sheet aluminum
	<b>STORAGE</b>	Heavy-duty bolt-on shelves with aluminum surface
	<b>SIZE</b>	36"W x 19"D x 84"H



ITEM #	PRODUCT	COLOR	WEIGHT
9100BL	Damp Cabinet	Black	275 lbs.

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



9100BL

## PERSPECTIVE DRYING CABINET

COMPONENTS	<b>CASEBODY</b>	Constructed of 13-gauge angled steel pieces welded to 3/4", 16-gauge expanded steel mesh that provides full air circulation; Top and bottom panels are 16-gauge steel
	<b>STORAGE</b>	Four shelves constructed of 1/8" perforated hardboard that's supported by fixed welded brackets
	<b>SIZE</b>	36"W x 19"D x 84"H



ITEM #	PRODUCT	COLOR	WEIGHT
9200BL	Drying Cabinet	Black	200 lbs.

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



9200BL

## PERSPECTIVE ART CLEAN UP SINK

COMPONENTS	<b>BASE</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish; ADA unit features angled center panel for accessibility, measuring 34-1/2"W x 27-3/4"H
	<b>STORAGE</b>	Two locking base cabinets
	<b>SINKS</b>	Expansive stainless-steel sink featuring three gooseneck mixing faucets; ADA model comes with one ADA gooseneck mixing faucet and two gooseneck mixing faucets
	<b>TOE-KICK</b>	Rubber base molding with metal corners



ITEM #	STYLE	SIZE
3010_	Flat Center Panel	74-1/2"W x 29-3/4"D x 36-1/4"H
3010_-ADA	Angled Center Panel	74-1/2"W x 29-3/4"D x 33"H

\_Hardwood Option: M - Light Hardwood or K - Oak



3010M-ADA



3010M

# STORAGE CUBBIES & LOCKERS



CC-2415-51K



CC-3615-51K



CC-4815-72K

## ACCESS CUBBY CABINET

<b>COMPONENTS</b>	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	51"H models have four Cubbies per section; 72"H models have six Cubbies per section; Cubbies measure: 10-1/2"W x 14"D x 10-1/2"H
	<b>TOE-KICK</b>	Rubber base molding with metal corners

**MULTIPURPOSE MAKERSPACE**



ITEM #	SECTIONS	SIZE
CC-1215-51_	1	12"W x 15"D x 51"H
CC-1215-72_	1	12"W x 15"D x 72"H
CC-2415-51_	2	24"W x 15"D x 51"H
CC-2415-72_	2	24"W x 15"D x 72"H
CC-3615-51_	3	36"W x 15"D x 51"H
CC-3615-72_	3	36"W x 15"D x 72"H
CC-4815-51_	4	48"W x 15"D x 51"H
CC-4815-72_	4	48"W x 15"D x 72"H

\_Hardwood Option: M - Light Hardwood or K - Oak  
Cabinets should be secured to the wall for safety. Mounting hardware is not included.



CC-1215-72K

# STORAGE CUBBIES & LOCKERS



CC782415QM



CC783615LM



CC784715TM

## ACCESS CUBBY WITH METAL SHELVES

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish; Back designed to be anchored to wall for stability
	<b>STORAGE</b>	11"W sections divided with fixed or adjustable 16-gauge metal shelving featuring diamond pattern; Metal shelving powder coated in eight standard colors with matte finish
	<b>TOE-KICK</b>	Rubber base molding with metal corners
	<b>DIMENSIONS</b>	Widths are fractionally different than below: 12-1/2", 24-1/4" or 47-3/4"

## MULTIPURPOSE MAKERSPACE




STYLE	HEIGHT	WIDTH	DEPTH	STEEL COLOR	WOOD
CC	54	12	15	Aqua (Q)	Oak (K)
	78	24		Black (B)	Light Hardwood (M)
		36		Carrot (T)	
		48		Dark Gray (D)	
				Light Gray (G)	
				Lime (L)	
				Silver (S)	
				White (W)	

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_ Hardwood Option: M - Light Hardwood or K - Oak

Shelf Color



CC781215SM



# STORAGE CUBBIES & LOCKERS



BP-2415-51M



BP-3615-51M



BP-4815-51M

## ACCESS BACKPACK LOCKERS

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Each section contains two smaller Cubbies and larger backpack locker with double hook mounted to cabinet back
	<b>TOE-KICK</b>	Rubber base molding with metal corners

**LOCKER** **MULTIPURPOSE**



ITEM #	SECTIONS	SIZE
BP-1215-51_	1	12"W x 15"D x 51"H
BP-1215-72_	1	12"W x 15"D x 72"H
BP-2415-51_	2	24"W x 15"D x 51"H
BP-2415-72_	2	24"W x 15"D x 72"H
BP-3615-51_	3	36"W x 15"D x 51"H
BP-3615-72_	3	36"W x 15"D x 72"H
BP-4815-51_	4	48"W x 15"D x 51"H
BP-4815-72_	4	48"W x 15"D x 72"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.  
 \_ Hardwood Option: M - Light Hardwood or K - Oak



BP-1215-72K


# STORAGE CUBBIES & LOCKERS



BP782415SK



BP783615QK



BP784815TK

## ACCESS BACKPACK LOCKER WITH METAL SHELVES

COMPONENTS	<b>CASEBODY</b>	Constructed of oak or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Each section contains one smaller cubby and large coat locker, divided with fixed 16-gauge metal shelf featuring diamond pattern and metal hook underneath; Metal shelving powder coated in eight standard colors with matte finish
	<b>TOE-KICK</b>	Rubber base molding with metal corners
	<b>DIMENSIONS</b>	Widths are fractionally different than below: 12-1/2", 24-1/4" or 47-3/4"

### LOCKER MULTIPURPOSE




STYLE	HEIGHT	WIDTH	DEPTH	STEEL COLOR	WOOD
BP	54	12	15	Black (B)	Light Hardwood (M)
	78	24		Dark Gray (D)	Oak (K)
		36		Light Gray (G)	
		48		Silver (S)	
		Carrot (T)			
		Lime (L)			
		Aqua (Q)			
		White (W)			

Cabinets should be secured to the wall for safety. Mounting hardware is not included.

Shelf Color

Q B T D G L S W



BP781245LK

# STORAGE LOCKERS & MEDIA CENTER

## MOBILE ACCESS LOCKER

COMPONENTS	<b>CASEBODY</b>	Constructed of oak or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Each section divided with ¾" veneered plywood, and includes one smaller Cubby and larger locker area with ceiling style coat hook
	<b>MODEL OPTIONS</b>	With or without doors
	<b>FEET</b>	4" locking, swivel casters

**LOCKER** **MULTIPURPOSE**



TL-4221K

ITEM #	STYLE	SIZE
TL-4221_	Open	42"W x 53-½"H x 21"D
TL-4221WD_	Door	42"W x 53-½"H x 21"D

\_ Hardwood Option: M - Light Hardwood or K - Oak



TL-4221WDK

## ACCESS HEAVY-DUTY BOOK TRUCK

COMPONENTS	<b>BASE</b>	Constructed of 1" light hardwood panels with ¼" reinforcement rods and four rubber edge bumpers on lower portion; Three fixed shelves with 1" applied bottom to reinforce side
	<b>FEET</b>	Unit features two 5" rigid casters on one side and two 5" non-locking swivel casters on opposite side

**MULTIPURPOSE**



BT-LOC

ITEM #	WOOD	SIZE
BT-LOC	Light Hardwood	39"W x 16- <sup>22</sup> / <sub>25</sub> "D x 43-½"H

# STORAGE MEDIA CENTER

## ACCESS BOOKCASES

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Adjustable shelves (weight capacity: 40 lbs. Per shelf)
	<b>TOE-KICK</b>	OS series is flush; 301 series is recessed (It is not recommended to pair the OS series with 301 series in an elevation due to different style toe kicks)

**MULTIPURPOSE**



WOOD	WIDTH	DEPTH	35"H	47"H	84"H
Light Hardwood	36	12	OS-1702M	OS-1502M	OS-1409M
Light Hardwood	36	15	OS-1705M	OS-1505M	OS-1419M
Light Hardwood	36	22	OS-1403M	OS-1503M	OS-1426M
Light Hardwood	48	12	OS-1703M	-	OS-1413M
Light Hardwood	48	15	OS-1706M	-	OS-1420M
Light Hardwood	48	22	OS-1404M	-	OS-1427M
Oak	24	22	-	-	301-2422K*
Oak	36	12	OS-1702K	OS-1502K	OS-1409K
Oak	36	15	OS-1705K	OS-1505K	OS-1419K
Oak	36	22	OS-1403K	OS-1503K	301-3622K*
Oak	48	12	OS-1703K	-	OS-1413K
Oak	48	15	OS-1706K	-	OS-1420K
Oak	48	22	OS-1404K	-	301-4822K*

\*OS series and 301 series are NOT compatible due to difference in Toe-Kick. OS series is flush; 301 series is recessed. Cabinets should be secured to the wall for safety. Mounting hardware is not included.



301-3622M

OS-1503M

## ACCESS LIPPED SHELF BOOKCASES

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Fixed shelves with anti-roll lipped edges

**MULTIPURPOSE**



ITEM #	# FIXED SHELVES	SIZE
445-3616_	3	36"W x 16"D x 36"H
446-3616_	4	36"W x 16"D x 48"H
447-3616_	6	36"W x 16"D x 72"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



445\_3616K



447\_3616K

# STORAGE MULTIPURPOSE

## KINETIC LECTERN

COMPONENTS	<b>BASE</b>	Constructed of oak or light hardwood and veneers with a UV finish
	<b>TOP</b>	15° angled work surface (25"W x 22"D); includes pencil ledge
	<b>FEET</b>	2" casters
	<b>OVERALL DIMENSIONS</b>	49-1/2"H (student side); 43-1/2"H (instructor side)
<b>MODEL OPTIONS</b>		IP model – three fixed shelves IPTD model – two fixed shelves with 12 privacy panels that store easily in bottom compartment

**INSTRUCTOR**



ITEM #	PRODUCT
IP- <u>  </u>	Instructor's Lectern
IPTD- <u>  </u>	Instructor's Lectern w/Panels (Qty: 12)

   Hardwood Option: M - Light Hardwood or K - Oak



LW-8M



LW-8M

## KNOWLEDGE-PLUS WALL

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Large presentation surface with two 4' sliding, magnetic porcelain marker boards enclosing large open storage area with three adjustable shelves each side; Lower, locking storage cabinets contain one adjustable shelf each
	<b>TOE-KICK</b>	Rubber base molding with metal corners
	<b>FEATURES</b>	Map rail directly above marker board

**INSTRUCTOR MULTIPURPOSE**



ITEM #	PRODUCT	SIZE
LW-8- <u>  </u>	Knowledge-Plus Wall	96"W x 24"D x 84-1/2"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.

   Hardwood Option: M - Light Hardwood or K - Oak

# STORAGE MULTIPURPOSE

## ACCESS PEDESTALS

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Door, door/drawer, 2-drawer or 3-drawer options
	<b>TOP MATERIAL</b>	Veneer
	<b>FEET</b>	3" locking, swivel casters

**INSTRUCTOR MULTIPURPOSE**



ITEM #	LAYOUT	SIZE	TABLE HEIGHT
M95-2422-H24_	Door/Right	22"D x 24"W x 24"H	30"H
M96-2422-H24_	Door/Left	22"D x 24"W x 24"H	30"H
M95-2422-H30_	Door/Right	22"D x 24"W x 30"H	36"H
M96-2422-H30_	Door/Left	22"D x 24"W x 30"H	36"H
M18-2422-H30_	Door/Drawer, Right	22"D x 24"W x 30"H	36"H
M19-2422-H30_	Door/Drawer, Left	22"D x 24"W x 30"H	36"H
M40-2422-H30_	2 Drawer	22"D x 24"W x 30"H	36"H
M33-2422-H30_	3 Drawer	22"D x 24"W x 30"H	36"H

\_Hardwood Option: M - Light Hardwood or K - Oak



M33\_2422\_H30M

## ACCESS CABINET

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Two fixed and two adjustable shelves concealed behind two doors with three-point locking handle system
	<b>FEET</b>	4" locking, swivel casters

**INSTRUCTOR MULTIPURPOSE**



ITEM #	PRODUCT	SIZE
MSSC-200_	XL Mobile Storage	48-1/2"W x 22-1/2"D x 66"H

\_Hardwood Option: M - Light Hardwood or K - Oak



MSSC-200M

## ACCESS TOUCHDOWN WORKTOP CABINETS

COMPONENTS	<b>CASEBODY</b>	Constructed of oak hardwood or light hardwood and veneers with UV finish
	<b>STORAGE</b>	Enclosed compartment with adjustable shelf
	<b>MAPLE BUTCHER BLOCK TOP</b>	Face-glued hardwood strips with clear coat finish
	<b>LAMINATE TOP</b>	HPL or ChemGuard top with matching edge band
	<b>MODEL OPTIONS</b>	Open style or locking, two-door cabinet unit
	<b>FEET</b>	4" locking, swivel casters
	<b>MOBILE CAPACITY</b>	500 lbs.

**GTE SCIENCE MAKERSPACE**



ITEM #	TOP	STYLE	SIZE
MDC-2436C_	1-1/4" ChemGuard	Open	36"W x 24"D x 33-1/2"H
MDC-2436M_	1-3/4" Maple BB	Open	36"W x 24"D x 34"H
EMDC-2436C_	1-1/4" ChemGuard	Doors	36"W x 24"D x 33-1/2"H
EMDC-2436M_	1-3/4" Maple BB	Doors	36"W x 24"D x 34"H

\_Hardwood Option: M - Light Hardwood or K - Oak



MDC-2436M

# STORAGE MULTIPURPOSE

## FORUM TOUCHDOWN WORKTOP CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Enclosed compartment with adjustable shelf; Right side fitted with 1/4" pegboard and hooks
	MAPLE BUTCHER BLOCK TOP	Face-glued hardwood strips with clear coat finish
	FEET	4" locking, swivel casters
	MOBILE CAPACITY	500 lbs.

CTE MAKERSPACE



ITEM #	TOP	SIZE
WMSC-3135_	1-3/4" Maple BB	36"W x 24"D x 36-1/2"H

\_Hardwood Option: M - Light Hardwood or K - Oak



WMSC-3135

## FORUM TOUCHDOWN WORKTOP CABINET WITH DRAWERS

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Three locking drawers and one locking, right-hinged door with adjustable shelf; Right side is fitted with 1/4" pegboard and hooks
	TOP	Maple butcher block or black ChemGuard with matching edge band
	FEET	4" locking, swivel casters
	MOBILE CAPACITY	500 lbs.

SCIENCE CTE MAKERSPACE



ITEM #	TOP	SIZE
WMSC-3735_	1-3/4" Maple BB	36"W x 24"D x 36-1/2"H
WMSC-3735BL_	1-1/4" ChemGuard	36"W x 24"D x 36"H

\_Hardwood Option: M - Light Hardwood or K - Oak



WMSC-3735BL

## ACCESS TOUCHDOWN CABINET

COMPONENTS	CASEBODY	Cabinet walls and locking doors; Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Enclosed compartment with adjustable shelf
	TOP	Laminate or ChemGuard with matching edge band
	FEET	4" locking, swivel casters
	MOBILE CAPACITY	500 lbs.

SCIENCE CTE MAKERSPACE



ITEM #	TOP	SIZE
4401_	1-1/4" Laminate	36"W x 24"D x 36"H
4402_	1-1/4" ChemGuard	36"W x 24"D x 36"H

\_Hardwood Option: M - Light Hardwood or K - Oak



4401K

# STORAGE MULTIPURPOSE

## ACCESS SLIDING DOOR CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Enclosed compartment with fixed shelf (weight capacity of 40 lbs. Per sq. ft.)
	TOP	HPL or ChemGuard with matching edge band
	FEET	4" locking, swivel casters
	MOBILE CAPACITY	500 lbs.

SCIENCE CTE MAKERSPACE



ITEM #	TOP	SIZE
4101_	1-1/4" Laminate	48"W x 24"D x 36"H
4102_	1-1/4" ChemGuard	48"W x 24"D x 36"H

\_Hardwood Option: M - Light Hardwood or K - Oak



4101K

## ACCESS WARDROBE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Doors have secure, three-point locking handle system; One fixed and two adjustable shelves on left side, coat rod on right side and full-width stationary shelf on top
	TOE-KICK	Rubber base molding in front with metal corners

INSTRUCTOR LOCKER



ITEM #	PRODUCT	SIZE
WSC-26_	Wardrobe Cabinet	30"W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.

\_Hardwood Option: M - Light Hardwood or K - Oak



WSC-26M

## ACCESS DELUXE WARDROBE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	One side features coat rod with shelf above and mirror (13"H x 9-1/2"W); Other side includes one fixed shelf and three adjustable shelves over two unexposed file drawers with full extension glides; Doors have secure, three-point locking handle system
	TOE-KICK	Rubber base molding with metal corners

INSTRUCTOR LOCKER



ITEM #	PRODUCT	SIZE
360-3622_	Deluxe Wardrobe Cabinet	36"W x 22"D x 84"H

\_Hardwood Option: M - Light Hardwood or K - Oak



360-3622K

# STORAGE MULTIPURPOSE

## ACCESS TALL GENERAL STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish; Two-door units (36" and wider) have 1" shelves; One-door units (24" wide) have ¾" shelves and hinged right; Doors have secure, three-point locking handle system
	STORAGE	Fixed bottom and middle shelf with four adjustable shelves (hold 40 lbs. Per sq. ft.)
	TOE-KICK	Rubber base molding with metal corners
	OVERALL DIMENSIONS	24"W, 30"W, 36"W, 48"W or 60"W x 22"D x 84"H

MULTIPURPOSE



ITEM # LIGHT HARDWOOD	ITEM # - OAK	# DOORS	SIZE
GSC-24	313-2422K	1, Right-Hinged Door	24"W x 22"D x 84"H
GSC-23	--	2	30"W x 22"D x 84"H
GSC-36	353-3622K	2	36"W x 22"D x 84"H
GSC-22	353-4822K	2	48"W x 22"D x 84"H
GSC-21	--	2	60"W x 22"D x 84"H

Cabinets should be secured to the wall for safety. Mounting hardware is not included.



GSC-36M

## ACCESS TALL CABINET WITH SPLIT DOORS

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	TWO DOOR STORAGE	The 24"W has 2 locking doors that enclose fixed bottom and middle shelf with four adjustable shelves. Has ¾" shelves; Top and bottom right-hinged door each have a lock
	FOUR DOOR STORAGE	Four locking doors that enclose fixed bottom and middle shelf with four adjustable shelves (hold 40 lbs. Per square foot); 36"W and 48"W units have 1" shelves; 24"W cabinets have ¾" shelves; Top and bottom right-hinged doors each have a lock which locks both right- and left-hinged doors
	TOE-KICK	Rubber base molding with metal corners

MULTIPURPOSE



ITEM #	# DOORS	SIZE
317-2422_	2, Right-Hinged Doors	24"W x 22"D x 84"H
318-2422_	2, Left-Hinged Doors	24"W x 22"D x 84"H
356-3622_	4	36"W x 22"D x 84"H
356-4822_	4	48"W x 22"D x 84"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



356-3622M

## ACCESS TALL STORAGE CABINET

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Upper section has four adjustable 1" shelves and one fixed bottom shelf; Lower section has four dovetailed, locking drawers (21-13/16"W x 19-3/4"D x 7"H); Doors have secure, three-point locking handle system
	TOE-KICK	Rubber base molding with metal corners

MULTIPURPOSE ART



ITEM #	SIZE
GSC-8_	48W x 22"D x 84"H

\_ Hardwood Option: M - Light Hardwood or K - Oak



GSC-8M

# STORAGE MULTIPURPOSE

## ACCESS TALL CABINET WITH SPLIT GLASS DOORS

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Framed tempered 3/16" locking, glass doors; Fixed bottom and middle shelf with four adjustable shelves (all 1" thick and hold 40 lbs. per square foot); Top and bottom right-hinged doors each have a lock which locks both right- and left-hinged doors
	TOE-KICK	Rubber base molding with metal corners

MULTIPURPOSE SCIENCE



ITEM #	# DOORS	OVERALL SIZE
319-2422_	2, Right-Hinged Doors	
320-2422_	2, Left-Hinged Doors	24"W x 22"D x 84"H
357-3622_	4	36"W x 22"D x 84"H
357-4822_	4	48"W x 22"D x 84"H

\_Hardwood Option: M - Light Hardwood or K - Oak



357-3622M

320-2422M

## ACCESS TALL CABINET WITH GLASS DOORS

COMPONENTS	CASEBODY	Constructed of oak hardwood or light hardwood and veneers with UV finish
	STORAGE	Framed tempered 3/16" glass doors (24"W cabinet has one locking, right-hinged door) have secure, three-point locking handle system; Fixed bottom and middle shelf with four adjustable shelves (holds 40 lbs. per square foot)
	TOE-KICK	Rubber base molding with metal corners

MULTIPURPOSE SCIENCE



ITEM #	# DOORS	OVERALL SIZE
315-2422_	1, Right-Hinged Door	24"W x 22"D x 84"H
316-2422_	1, Left-Hinged Door	
358-3622_	2	36"W x 22"D x 84"H
358-4822_	2	48"W x 22"D x 84"H

\_Hardwood Option: M - Light Hardwood or K - Oak



358-3622M

# ACCESSORIES

## LAB HAND

Designed to provide a safe, convenient surface for laptop, tablets or books in a laboratory setting. The Lab Hand is mounted on a solid plastic rod which fits securely into standard rod sockets. The platform is made of powder coated steel to create a surface that will withstand the typical chemicals found in today's laboratories. The Lab Hand holds laptops and books off the worksurface protecting them from spills and increasing the amount of work space available. Unit has 12" square platform with 5 1/2" rod for mounting.



100994

ITEM #	PRODUCT
100994	Lab Hand Units
100994X6	Set of 6 Lab Hand Units

## GREENLAW ARM

Used for conducting experiments, the Greenlaw Arm includes 3/4" x 3/4" clamp, a 3/4" x 36" upright and 3/4" x 18" crossbar. The upright fits into a rod socket with a 3/4" receiver that is found in many laboratory units. Pieces are made of solid machined aluminum.



100245GRARM

ITEM #	PRODUCT
100245GRARM	Greenlaw Arm

## MIRROR & MIRROR/MARKERBOARD

Mirror and Mirror/Markerboard are enclosed in a solid oak frame. Mirror is a shatter resistant acrylic. Units easily mount on 1/2" diameter crossbars (not included). Can be tilted to any angle and is held securely with nylon screws in the mounting brackets.




4001K

ITEM #	PRODUCT	SIZE
4000K	Mirror	27 1/2"W x 20 1/2"H
4001K	Mirror/Marker Board	27 1/2"W x 20 1/2"H

## UPRIGHTS, ARMS & CROSSBARS

The upright set includes two clamps (3/4" x 1/2"), two uprights (3/4" x 36") and one crossbar (1/2" x 40") that fits in rod socket with 3/4" receiver.

ITEM #	PRODUCT	SIZE
100604	Upright Set w/Full Crossbar	
100002	Clamp	3/4" x 3/4"
100003	Clamp	3/4" x 1/2"
100004	Upright	3/4" x 36"
100005	Crossbar	3/4" x 18"
100006	Crossbar	3/4" x 48"
100007	Crossbar	1/2" x 40"
100008	Crossbar	1/2" x 32"
206505	Rod Sockets	Receives 3/4" Uprights



100604



206505



100002

## GAS COCKS

Fittings have a ground key valve for long life; Units are complete with nipple, lock nut and washer for installation and are deck-mounted.

ITEM #	PRODUCT
100047	Single Gas Cock
100048	Double Gas Cock at 90 °
100049	Double Gas Cock at 180 °
100466	Four Gas Cock



100048

## GOOSENECK FAUCET

Chrome-plated brass, deck-mounted faucets with multi-service fixture that includes cold water and two gas cocks; Mounting hardware provided.

ITEM #	PRODUCT
100074-BKR	Multi-Service Fixture (18"H)
100051	Cold Water Faucet (12 3/4"H)
100061	Hot Water Faucet (12 3/4"H)
100467	Mixing Faucet (12 1/4"H)



100074-BKR

## HAND PUMP

Piston action mechanism for high water flow action and long term prime lock. It's unaffected by water deposits which reduce the ability of other types of hand pumps to hold prime. Chrome base and spout. NSF Approved.

ITEM #	PRODUCT
100013	Chrome Hand Pump



100013

## WATER JUGS

Plastic jugs utilized in our mobile units.

ITEM #	PRODUCT
100118	2 1/2 Gallon Jug (Kinetic Demo Stations)
256312	5 Gallon Jug (WSP Models)
251695	5 Gallon Potable Water Jug (HWS Models)
251696	6 Gallon Waste Water Jug (HWS Models)



100118

## TOE KICK ACCESSORIES

Pair the rubber base molding with the stainless steel corners to complete your cabinet install. Rubber base molding must be glued to the toe kick and corners are fastened in place with supplied screws. Molding sold by the foot and corners sold in sets of two with screws.

ITEM #	PRODUCT
100283	Rubber Base Molding (Sold per foot)
206513	Two Metal Corners w/screws



## TABLE LEG REPLACEMENTS, BOOTS AND BRACKETS

ITEM #	DESCRIPTION
L3030	30"H Oak Legs, (in qty of 4 or 1)
L3034	34"H Oak Legs, (in qty of 4 or 1)
L3036	36"H Oak Legs, (in qty of 4 or 1)
L3030MP	30"H Light Hardwood Legs, (in qty of 4 or 1)
L3034MP	34"H Light Hardwood Legs, (in qty of 4 or 1)
L3036MP	36"H Light Hardwood Legs, (in qty of 4 or 1)
100076X4	Leg Boots (Qty: 4)
100728X4	Floor Mounting Brackets (Qty: 4)



L3030MP



100076X4



100728X4

## POWER OUTLET WITH CLAMP & USB HUB

The new Clamp Mount Outlet & USB Charger will add instant convenient AC power and USB charging accessibility to your worksurface. Keep your laptops, tablets, tools or other mobile computing devices charged and ready to go at your table, workbench or anywhere else power access is needed. Fits on worksurfaces from 3/4" to 2" thick.



ITEM #	PRODUCT	SIZE
251975	Clamp Outlet/USB Hub	5 1/4"H x 7 1/4"W x 3"D

## HEAVY-DUTY VISE

Solid steel dog in the front jaw, when used in conjunction with a bench stop, allows oversize work to be held securely on the bench top. Construction: Machined, toed-in jaws provide a solid grip; Steel, no-pinch handles provide adequate clamping pressure

Jaws: Front and back jaws are drilled and countersunk to allow installation of optional wood facing

Fitment: Easily fits butcher block tops or ShopTop® 2 1/4" thick

Installation: Template included



ITEM #	PRODUCT
234708	Heavy Duty Vise

## BENCH VISE

Sturdy 4 1/2" swivel base vise is ideal for the Robotics Bench.

Construction: Made of cast iron with steel vise jaws, threaded spindle assembly and a chrome lock down

Adjustable: Can be rotated up to 240° on its base

Jaws: Built-in pipe jaws allow holding small pipes and tubes ranging in diameter from 0.6"D to 1.85"D

Color: Powder-coated royal blue

Installation: Template included



ITEM #	PRODUCT
251909	Bench Vise

## MAGNETIC TOOL HOLDER

Magnetic Tool Holder can be used to organize hammers, wrenches, screwdrivers and more. This is perfect for use with your tools on the Vex Robotics Bench. Has durable black powder coating. Magnet is 13"W x 1"D x 1"H and made of powder-coated steel.



ITEM #	PRODUCT
251913	Magnetic Tool Holder

## SAFETY GLASSES & GOGGLES

Glasses: Durable planos feature fold-out contouring side shields for maximum eye protection. Arms are extended for maximum fit and comfort dual clear polycarbonate lenses.

Goggles: Indirect vents protect against liquids, dust and smoke while permitting indirect ventilation. UV absorbing polycarbonate lenses are Anti-Fog. The high quality green tinted flexible PVC body ensures a proper fit and fits over most prescription glasses. Adjustable 18" (45.72 cm) green elastic headband. Our safety goggles have durable planos featuring adjustable temples, universal-fit nose bridges and flat-fold side shields.

ITEM #	PRODUCT
SG-72000	Safety Glasses
FG-88210	Flexible Goggles



SG-72000



FG-88210

## CLASSIC TOTE

Made of sturdy high-impact polystyrene with a tan high gloss finish. All trays include a convenient aluminum card holder for labeling. Inside length of 17-1/4". More sizes available, call customer service.

ITEM #	PRODUCT	SIZE
100135	Classic Tote	14-1/4"W x 19"D x 3-1/2"H



## PROTOCOL HYGIENE STATION & GLOVE DISPENSERS

COMPONENTS		
	<b>ALL-IN-ONE BASE</b>	Type 300, 16-gauge stainless steel with #4 polish satin finish and mounts to wall horizontally; Includes wall mount refillable gel hand sanitizer dispenser and compartments to hold latex gloves, masks or tissues (24"W x 4 1/2"D x 12"H)
	<b>DISPENSER BASE</b>	Type 300, 18-gauge stainless steel with #4 polish satin finish, and mounts to wall horizontally or vertically; Two (10 1/8"W x 4 1/2"D x 9 1/8"H), three (15 1/8"W x 4 1/2"D x 9 1/8"H) or four compartments (20 1/8"W x 4 1/2"D x 12"H) that hold most standard sizes
	<b>NOT INCLUDED</b>	Sanitizer gel, gloves, tissues and masks



ITEM #	PRODUCT	SIZE
260011	All-In-One Hygiene Center	24"W x 4 1/2"D x 12"H
260013	Glove Dispenser - 2 Compartment	10 1/8"W x 4 1/2"D x 9 1/8"H
260014	Glove Dispenser - 3 Compartment	15 1/8"W x 4-1/2"D x 9 1/8"H
260015	Glove Dispenser - 4 Compartment	20 1/8"W x 4-1/2"D x 12"H




260011



260014

# COLOR INDEX

**LAMINATE & EDGE BAND COLORS** - Check product info for available options.



**PREMIUM LAMINATE TOP COLORS**



**POWDER-COAT COLORS** - Check product info for available options



**ACUMEN VINYL CHAIRS COLORS**




**TRACTOR STOOL & POLY-CHAIR COLORS**



**SCONNIE CHAIR SHELL COLORS**



**EURO TOTE COLORS**





## CHECK OUT OUR BLOG: *Expertise*



4 Things to Know Before Buying Flammable Cabinet Storage



Why Continuing Education Units Matter When Designing Science Labs



Why Your STEAM Classroom Needs Biophilic Design



Epoxy Resin vs. Phenolic Resin: What Lab Surface Is Best?

Let our experts help build  
your knowledge!



# CEU CREDIT CLASSES

AIA & IDCEC



EACH COURSE QUALIFIES FOR 1.0 LU/HSW HOUR

## DESIGNING FOR HEALTH, SAFETY & WELFARE IN EDUCATIONAL SCIENCE LABORATORIES

### PART 1

#### PREBUILD CONSIDERATIONS

AIA #LABHSWDS1  
IDCEC #CEU-120599

### PART 2

#### WORKSTATION PLANNING

AIA #LABHSWDS2  
IDCEC #CEU-121311

### PART 3

#### SAFETY EQUIPMENT & STORAGE

AIA #LABHSWDS3  
IDCEC #CEU-123409

## DON'T BLOW UP MY LAB

### 3-IN-1 COURSE

#### DESIGNING SAFE, ENGAGING SCIENCE LABS

PARTS 1-3 FROM CEU SERIES ABOVE COMBINED  
INTO ONE COURSE FOR 1 CREDIT.

AIA #LABHSWDS4  
IDCEC #CEU-122390

LEARN MORE ABOUT EACH  
COURSE:




# DESIGN SERVICES




We have the experience and flexibility to do high volume projects while our engineering software and project planning tools allows us to be competitive on even the smallest jobs. We specialize in customized solutions using the most current design software and we can turn requests into products quickly to meet your delivery schedule. We have an in-house design and draft team dedicated for our Design Services.



**PACKAGE A**



**PACKAGE B**



**PACKAGE C**

<b>Package A</b>	Extended Lead Time
Realistic Room View with Props	Presentation style with product and quote
<b>Package B</b>	Standard Lead Time
Realistic Room View	Space plan with product and quote
<b>Package C</b>	Quickest Lead Time
Top View Only	Space planning & budgetary numbers

Learn more about our Design Services here!



# SCIENCE WORK SURFACE GUIDE

Not all surfaces are created equal! Our enemy? Spilled chemicals and heat. Chemistry labs need worksurfaces that can withstand the chemicals and possible heat exposure used in experiments. Review the table information below to determine which worksurface is best for your lab.

## APPLICATIONS

	EPOXY	PHENOLIC	CHEMGUARD
<b>Recommended Application</b>	Fixed environments with gas fixtures	Acceptable alternative for tables	Acceptable alternative for tables
<b>NSTA High School Recommendations</b>	Yes	Yes	No
<b>DWI Middle School Recommendations</b>	Yes	"Yes [where only low temperatures are used and without gas fixtures]"	"Yes [where milder chemicals are used]"

## WORKSURFACES

	EPOXY	PHENOLIC	CHEMGUARD
<b>Chemical Resistance</b>	Excellent	Excellent	Excellent
<b>Abrasive Resistance</b>	Good	Very Good	Very Good
<b>Heat Resistance</b>	Excellent	Very Good	Fair
<b>Cold Resistance</b>	Good	Excellent	Fair
<b>Moisture Resistance</b>	Excellent	Excellent	Good
<b>Impact Resistance</b>	Fair	Good	Very Good
<b>Bacterial Resistance</b>	Excellent	Excellent	Poor
<b>Non-conductivity</b>	Excellent	Excellent	Fair

# WORK SURFACE BREAKDOWN

## LAMINATE WITH THICK EDGE BAND (L)



Core Material	Industrial-grade particle board with high-pressure laminate (HPL) on top, resin backer sheet on bottom
Top Color	Six color options: black, charcoal, almond, white, natural maple and erasable
Edge Band Color	11 color options: black, charcoal, almond, white, natural maple, carrot, lime, aqua, red, peacock and royal
Edge	Thick edge band with radius corners
Thickness	1 ¼"

## CHEMGUARD (2)



Core Material	Industrial-grade particle board with chemical-resistant (CR) high-pressure laminate (HPL) on top, resin backer sheet on bottom
Top Color	Black
Edge Band Color	11 color options: black, charcoal, almond, white, natural maple, carrot, lime, aqua, red, peacock and royal
Edge	Thick edge band with square corners
Thickness	1 ¼"

## PHENOLIC RESIN(4)



Core Material	Solid phenolic compact, standard resistant-grade pigmented resin core with electron-beam cured surface
Finish	Black, matte finish
Edge	No edge, solid top with square corners, ⅛" bevel on exposed edges and corners
Thickness	¾"

## EPOXY RESIN (6)



Core Material	Monolithic compounded mixture of modified epoxy resin
Finish	Black, matte finish
Edge	No edge, solid top with square corners, ⅛" bevel on exposed edges and corners
Thickness	1"

## MAPLE BUTCHER BLOCK (5)



Core Material	Solid hard maple top consisting of face-glued hardwood strips
Finish	Clear varnique finish—two coats on the top, one coat on the bottom
Edge	Solid edge with ⅛" radius on top, bottom and corner edges
Thickness	1 ¾" or 2 ¼"

## WALNUT BUTCHER BLOCK (W)



Core Material	Solid hard walnut top consisting of face-glued hardwood strips
Finish	Clear varnique finish—two coats on the top, one coat on the bottom
Edge	Solid edge with ⅛" radius on top, bottom and corner edges
Thickness	1 ¾"

## SHOPTOP® (7)



Core Material	Composite of medium density fiberboard (MDF) sandwiched between two pieces of ½" particle board
Surface materials	½" industrial-grade particle board (Top & Bottom)
Finish	Particle board, sealed and finished with a clear chemical-resistant, earth-friendly UV finish—two coats on the top, one coat on the bottom
Edge	⅝" radius on top edge
Thickness	1 ½"

# WARRANTY

## Warranty Promise

Diversified Spaces promises to repair or replace any Diversified Spaces brand product or component that is defective in material or workmanship under normal use for as long as the Original Purchaser owns it. This is the sole and exclusive remedy for Diversified Spaces products to be found defective. This warranty applies to Diversified Spaces products from the date of delivery to the Original Purchaser and is non-transferable. This Warranty is subject to limitations, exclusions or other provisions detailed below. Original Purchaser implies the final purchasing entity acquiring the product from a Diversified Spaces Authorized Dealer for the purchaser's use and not for resale, remarketing or distribution.

## Limited Lifetime Warranty Terms

Limited Lifetime Warranty — Diversified Spaces warrants that its products shall be free of material defect and/or faulty workmanship from the date of delivery. This warranty is subject to the limitations and exclusions indicated below

12 Year Warranty — Diversified Spaces warrants that its laminate tops, butcher block tops, phenolic tops, epoxy tops, stainless steel tops, high wear, and moveable parts (ie: casters, glides, etc.) shall be free of substantial defects in original material and workmanship for twelve (12) years from the date of delivery.

1 Year Warranty — Diversified Spaces warrants that all wood veneer, electrical components, and dry erase markerboard surfaces are free of substantial defects in original materials and workmanship for one (1) year from the date of delivery.

6 Month Warranty — Diversified Spaces warrants that all hand sanitizers and dispensers are free of substantial defects in original materials and workmanship for six months from the date of delivery.

## Warranty Exclusions and Limitations

Exclusions — This warranty is considered null and void by the following:

- Abnormal defects caused by abuse or unruly use, modification, or alteration of product
- Any damage caused in transit by the carrier (Contact Diversified Spaces Customer Service to address carrier damage.)
- Ordinary wear and tear (including but not limited to: scratching of laminate, phenolic, epoxy and butcher block tops; ghosting on dry-erase markerboard; chips caused by the moving of epoxy tops)
- Products installed, used, or maintained without adherence to product specifications, assembly instructions or Diversified Spaces' recommendations and warnings
- Product exposure to water or dense humidity

Caution is advised when abutting epoxy surfaces, as chipping and cracking may occur when an epoxy edge is bumped into another. Chipping and cracking caused by bumping of epoxy surfaces is not covered under the Diversified Spaces Warranty.

## Warranty Limitations

This warranty is provided only to the initial purchaser, is non-transferable and is valid strictly for as long as the product is owned by the original purchaser. To be protected under this warranty, all products must be stored in areas of controlled temperature and humidity, and periodic regular scheduled maintenance must be performed. See separate Care and Maintenance documents for further detail.

Any incidental or consequential damages, including but not limited to business losses, personal property damage, and third-party liabilities are hereby expressly excluded.

Diversified Spaces shall repair or replace, at its discretion, any portion of the product which proves to be defective under the terms of this warranty. Diversified Spaces may elect to substitute a reasonably comparable product, or a cash refund of the original purchase price (less reasonable depreciation) in the event the original warranted product is no longer manufactured at the time the warranty is exercised. Liability is limited to replacement parts and labor.

Freight and installation costs are excluded from Warranty consideration and are the sole responsibility of the Purchaser.

Diversified Spaces products are not recommended or warranted for outdoor use.

Some natural color variations occurring in wood, veneer, plastics, laminates, paints, or other natural materials are inherent to their character and cannot be avoided, and Diversified Spaces does not consider these variations to be defects. Colorfastness and variation of colors, grains or textures of such materials are not warranted. There are no implied warranties of fitness or merchantability, and there are no other warranties beyond the warranties expressed here.

# INDEX

Model Number	Product	Page #
100283	Rubber Base Molding	99
103 Series	Door Base Cabinet	60
106 Series	Drawer over Door Base Cabinet	60
1110 Series	8' Instructor Desk	31
1131	Teacher's Work Desk	30
1140 Series	Side Desk	31
121 Series	Drawer Base Cabinet	60
1210 Series	5' Instructor Desk	30
1210-ADA Series	ADA Instructor Desk	30
1500 Series	Octagon Workstation w/Pedestal	36
1536 Series	Trifacial Workstation	36
1600 Series	Octagon Workstation w/Drawers	36
1800 Series	Mobile Fume Hood Station	42
2000 Series	2- and 4-Person Lab Tables	33
20-006	Optional Shelves for WBML Series	12
206513	Metal Corner w/Screws for 100283	99
20752930	Epoxy Resin Countertop	60
21451516	Phenolic Resin Countertop	60
229717	Maple Top	60
247866	Maple Countertop	60
249732	Flammable Liquid Storage Cabinet	65
250487	Drawer for Stainless Steel Table	17
250511-14	Wall Shelf	17
253244	Privacy Panels, Set of 3	92
253259	Flammable Liquid Storage Cabinet	65
253260	Flammable Liquid Storage Cabinet	65
253261	Acid and Corrosive Storage Cabinet	65
253262	Paint and Ink Storage Cabinet	66
253266	Steel Oily Waste Can	65
255588-255590	Shelves for Fab-Lab Tables	13
260004-7 Series	Mobile Metered Hand-Washing Sinks	43
260011	Hygiene Station	101
2800 Series	Perimeter Workstation	39
2900 Series	Lab Workstations	44
301 Series	Bookcases	91
3010	Art Sink	85
3116	Service Island	34
313 Series	Tall Storage Cabinet	96
318 Series	Tall Storage w/Split Doors	96
3200 Series	Wall Service Station	39
3303	Clean-Up Sink	38
333-3630	Portfolio Storage Cabinet	82
3420 Series	Corrosives Cabinet	64
3440 Series	Flammables Cabinet	64
351-4822	Tote Tray and Shelf Storage Cabinet	80
353 Series	General Storage Cabinet	96
354-4830	Flat Paper Storage Cabinet	82
356 Series	Tall Storage Cabinet with Split Doors	96
359-4822	Canvas Door Display Cabinet	83
360-3622	Deluxe Wardrobe Cabinet	97
370 Series	Microscope Cabinet	62
372 Series	Microscope Cabinet	62
374-2422	Torso Cabinet	62
375-377 Series	Skeleton Cabinet	62
380-4822	Premier Display Cabinet	83
390 Series	Open Tall Tote Storage	78
391 Series	Tall Tote Tray Storage w/Doors	78
3DP-3624M	Multi-Purpose Cart	71
4100-4102	Mobile Sliding Door Cabinet	95
4111 Series	Mobile Demo Lab Table	41
4121	Mobile Demo Lab Table with Sink	41
4222 Series	Mobile Demo Table with Drawers	41
4332 Series	Mobile Desk with Sink and Storage	41
4342 Series	XL Mobile Demo Center	41
4352 Series	ADA Mobile Lab Station	41
445-7 Series	Lipped Shelf Bookcases	91
4500 Series	Mobile Demo Cart	71
4701	Mobile Microscope Storage Cabinet	61
4711	Large Mobile Microscope Storage Cabinet	61
4741	Mobile Micro-Charge Storage Cabinet	61

Model Number	Product	Page #
4751	Mobile Tote Tray Cabinet	74
4801	Mobile Open Tote Cabinet	75
4811	Mobile Tote Storage Cabinets	75
4821	Write-n-Roll Storage Cabinet - Euro	74
4901	Write-n-Roll Storage Cabinet - Classic	74
5100	Sculpture Ware Cart	84
5201	Mobile Balance Storage Cabinet	61
5301	Mobile Laptop Recharging Station	71
6900	Shower and Eyewash Stations	63
6950	Safety Station	63
8200	Paint Hood and Cabinet System	66
9100BL	Damp Cabinet	85
9200BL	Drying Cabinet	85
A2900 Series	Forward Vision with Axis Top	35
A32-37	Angle Iron Workbench	15
A7 Series	Adjustable Leg Wood Table	5
AB	Art Bench	56
ABH	Art Bench	56
AE7 Series	Workstation	38
AE8 Series	Workstation	38
AE18	Mobile Euro Tote for Axis Evolve	75
AFB Series	Bench Seating	56
AFT Series	A-Frame Tables	27
AH	Art Horse	54
ALT Series	Table with Adjustable Legs	26
ALTD Series	Drawing Tables	22
AMS Series	Workbench	13
ARS	Augmented Reality Sandbox	45
ATS	Athletic Taping Stations	57
ATT	Athletic Taping and Training Benches	57
AVT Series	Forward Vision with Axis Top	6
BP Series	Backpack Locker	88-89
BT-LOC	Heavy-Duty Book Truck	90
C2000 Series	Storage Cabinet Lab Tables	33
C2400 Series	Island Workstation with Doors/Drawers	33
C2500 Series	Island Workstation with Door/Drawers	33
C2600 Series	Island Workstation with Cupboards	33
C2700 Series	Island Workstation with Cupboards	33
C-38	Mobile Clay Cart	84
C7 Series	Wood Lab Table with Book Compartments	4
C9 Series	Steel Table with Book Compartments	5
CC Series	Wood Cubbies	86
CDTC	Drawing/CAD Table	19
CTS	Taping Station	57
CWC-72P	Ceramic Work Center	84
D03 Series	Solid Door Wall Cabinets	60
D06 Series	Glass Door Wall Cabinets	60
D7 Series	Wood Lab Table with Drawers in Apron	4
D9 Series	Steel Table with Drawers in Apron	5
DBC-1	Paper Storage Cabinet	82
DE Series	Duo Mobile Tote Storage Cabinet	77
DM-FB	Integra Bench	8
DM-LT	Accu Table	8
DMW	Welding Tables	11
DPSC-50	Flat Paper Storage Cabinet	81
DT Series	Drawing Tables	80
DT-2 Series	Drawing Table with Small Drawer	18
DT-3 Series	Drawing Table System with 1-Piece Top	18
DT-4 Series	Drawing Table with Drawers	20
DT-6 Series	Drawing Table System with 2-Piece Top	19
DT-8 Series	Drawing Table	20
DT-9 Series	Four-station Drawing Table	18
DTA-21A	Two-Station Drawing Table Six Drawers	20
DTC Series	Drawing Supply Cabinet	19
DW-VTT Series	Open Base Stainless Steel Work Table	17
EMDC-2436	Enclosed Mobile Storage Cabinet	95
EMWB-6	Mobile Workbench	94 & 47
ESC11-11LM	Eye Safety Cabinet	64
FAB Series	Medical Treatment Bench	57
FAC-3613	First Aid Wall Cabinet	63
FCC-29 Series	Hanging Wall Storage Cabinet	66
FFS Series	Flat File Storage System	81
FVT Series	Mobile Table with Wood Legs	6

# INDEX

Model Number	Product	Page #
GCT Series	Side Clamp Bench	15
GSB-6024	Glue and Stain Bench	15
GSC Series	General Storage Cabinet	96
HFD Series	H-Frame Desk	29
HGOMS	Hydroponic Growing System	44
HLB Series	Adjustable-height Hand Crank Tables	28
HLBE Series	Adjustable-height Electric Tables	28
HWS-3624K	Mobile Hot Water Station	43
IDT Series	Instructor Drafting Tables	21
IMS Series	Workstation - Square Top	46
IMW Series	Workstation - Wave Top	46
IP Series	Mobile Lecterns	92
LB Series	Steel Locker Bases	50
LR-12M	Metal Lumber Rack	69
LR-13W	Wood Lumber Rack	69
LR-1WM	Upright with Five Pipe Arms	70
LR-9SB	16" Wall Spacer Bracket	70
LT	Light Tables	21
LW-8	Work Wall	92
M Series	Mobile Pedestal	76
MA Series	Steel Wall Lockers	50
MBB-7224	Miter Box Bench	16
MC-1	Hanging Storage Cabinet	68
MDC-2436	Mobile Touchdown Storage Cabinet	95
MET	Mobile Tote Pedestal	76
MGC-4818	Plant Growing Stand	44
MGSB-6024	Glue and Stain Bench	15
MLB Series	Adj. Height Industrial Steel Workbench	12
MSSC-200	XL Mobile Storage Cabinet	93
MTTC-4824	Tall Mobile Classic Tote Tray Storage	77
MTTE Series	XL Mobile Euro Tote Storage Cabinet	76
OS Series	Bookcases	91
P7 Series	Wood Lab Tables with Plain Aprons	4
P8 Series	Height-adjustable Table w/Wood Apron	5
P9 Series	Steel Table with Plain Apron	5
PDT-2420	Portable Drafting Table	22
PLB-201	Planning and Layout Bench	23
PSC-80 Series	Tall Parts Cabinet	68
PSC-90 Series	Art Supply Storage Cabinet	79
PT Series	Planning Tables	23, 25
S Series	Metal Stools	54
SB-4 Series	Wall Storage Bench	81
SE-NPC	Poly Chair	51
SE-PC	Poly Chair	51
SE-PS	Poly Stool	53
SE-T Series	Vinyl Chair	51
SE-TR Series	Stool	53
SE-W Series	Classic Maple Chair and Stool	55
SG-72000	Safety Glasses	100
SLT7186	Steel Stools	54
SMB-540 Series	Sheet Metal Bench	14
SMT Series	Tables	23
STL9186 Series	Wooden Seat Stools with Steel Base	55
T-1000	Taboret	81
TC Series	Tool Storage Cabinets	67
TETC Series	Tool Storage Cabinets	68
TL Series	Mobile Lockers	90
TS-4221	Mobile Euro Tote XL Cabinet	76
TTC-48	Tote Tray Storage Cabinet	79
TW-4221 Series	Mobile Euro Tote	77
TZ Series	Tables	7
VSR-277M	Vertical Lumber Rack	70
VXM Series	Robot Compartment Storage Cabinet	72
VXP Series	Robotics Storage Cabinet	72
VXR Series	Robotics Workbench	46, 72
VXT Series	Robot Tote Storage	72
W Series	Wood Top Workbench	47
WB12	Four-Station Steel Workbench	49
WB2 Series	Four-Station Steel Workbench	49

Model Number	Product	Page #
WB4 Series	Four-Station Steel Workbench	49
WB6 Series	Two-Station Steel Workbench	49
WBB4 Series	Two-Station Steel Workbench	49
WBD Series	Two-Station Steel Workbench	49
WBML Series	Adj. Height Industrial Arts Workbench	12
WMSC	Mobile Touchdown Cabinet w/Pegboard	94
WSC-26	Wardrobe Cabinet	97
WSP Series	Mobile Hand-Washing Station	43
WT7142_30N	Clay Wedging Table	24
WW12 Series	Mobile Workbench Butcher Block Top	47
WW2 Series	Open Style Wood Workbench	16
WW231 Series	Wood Workbench with Double Doors	48
WW232 Series	Wood Workbench with Door/Drawer	48
WW31 Series	Wood Workbench with Double Doors	48
WW32 Series	Wood Workbench with Door/Drawer	48
WW33 Series	Wood Workbench with Drawer/Door	48
WW4 Series	Open Style Wood Workbench	16
WX4 Series	Worktop Classic Table	24
X7 Series	Fixed Metal Multipurpose Table	9
X8 Series	Adj. Height Metal Multipurpose Tables	9
XM-4424	Robot Compartment Storage Cabinet	72
XP	Robotics Storage Cabinet	72
XR	Robotics Workbench	73
XS	Stainless Steel Tables	17
XT Series	Robot Tote Storage	72
XW Series	Robotics Mobile Workbench	46, 72

## ACCESSORIES

Model Number	Product	Page
100002	Clamp, 3/4 x 3/4	98
100003	Clamp, 3/4 x 1/2	98
100004	Upright	98
100005	Crossbar 18"	98
100006	Crossbar 48"	98
100007	Crossbar 40"	98
100008	Crossbar 32"	98
100047-49	Gas Cocks	98
100074-BKR	Multi Service Fixture - Water and Gas	99
100076X4	Rubber Leg Boots, Set of 4	99
100245GRAMM	Greenlaw Arm	98
100709X4	Casters for UpLift! Tables	26
100728X4	Floor Mounting Brackets, Set of 4	99
100013	Hand Pump	99
100051	Cold Water Faucet	99
100061	Hot Water Faucet	99
100118	2-1/2 Gallon Water Jug	99
100466	Gas Cocks	98
100467	Mixing Faucet - Hot and Cold Water	99
100604	Upright Set with Crossbar	39, 98
100994	Lab Hand	98
15-0081-84	Tool Cabinet Accessories	
206505	Rod Sockets	41, 98
234708	Heavy-Duty Vise	100
250516	Locking Casters, Set of 4	17
251695	5 Gallon Portable Water Jug	99
251696	6 Gallon Portable Water Jug	99
251909	Bench Vise	100
251913	Magnetic Tool Holder	100
251975	Clamp Outlet/USB Hub	100
253560-GF4 HEPA	HEPA Filter for Fume Hood	42
253996	Casters, Set of 4 for AMS Tables	13
256312	5 Gallon Jug	99
4000K	Mirror	98
4001K	Mirror/Marker Board	98
FG-88210	Flexible Goggles	64, 100
L30 Series	Replacement Legs	99
LCS	Locking Casters, Set of 4	81
SG-72000	Safety Glasses	64, 100







VEX  
ROBOTICS

EAT  
SLEEP  
ROBOTICS  
REPEAT



300 S Krueger Street - Suring, WI 54174  
877.348.9663  
920.842.2499  
Info@DiversifiedSpaces.com

Visit Our Website!

